

2013年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	0	0	1	0	0	0	2	0	0	2	1	1	0	2	0	10	
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.12)	(0.06)	(0.06)	(0.00)	(0.12)	(0.00)	(0.59)	
	年齢構成比(%)	0%	10%	0%	0%	0%	0%	0%	10%	0%	0%	0%	20%	0%	0%	20%	10%	10%	0%	20%	0%	100%	

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	2	0	6
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.12)	(0.00)	(0.35)
	年齢構成比(%)	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	0%	0%	17%	17%	0%	0%	33%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	25%	0%	0%	25%	0%	25%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	14	18	17	9	3	0	2	0	1	0	0	0	0	0	64
	(定点あたり)	(0.19)	(0.24)	(0.23)	(0.12)	(0.04)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.86)
	年齢構成比(%)	22%	28%	27%	14%	5%	0%	3%	0%	2%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	4	1	3	1	0	0	1	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	15%	31%	8%	23%	8%	0%	0%	8%	0%	8%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	3	4	3	7	5	1	1	6	3	6	41
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.05)	(0.04)	(0.09)	(0.07)	(0.01)	(0.01)	(0.08)	(0.04)	(0.08)	(0.55)
	年齢構成比(%)	0%	0%	0%	5%	7%	10%	7%	17%	12%	2%	2%	15%	7%	15%	100%
感染性胃腸炎	報告数	4	15	25	15	24	15	26	12	6	12	8	13	7	22	204
	(定点あたり)	(0.05)	(0.20)	(0.34)	(0.20)	(0.32)	(0.20)	(0.35)	(0.16)	(0.08)	(0.16)	(0.11)	(0.18)	(0.09)	(0.30)	(2.76)
	年齢構成比(%)	2%	7%	12%	7%	12%	7%	13%	6%	3%	6%	4%	6%	3%	11%	100%
水痘	報告数	0	2	6	14	7	4	2	0	2	2	1	2	0	0	42
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.19)	(0.09)	(0.05)	(0.03)	(0.00)	(0.03)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.57)
	年齢構成比(%)	0%	5%	14%	33%	17%	10%	5%	0%	5%	5%	2%	5%	0%	0%	100%
手足口病	報告数	0	11	30	19	6	7	3	2	0	3	0	1	0	1	83
	(定点あたり)	(0.00)	(0.15)	(0.41)	(0.26)	(0.08)	(0.09)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(1.12)
	年齢構成比(%)	0%	13%	36%	23%	7%	8%	4%	2%	0%	4%	0%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	11	10	1	0	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.01)	(0.15)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	4%	48%	43%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	0	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	0	1	1	1	1	1	0	0	0	2	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.11)
	年齢構成比(%)	0%	0%	13%	0%	0%	13%	13%	13%	13%	13%	0%	0%	0%	25%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	9	8	10	4	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.12)	(0.11)	(0.14)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	29%	26%	32%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	3	1	2	0	0	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	38%	13%	25%	0%	0%	0%	13%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	2	0	2	1	3	1	1	3	2	2	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.04)	(0.03)	(0.03)	(0.24)
	年齢構成比(%)	0%	0%	0%	6%	11%	0%	11%	6%	17%	6%	6%	17%	11%	11%	100%
感染性胃腸炎	報告数	3	12	13	5	15	8	15	9	5	7	6	9	2	6	115
	(定点あたり)	(0.04)	(0.16)	(0.18)	(0.07)	(0.20)	(0.11)	(0.20)	(0.12)	(0.07)	(0.09)	(0.08)	(0.12)	(0.03)	(0.08)	(1.55)
	年齢構成比(%)	3%	10%	11%	4%	13%	7%	13%	8%	4%	6%	5%	8%	2%	5%	100%
水痘	報告数	0	0	3	10	3	0	0	0	2	1	1	1	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.14)	(0.04)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	14%	48%	14%	0%	0%	0%	10%	5%	5%	5%	0%	0%	100%
手足口病	報告数	0	6	15	13	4	4	2	2	0	2	0	1	0	0	49
	(定点あたり)	(0.00)	(0.08)	(0.20)	(0.18)	(0.05)	(0.05)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.66)
	年齢構成比(%)	0%	12%	31%	27%	8%	8%	4%	4%	0%	4%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	6	2	1	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	67%	22%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	0	0	0	0	1	1	0	0	0	1	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	0%	0%	25%	25%	0%	0%	0%	25%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	10	7	5	3	0	2	0	1	0	0	0	0	0	33
	(定点あたり)	(0.07)	(0.14)	(0.09)	(0.07)	(0.04)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比(%)	15%	30%	21%	15%	9%	0%	6%	0%	3%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	1	1	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	20%	0%	20%	20%	0%	0%	0%	0%	20%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	4	1	6	2	0	0	3	1	4	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.01)	(0.08)	(0.03)	(0.00)	(0.00)	(0.04)	(0.01)	(0.05)	(0.31)
	年齢構成比(%)	0%	0%	0%	4%	4%	17%	4%	26%	9%	0%	0%	13%	4%	17%	100%
感染性胃腸炎	報告数	1	3	12	10	9	7	11	3	1	5	2	4	5	16	89
	(定点あたり)	(0.01)	(0.04)	(0.16)	(0.14)	(0.12)	(0.09)	(0.15)	(0.04)	(0.01)	(0.07)	(0.03)	(0.05)	(0.07)	(0.22)	(1.20)
	年齢構成比(%)	1%	3%	13%	11%	10%	8%	12%	3%	1%	6%	2%	4%	6%	18%	100%
水痘	報告数	0	2	3	4	4	4	2	0	0	1	0	1	0	0	21
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.05)	(0.05)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	10%	14%	19%	19%	19%	10%	0%	0%	5%	0%	5%	0%	0%	100%
手足口病	報告数	0	5	15	6	2	3	1	0	0	1	0	0	0	1	34
	(定点あたり)	(0.00)	(0.07)	(0.20)	(0.08)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.46)
	年齢構成比(%)	0%	15%	44%	18%	6%	9%	3%	0%	0%	3%	0%	0%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	5	8	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.07)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	7%	36%	57%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	1	1	0	0	0	0	0	1	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	25%	25%	0%	0%	0%	0%	0%	25%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。