

2013年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	1	1	2	0	2	5	0	4	1	2	1	1	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)	(0.00)	(0.02)	(0.04)	(0.00)	(0.03)	(0.01)	(0.02)	(0.01)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	5%	0%	0%	0%	5%	5%	10%	0%	10%	24%	0%	19%	5%	10%	5%	5%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	1	1	4	1	0	0	0	0	0	0	0	0	4	1	0	1	1	0	15
	(定点あたり)	(0.00)	(0.06)	(0.06)	(0.06)	(0.22)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.83)
	年齢構成比(%)	0%	7%	7%	7%	27%	7%	0%	0%	0%	0%	0%	0%	0%	0%	27%	7%	0%	7%	7%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	1	1	1	0	0	2	0	2	1	2	0	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.02)	(0.00)	(0.02)	(0.01)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	8%	0%	0%	0%	8%	8%	8%	0%	0%	17%	0%	17%	8%	17%	0%	8%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	1	1	3	1	0	0	0	0	0	0	0	0	3	0	0	1	1	0	12
	(定点あたり)	(0.00)	(0.06)	(0.06)	(0.06)	(0.17)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.67)
	年齢構成比(%)	0%	8%	8%	8%	25%	8%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	8%	8%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	1	0	2	3	0	2	0	0	1	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.02)	(0.00)	(0.02)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	11%	0%	22%	33%	0%	22%	0%	0%	11%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	15	9	22	9	6	1	2	0	0	0	0	0	0	0	64
	(定点あたり)	(0.20)	(0.12)	(0.30)	(0.12)	(0.08)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.86)
	年齢構成比(%)	23%	14%	34%	14%	9%	2%	3%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	5	5	6	6	4	10	0	1	0	1	0	1	40
	(定点あたり)	(0.01)	(0.00)	(0.07)	(0.07)	(0.08)	(0.08)	(0.05)	(0.14)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.54)
	年齢構成比(%)	3%	0%	13%	13%	15%	15%	10%	25%	0%	3%	0%	3%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	13	13	17	13	8	15	15	19	0	16	134
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.18)	(0.18)	(0.23)	(0.18)	(0.11)	(0.20)	(0.20)	(0.26)	(0.00)	(0.22)	(1.81)
	年齢構成比(%)	0%	0%	1%	3%	10%	10%	13%	10%	6%	11%	11%	14%	0%	12%	100%
感染性胃腸炎	報告数	5	20	52	63	49	41	46	31	28	15	9	33	6	53	451
	(定点あたり)	(0.07)	(0.27)	(0.70)	(0.85)	(0.66)	(0.55)	(0.62)	(0.42)	(0.38)	(0.20)	(0.12)	(0.45)	(0.08)	(0.72)	(6.09)
	年齢構成比(%)	1%	4%	12%	14%	11%	9%	10%	7%	6%	3%	2%	7%	1%	12%	100%
水痘	報告数	2	3	19	22	23	16	14	4	3	4	0	3	0	1	114
	(定点あたり)	(0.03)	(0.04)	(0.26)	(0.30)	(0.31)	(0.22)	(0.19)	(0.05)	(0.04)	(0.05)	(0.00)	(0.04)	(0.00)	(0.01)	(1.54)
	年齢構成比(%)	2%	3%	17%	19%	20%	14%	12%	4%	3%	4%	0%	3%	0%	1%	100%
手足口病	報告数	0	2	11	11	4	2	4	0	0	0	1	0	0	1	36
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.15)	(0.05)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.49)
	年齢構成比(%)	0%	6%	31%	31%	11%	6%	11%	0%	0%	0%	3%	0%	0%	3%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	100%
突発性発しん	報告数	1	10	11	1	1	0	0	0	0	0	0	0	0	0	24
	(定点あたり)	(0.01)	(0.14)	(0.15)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	4%	42%	46%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	2	2	1	2	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	11%	11%	22%	22%	11%	22%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	12	5	9	5	3	1	2	0	0	0	0	0	0	0	37
	(定点あたり)	(0.16)	(0.07)	(0.12)	(0.07)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	32%	14%	24%	14%	8%	3%	5%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	3	4	2	6	0	0	0	1	0	1	24
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.04)	(0.05)	(0.03)	(0.08)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.32)
	年齢構成比(%)	0%	0%	17%	13%	13%	17%	8%	25%	0%	0%	0%	4%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	8	9	6	6	3	9	8	12	0	5	66
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.12)	(0.08)	(0.08)	(0.04)	(0.12)	(0.11)	(0.16)	(0.00)	(0.07)	(0.89)
	年齢構成比(%)	0%	0%	0%	0%	12%	14%	9%	9%	5%	14%	12%	18%	0%	8%	100%
感染性胃腸炎	報告数	3	12	28	28	28	20	22	17	15	8	1	15	3	16	216
	(定点あたり)	(0.04)	(0.16)	(0.38)	(0.38)	(0.38)	(0.27)	(0.30)	(0.23)	(0.20)	(0.11)	(0.01)	(0.20)	(0.04)	(0.22)	(2.92)
	年齢構成比(%)	1%	6%	13%	13%	13%	9%	10%	8%	7%	4%	0%	7%	1%	7%	100%
水痘	報告数	2	1	11	13	10	8	9	0	1	4	0	3	0	1	63
	(定点あたり)	(0.03)	(0.01)	(0.15)	(0.18)	(0.14)	(0.11)	(0.12)	(0.00)	(0.01)	(0.05)	(0.00)	(0.04)	(0.00)	(0.01)	(0.85)
	年齢構成比(%)	3%	2%	17%	21%	16%	13%	14%	0%	2%	6%	0%	5%	0%	2%	100%
手足口病	報告数	0	0	8	8	2	2	3	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.11)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	0%	35%	35%	9%	9%	13%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	7	6	0	1	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.09)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	7%	47%	40%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	1	0	2	1	0	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	40%	20%	0%	20%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	4	13	4	3	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.04)	(0.05)	(0.18)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	11%	15%	48%	15%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	1	2	3	2	2	4	0	1	0	0	0	0	16
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.03)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	6%	0%	6%	13%	19%	13%	13%	25%	0%	6%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	5	4	11	7	5	6	7	7	0	11	68
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.07)	(0.05)	(0.15)	(0.09)	(0.07)	(0.08)	(0.09)	(0.09)	(0.00)	(0.15)	(0.92)
	年齢構成比(%)	0%	0%	1%	6%	7%	6%	16%	10%	7%	9%	10%	10%	0%	16%	100%
感染性胃腸炎	報告数	2	8	24	35	21	21	24	14	13	7	8	18	3	37	235
	(定点あたり)	(0.03)	(0.11)	(0.32)	(0.47)	(0.28)	(0.28)	(0.32)	(0.19)	(0.18)	(0.09)	(0.11)	(0.24)	(0.04)	(0.50)	(3.18)
	年齢構成比(%)	1%	3%	10%	15%	9%	9%	10%	6%	6%	3%	3%	8%	1%	16%	100%
水痘	報告数	0	2	8	9	13	8	5	4	2	0	0	0	0	0	51
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.12)	(0.18)	(0.11)	(0.07)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.69)
	年齢構成比(%)	0%	4%	16%	18%	25%	16%	10%	8%	4%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	3	3	2	0	1	0	0	0	1	0	0	1	13
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.18)
	年齢構成比(%)	0%	15%	23%	23%	15%	0%	8%	0%	0%	0%	8%	0%	0%	8%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	100%
突発性発しん	報告数	0	3	5	1	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	33%	56%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	1	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	25%	25%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。