

2013年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	2	0	3	3	0	3	5	14	11	3	7	2	5	0	3	1	2	65
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.02)	(0.02)	(0.00)	(0.02)	(0.04)	(0.12)	(0.09)	(0.02)	(0.06)	(0.02)	(0.04)	(0.00)	(0.02)	(0.01)	(0.02)	(0.54)
	年齢構成比(%)	0%	0%	2%	3%	0%	5%	5%	0%	5%	8%	22%	17%	5%	11%	3%	8%	0%	5%	2%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	3	1	0	1	0	0	0	0	0	0	6	3	1	2	0	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.17)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)	(0.17)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.94)
	年齢構成比(%)	0%	0%	0%	18%	6%	0%	6%	0%	0%	0%	0%	0%	0%	35%	18%	6%	12%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	1	0	0	1	0	1	3	3	8	1	4	0	1	0	2	1	0	27
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.02)	(0.02)	(0.07)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.02)	(0.01)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	4%	4%	0%	0%	4%	0%	4%	11%	11%	30%	4%	15%	0%	4%	0%	7%	4%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	2	1	0	1	0	0	0	0	0	0	3	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	29%	14%	0%	14%	0%	0%	0%	0%	0%	0%	43%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	0	3	2	0	2	2	11	3	2	3	2	4	0	1	0	2	38
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.02)	(0.00)	(0.02)	(0.02)	(0.09)	(0.02)	(0.02)	(0.02)	(0.02)	(0.03)	(0.00)	(0.01)	(0.00)	(0.02)	(0.31)
	年齢構成比(%)	0%	0%	0%	3%	0%	8%	5%	0%	5%	5%	29%	8%	5%	8%	5%	11%	0%	3%	0%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	3	3	1	2	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.17)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.56)
	年齢構成比(%)	0%	0%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	30%	30%	10%	20%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	14	11	13	11	2	1	2	0	1	0	0	0	0	0	55
	(定点あたり)	(0.19)	(0.15)	(0.18)	(0.15)	(0.03)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.75)
	年齢構成比(%)	25%	20%	24%	20%	4%	2%	4%	0%	2%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	7	11	15	11	5	1	0	1	3	0	1	61
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.10)	(0.15)	(0.21)	(0.15)	(0.07)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.84)
	年齢構成比(%)	0%	2%	8%	11%	18%	25%	18%	8%	2%	0%	2%	5%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	7	12	14	8	14	5	7	6	1	10	87
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.10)	(0.16)	(0.19)	(0.11)	(0.19)	(0.07)	(0.10)	(0.08)	(0.01)	(0.14)	(1.19)
	年齢構成比(%)	0%	0%	0%	3%	8%	14%	16%	9%	16%	6%	8%	7%	1%	11%	100%
感染性胃腸炎	報告数	5	32	99	81	74	77	68	53	30	37	26	38	12	82	714
	(定点あたり)	(0.07)	(0.44)	(1.36)	(1.11)	(1.01)	(1.05)	(0.93)	(0.73)	(0.41)	(0.51)	(0.36)	(0.52)	(0.16)	(1.12)	(9.78)
	年齢構成比(%)	1%	4%	14%	11%	10%	11%	10%	7%	4%	5%	4%	5%	2%	11%	100%
水痘	報告数	4	4	14	20	16	17	6	5	6	1	0	1	0	0	94
	(定点あたり)	(0.05)	(0.05)	(0.19)	(0.27)	(0.22)	(0.23)	(0.08)	(0.07)	(0.08)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(1.29)
	年齢構成比(%)	4%	4%	15%	21%	17%	18%	6%	5%	6%	1%	0%	1%	0%	0%	100%
手足口病	報告数	1	5	10	6	6	3	1	1	0	0	0	2	0	1	36
	(定点あたり)	(0.01)	(0.07)	(0.14)	(0.08)	(0.08)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.49)
	年齢構成比(%)	3%	14%	28%	17%	17%	8%	3%	3%	0%	0%	0%	6%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	14	0	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.07)	(0.19)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	26%	74%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	2	1	2	0	2	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	0%	29%	14%	29%	0%	29%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	8	8	6	4	2	0	1	0	1	0	0	0	0	0	30
	(定点あたり)	(0.11)	(0.11)	(0.08)	(0.05)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	27%	27%	20%	13%	7%	0%	3%	0%	3%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	4	7	8	7	2	0	0	1	1	0	0	32
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.05)	(0.10)	(0.11)	(0.10)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	3%	3%	13%	22%	25%	22%	6%	0%	0%	3%	3%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	2	5	6	4	9	3	6	1	0	4	42
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.08)	(0.05)	(0.12)	(0.04)	(0.08)	(0.01)	(0.00)	(0.05)	(0.58)
	年齢構成比(%)	0%	0%	0%	5%	5%	12%	14%	10%	21%	7%	14%	2%	0%	10%	100%
感染性胃腸炎	報告数	3	18	50	47	42	38	36	25	16	22	12	21	5	28	363
	(定点あたり)	(0.04)	(0.25)	(0.68)	(0.64)	(0.58)	(0.52)	(0.49)	(0.34)	(0.22)	(0.30)	(0.16)	(0.29)	(0.07)	(0.38)	(4.97)
	年齢構成比(%)	1%	5%	14%	13%	12%	10%	10%	7%	4%	6%	3%	6%	1%	8%	100%
水痘	報告数	1	2	8	11	12	5	3	4	4	1	0	1	0	0	52
	(定点あたり)	(0.01)	(0.03)	(0.11)	(0.15)	(0.16)	(0.07)	(0.04)	(0.05)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.71)
	年齢構成比(%)	2%	4%	15%	21%	23%	10%	6%	8%	8%	2%	0%	2%	0%	0%	100%
手足口病	報告数	0	2	5	3	3	0	1	1	0	0	0	2	0	1	18
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.04)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.25)
	年齢構成比(%)	0%	11%	28%	17%	17%	0%	6%	6%	0%	0%	0%	11%	0%	6%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	2	9	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	18%	82%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	3	7	7	0	1	1	0	0	0	0	0	0	0	25
	(定点あたり)	(0.08)	(0.04)	(0.10)	(0.10)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	24%	12%	28%	28%	0%	4%	4%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	4	7	4	3	1	0	0	2	0	1	29
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.05)	(0.10)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.40)
	年齢構成比(%)	0%	0%	14%	10%	14%	24%	14%	10%	3%	0%	0%	7%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	5	7	8	4	5	2	1	5	1	6	45
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.10)	(0.11)	(0.05)	(0.07)	(0.03)	(0.01)	(0.07)	(0.01)	(0.08)	(0.62)
	年齢構成比(%)	0%	0%	0%	2%	11%	16%	18%	9%	11%	4%	2%	11%	2%	13%	100%
感染性胃腸炎	報告数	2	14	49	34	32	39	32	28	14	15	14	17	7	54	351
	(定点あたり)	(0.03)	(0.19)	(0.67)	(0.47)	(0.44)	(0.53)	(0.44)	(0.38)	(0.19)	(0.21)	(0.19)	(0.23)	(0.10)	(0.74)	(4.81)
	年齢構成比(%)	1%	4%	14%	10%	9%	11%	9%	8%	4%	4%	4%	5%	2%	15%	100%
水痘	報告数	3	2	6	9	4	12	3	1	2	0	0	0	0	0	42
	(定点あたり)	(0.04)	(0.03)	(0.08)	(0.12)	(0.05)	(0.16)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.58)
	年齢構成比(%)	7%	5%	14%	21%	10%	29%	7%	2%	5%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	3	5	3	3	3	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.01)	(0.04)	(0.07)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	6%	17%	28%	17%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	5	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	38%	63%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	2	1	1	0	2	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	33%	17%	17%	0%	33%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。