

## 2013年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	2	2	2	3	4	9	4	9	13	3	9	8	6	5	2	1	0	85
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.02)	(0.02)	(0.02)	(0.03)	(0.03)	(0.08)	(0.03)	(0.08)	(0.11)	(0.03)	(0.08)	(0.07)	(0.05)	(0.04)	(0.02)	(0.01)	(0.00)	(0.72)
	年齢構成比(%)	0%	0%	4%	2%	2%	2%	4%	5%	11%	5%	11%	15%	4%	11%	9%	7%	6%	2%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	1	0	0	0	1	0	0	0	1	6	4	2	2	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.33)	(0.22)	(0.11)	(0.11)	(0.00)	(0.00)	(1.06)
	年齢構成比(%)	0%	0%	5%	0%	5%	5%	0%	0%	0%	5%	0%	0%	0%	5%	32%	21%	11%	11%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	2	1	1	2	2	3	3	3	3	2	5	4	2	2	0	0	0	36
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.02)	(0.01)	(0.01)	(0.02)	(0.02)	(0.03)	(0.03)	(0.03)	(0.03)	(0.02)	(0.04)	(0.03)	(0.02)	(0.02)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	0%	3%	6%	3%	3%	6%	6%	6%	8%	8%	8%	8%	6%	14%	11%	6%	6%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	1	0	0	0	0	0	0	0	0	2	3	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	13%	0%	13%	13%	0%	0%	0%	0%	0%	0%	0%	0%	25%	38%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	0	1	1	1	2	6	1	6	10	1	4	4	4	3	2	1	0	49
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.01)	(0.01)	(0.02)	(0.05)	(0.01)	(0.05)	(0.08)	(0.01)	(0.03)	(0.03)	(0.03)	(0.03)	(0.02)	(0.01)	(0.00)	(0.42)
	年齢構成比(%)	0%	0%	4%	0%	2%	2%	2%	4%	12%	2%	12%	20%	2%	8%	8%	8%	6%	4%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	1	4	1	2	2	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.22)	(0.06)	(0.11)	(0.11)	(0.00)	(0.00)	(0.61)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	9%	0%	0%	0%	9%	36%	9%	18%	18%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	7	10	9	6	0	1	1	0	0	0	0	0	0	0	34
	(定点あたり)	(0.10)	(0.14)	(0.13)	(0.08)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	21%	29%	26%	18%	0%	3%	3%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	11	9	6	14	14	5	6	3	1	4	1	0	75
	(定点あたり)	(0.00)	(0.01)	(0.15)	(0.13)	(0.08)	(0.19)	(0.19)	(0.07)	(0.08)	(0.04)	(0.01)	(0.06)	(0.01)	(0.00)	(1.04)
	年齢構成比(%)	0%	1%	15%	12%	8%	19%	19%	7%	8%	4%	1%	5%	1%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	3	14	16	10	9	23	13	11	16	0	11	129
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.19)	(0.22)	(0.14)	(0.13)	(0.32)	(0.18)	(0.15)	(0.22)	(0.00)	(0.15)	(1.79)
	年齢構成比(%)	0%	0%	2%	2%	11%	12%	8%	7%	18%	10%	9%	12%	0%	9%	100%
感染性胃腸炎	報告数	5	47	126	91	104	70	80	53	38	42	29	49	16	110	860
	(定点あたり)	(0.07)	(0.65)	(1.75)	(1.26)	(1.44)	(0.97)	(1.11)	(0.74)	(0.53)	(0.58)	(0.40)	(0.68)	(0.22)	(1.53)	(11.94)
	年齢構成比(%)	1%	5%	15%	11%	12%	8%	9%	6%	4%	5%	3%	6%	2%	13%	100%
水痘	報告数	1	5	9	18	21	13	11	4	0	5	1	2	1	0	91
	(定点あたり)	(0.01)	(0.07)	(0.13)	(0.25)	(0.29)	(0.18)	(0.15)	(0.06)	(0.00)	(0.07)	(0.01)	(0.03)	(0.01)	(0.00)	(1.26)
	年齢構成比(%)	1%	5%	10%	20%	23%	14%	12%	4%	0%	5%	1%	2%	1%	0%	100%
手足口病	報告数	0	2	7	7	2	0	2	0	0	1	0	0	0	0	21
	(定点あたり)	(0.00)	(0.03)	(0.10)	(0.10)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	10%	33%	33%	10%	0%	10%	0%	0%	5%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	13	9	2	1	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.00)	(0.18)	(0.13)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	52%	36%	8%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	1	0	1	0	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	25%	0%	0%	25%	0%	25%	0%	0%	25%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	1	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	4	4	3	0	1	1	0	0	0	0	0	0	0	17
	(定点あたり)	(0.06)	(0.06)	(0.06)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	24%	24%	24%	18%	0%	6%	6%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	3	1	9	8	4	4	1	1	0	0	0	37
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.04)	(0.01)	(0.13)	(0.11)	(0.06)	(0.06)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	0%	3%	14%	8%	3%	24%	22%	11%	11%	3%	3%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	6	5	4	4	14	3	6	5	0	4	55
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.08)	(0.07)	(0.06)	(0.06)	(0.19)	(0.04)	(0.08)	(0.07)	(0.00)	(0.06)	(0.76)
	年齢構成比(%)	0%	0%	2%	5%	11%	9%	7%	7%	25%	5%	11%	9%	0%	7%	100%
感染性胃腸炎	報告数	2	25	70	46	58	40	45	30	24	25	23	29	11	44	472
	(定点あたり)	(0.03)	(0.35)	(0.97)	(0.64)	(0.81)	(0.56)	(0.63)	(0.42)	(0.33)	(0.35)	(0.32)	(0.40)	(0.15)	(0.61)	(6.56)
	年齢構成比(%)	0%	5%	15%	10%	12%	8%	10%	6%	5%	5%	5%	6%	2%	9%	100%
水痘	報告数	0	4	5	10	14	3	8	2	0	2	1	1	1	0	51
	(定点あたり)	(0.00)	(0.06)	(0.07)	(0.14)	(0.19)	(0.04)	(0.11)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.71)
	年齢構成比(%)	0%	8%	10%	20%	27%	6%	16%	4%	0%	4%	2%	2%	2%	0%	100%
手足口病	報告数	0	1	3	4	1	0	2	0	0	1	0	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.06)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	8%	25%	33%	8%	0%	17%	0%	0%	8%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	5	2	1	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.06)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	33%	42%	17%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	1	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	6	5	3	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.04)	(0.08)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	18%	35%	29%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	6	6	5	5	6	1	2	2	0	4	1	0	38
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.08)	(0.07)	(0.07)	(0.08)	(0.01)	(0.03)	(0.03)	(0.00)	(0.06)	(0.01)	(0.00)	(0.53)
	年齢構成比(%)	0%	0%	16%	16%	13%	13%	16%	3%	5%	5%	0%	11%	3%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	0	8	11	6	5	9	10	5	11	0	7	74
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.11)	(0.15)	(0.08)	(0.07)	(0.13)	(0.14)	(0.07)	(0.15)	(0.00)	(0.10)	(1.03)
	年齢構成比(%)	0%	0%	3%	0%	11%	15%	8%	7%	12%	14%	7%	15%	0%	9%	100%
感染性胃腸炎	報告数	3	22	56	45	46	30	35	23	14	17	6	20	5	66	388
	(定点あたり)	(0.04)	(0.31)	(0.78)	(0.63)	(0.64)	(0.42)	(0.49)	(0.32)	(0.19)	(0.24)	(0.08)	(0.28)	(0.07)	(0.92)	(5.39)
	年齢構成比(%)	1%	6%	14%	12%	12%	8%	9%	6%	4%	4%	2%	5%	1%	17%	100%
水痘	報告数	1	1	4	8	7	10	3	2	0	3	0	1	0	0	40
	(定点あたり)	(0.01)	(0.01)	(0.06)	(0.11)	(0.10)	(0.14)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.56)
	年齢構成比(%)	3%	3%	10%	20%	18%	25%	8%	5%	0%	8%	0%	3%	0%	0%	100%
手足口病	報告数	0	1	4	3	1	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	11%	44%	33%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	9	4	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.13)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	69%	31%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。