

## 2014年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	3	9	15	19	29	20	22	33	35	19	12	52	34	62	88	62	35	17	9	4	579
	(定点あたり)	(0.02)	(0.07)	(0.12)	(0.16)	(0.24)	(0.16)	(0.18)	(0.27)	(0.29)	(0.16)	(0.10)	(0.43)	(0.28)	(0.51)	(0.72)	(0.51)	(0.29)	(0.14)	(0.07)	(0.03)	(4.75)
	年齢構成比(%)	1%	2%	3%	3%	5%	3%	4%	6%	6%	3%	2%	9%	6%	11%	15%	11%	6%	3%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	2	0	0	1	1	2	0	0	0	1	0	1	0	5	9	1	2	1	0	0	26
	(定点あたり)	(0.11)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.28)	(0.50)	(0.06)	(0.11)	(0.06)	(0.00)	(0.00)	(1.44)
	年齢構成比(%)	8%	0%	0%	4%	4%	8%	0%	0%	0%	4%	0%	4%	0%	19%	35%	4%	8%	4%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	6	8	13	12	13	15	19	21	9	7	25	17	25	42	32	14	11	3	2	295
	(定点あたり)	(0.01)	(0.05)	(0.07)	(0.11)	(0.10)	(0.11)	(0.12)	(0.16)	(0.17)	(0.07)	(0.06)	(0.20)	(0.14)	(0.20)	(0.34)	(0.26)	(0.11)	(0.09)	(0.02)	(0.02)	(2.42)
	年齢構成比(%)	0%	2%	3%	4%	4%	4%	5%	6%	7%	3%	2%	8%	6%	8%	14%	11%	5%	4%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	1	0	0	0	1	1	0	0	0	0	0	1	0	3	4	1	1	0	0	0	13
	(定点あたり)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)	(0.22)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.72)
	年齢構成比(%)	8%	0%	0%	0%	8%	8%	0%	0%	0%	0%	0%	8%	0%	23%	31%	8%	8%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	3	7	6	17	7	7	14	14	10	5	27	17	37	46	30	21	6	6	2	284
	(定点あたり)	(0.02)	(0.02)	(0.06)	(0.05)	(0.14)	(0.06)	(0.06)	(0.11)	(0.11)	(0.08)	(0.04)	(0.22)	(0.14)	(0.30)	(0.38)	(0.25)	(0.17)	(0.05)	(0.05)	(0.02)	(2.33)
	年齢構成比(%)	1%	1%	2%	2%	6%	2%	2%	5%	5%	4%	2%	10%	6%	13%	16%	11%	7%	2%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	1	0	0	1	0	1	0	0	0	1	0	0	0	2	5	0	1	1	0	0	13
	(定点あたり)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)	(0.28)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.72)
	年齢構成比(%)	8%	0%	0%	8%	0%	8%	0%	0%	0%	8%	0%	0%	0%	15%	38%	0%	8%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2014年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	9	7	6	2	1	0	0	1	0	0	0	0	0	0	26
	(定点あたり)	(0.12)	(0.10)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	35%	27%	23%	8%	4%	0%	0%	4%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	4	3	9	5	2	1	1	0	2	0	5	36
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.05)	(0.04)	(0.12)	(0.07)	(0.03)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.07)	(0.49)
	年齢構成比(%)	0%	0%	11%	11%	8%	25%	14%	6%	3%	3%	0%	6%	0%	14%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	3	5	6	8	8	1	7	4	8	1	10	63
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.07)	(0.08)	(0.11)	(0.11)	(0.01)	(0.10)	(0.05)	(0.11)	(0.01)	(0.14)	(0.86)
	年齢構成比(%)	0%	2%	2%	5%	8%	10%	13%	13%	2%	11%	6%	13%	2%	16%	100%
感染性胃腸炎	報告数	4	40	97	65	38	54	40	33	31	20	15	56	19	94	606
	(定点あたり)	(0.05)	(0.55)	(1.33)	(0.89)	(0.52)	(0.74)	(0.55)	(0.45)	(0.42)	(0.27)	(0.21)	(0.77)	(0.26)	(1.29)	(8.30)
	年齢構成比(%)	1%	7%	16%	11%	6%	9%	7%	5%	5%	3%	2%	9%	3%	16%	100%
水痘	報告数	2	5	22	22	19	17	12	8	3	3	2	2	0	0	117
	(定点あたり)	(0.03)	(0.07)	(0.30)	(0.30)	(0.26)	(0.23)	(0.16)	(0.11)	(0.04)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(1.60)
	年齢構成比(%)	2%	4%	19%	19%	16%	15%	10%	7%	3%	3%	2%	2%	0%	0%	100%
手足口病	報告数	0	1	3	2	3	1	1	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	27%	18%	27%	9%	9%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	50%	0%	0%	100%
突発性発しん	報告数	0	4	8	2	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.05)	(0.11)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	29%	57%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	2	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	0%	0%	40%	20%	20%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2014年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	2	3	1	1	0	0	1	0	0	0	0	0	0	13
	(定点あたり)	(0.07)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	38%	15%	23%	8%	8%	0%	0%	8%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	4	3	2	3	0	1	0	0	1	0	1	18
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.04)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.25)
	年齢構成比(%)	0%	0%	17%	22%	17%	11%	17%	0%	6%	0%	0%	6%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	3	5	4	7	3	0	4	3	3	1	4	39
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.07)	(0.05)	(0.10)	(0.04)	(0.00)	(0.05)	(0.04)	(0.04)	(0.01)	(0.05)	(0.53)
	年齢構成比(%)	0%	3%	3%	8%	13%	10%	18%	8%	0%	10%	8%	8%	3%	10%	100%
感染性胃腸炎	報告数	2	27	55	31	24	27	25	18	17	6	6	35	12	34	319
	(定点あたり)	(0.03)	(0.37)	(0.75)	(0.42)	(0.33)	(0.37)	(0.34)	(0.25)	(0.23)	(0.08)	(0.08)	(0.48)	(0.16)	(0.47)	(4.37)
	年齢構成比(%)	1%	8%	17%	10%	8%	8%	8%	6%	5%	2%	2%	11%	4%	11%	100%
水痘	報告数	0	1	14	13	9	11	6	4	1	1	1	1	0	0	62
	(定点あたり)	(0.00)	(0.01)	(0.19)	(0.18)	(0.12)	(0.15)	(0.08)	(0.05)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.85)
	年齢構成比(%)	0%	2%	23%	21%	15%	18%	10%	6%	2%	2%	2%	2%	0%	0%	100%
手足口病	報告数	0	1	2	1	3	1	1	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	11%	22%	11%	33%	11%	11%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	2	6	1	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	22%	67%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2014年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	5	3	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.05)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	31%	38%	23%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	7	2	2	0	1	0	1	0	4	18
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.05)	(0.25)
	年齢構成比(%)	0%	0%	6%	0%	0%	39%	11%	11%	0%	6%	0%	6%	0%	22%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	0	2	1	5	1	3	1	5	0	6	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.07)	(0.01)	(0.04)	(0.01)	(0.07)	(0.00)	(0.08)	(0.33)
	年齢構成比(%)	0%	0%	0%	0%	0%	8%	4%	21%	4%	13%	4%	21%	0%	25%	100%
感染性胃腸炎	報告数	2	13	42	34	14	27	15	15	14	14	9	21	7	60	287
	(定点あたり)	(0.03)	(0.18)	(0.58)	(0.47)	(0.19)	(0.37)	(0.21)	(0.21)	(0.19)	(0.19)	(0.12)	(0.29)	(0.10)	(0.82)	(3.93)
	年齢構成比(%)	1%	5%	15%	12%	5%	9%	5%	5%	5%	5%	3%	7%	2%	21%	100%
水痘	報告数	2	4	8	9	10	6	6	4	2	2	1	1	0	0	55
	(定点あたり)	(0.03)	(0.05)	(0.11)	(0.12)	(0.14)	(0.08)	(0.08)	(0.05)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.75)
	年齢構成比(%)	4%	7%	15%	16%	18%	11%	11%	7%	4%	4%	2%	2%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
突発性発しん	報告数	0	2	2	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	40%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。