

2014年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	4	2	5	4	3	2	3	2	14	8	8	14	8	4	1	3	5	93
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.03)	(0.02)	(0.04)	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.11)	(0.06)	(0.06)	(0.11)	(0.06)	(0.03)	(0.01)	(0.02)	(0.04)	(0.75)
	年齢構成比(%)	0%	0%	3%	4%	2%	5%	4%	3%	2%	3%	2%	15%	9%	9%	15%	9%	4%	1%	3%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	2	1	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	11%	0%	0%	0%	22%	22%	22%	11%	11%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	3	2	3	3	2	1	1	1	6	7	5	6	1	1	1	1	1	47
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	(0.05)	(0.06)	(0.04)	(0.05)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.38)
	年齢構成比(%)	0%	0%	4%	6%	4%	6%	6%	4%	2%	2%	2%	13%	15%	11%	13%	2%	2%	2%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	25%	0%	25%	25%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	1	0	2	1	1	1	2	1	8	1	3	8	7	3	0	2	4	46
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.02)	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(0.06)	(0.01)	(0.02)	(0.06)	(0.06)	(0.02)	(0.00)	(0.02)	(0.03)	(0.37)
	年齢構成比(%)	0%	0%	2%	2%	0%	4%	2%	2%	2%	4%	2%	17%	2%	7%	17%	15%	7%	0%	4%	9%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	20%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	1	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	14	5	5	2	3	1	0	0	0	0	0	0	30
	(定点あたり)	(0.00)	(0.00)	(0.19)	(0.07)	(0.07)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	0%	0%	47%	17%	17%	7%	10%	3%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	7	7	16	17	11	23	16	12	17	3	11	145
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.09)	(0.09)	(0.21)	(0.23)	(0.15)	(0.31)	(0.21)	(0.16)	(0.23)	(0.04)	(0.15)	(1.93)
	年齢構成比(%)	0%	0%	3%	5%	5%	11%	12%	8%	16%	11%	8%	12%	2%	8%	100%
感染性胃腸炎	報告数	6	32	76	78	87	77	69	38	39	30	30	64	16	60	702
	(定点あたり)	(0.08)	(0.43)	(1.01)	(1.04)	(1.16)	(1.03)	(0.92)	(0.51)	(0.52)	(0.40)	(0.40)	(0.85)	(0.21)	(0.80)	(9.36)
	年齢構成比(%)	1%	5%	11%	11%	12%	11%	10%	5%	6%	4%	4%	9%	2%	9%	100%
水痘	報告数	1	0	7	11	7	3	3	2	2	0	2	0	0	0	38
	(定点あたり)	(0.01)	(0.00)	(0.09)	(0.15)	(0.09)	(0.04)	(0.04)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	3%	0%	18%	29%	18%	8%	8%	5%	5%	0%	5%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	1	0	2	0	0	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	25%	0%	50%	0%	0%	0%	25%	0%	0%	0%	100%
突発性発しん	報告数	0	13	19	2	0	0	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.00)	(0.17)	(0.25)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比(%)	0%	38%	56%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	7	2	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	78%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	4	2	1	1	1	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	9%	0%	36%	18%	9%	9%	9%	0%	0%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	9	3	3	1	2	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.04)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	50%	17%	17%	6%	11%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	2	5	7	7	5	8	6	8	10	1	3	66
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.07)	(0.09)	(0.09)	(0.07)	(0.11)	(0.08)	(0.11)	(0.13)	(0.01)	(0.04)	(0.88)
	年齢構成比(%)	0%	0%	6%	3%	8%	11%	11%	8%	12%	9%	12%	15%	2%	5%	100%
感染性胃腸炎	報告数	4	18	37	48	48	38	39	21	24	16	16	37	8	22	376
	(定点あたり)	(0.05)	(0.24)	(0.49)	(0.64)	(0.64)	(0.51)	(0.52)	(0.28)	(0.32)	(0.21)	(0.21)	(0.49)	(0.11)	(0.29)	(5.01)
	年齢構成比(%)	1%	5%	10%	13%	13%	10%	10%	6%	6%	4%	4%	10%	2%	6%	100%
水痘	報告数	1	0	5	6	4	3	1	1	1	0	1	0	0	0	23
	(定点あたり)	(0.01)	(0.00)	(0.07)	(0.08)	(0.05)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	4%	0%	22%	26%	17%	13%	4%	4%	4%	0%	4%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	1	0	1	0	0	0	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	33%	0%	0%	0%	100%
突発性発しん	報告数	0	5	13	0	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.07)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	28%	72%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	5	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	3	1	1	0	0	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	14%	0%	43%	14%	14%	0%	0%	0%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	2	2	1	1	1	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	42%	17%	17%	8%	8%	8%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	5	2	9	10	6	15	10	4	7	2	8	79
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.07)	(0.03)	(0.12)	(0.13)	(0.08)	(0.20)	(0.13)	(0.05)	(0.09)	(0.03)	(0.11)	(1.05)
	年齢構成比(%)	0%	0%	1%	6%	3%	11%	13%	8%	19%	13%	5%	9%	3%	10%	100%
感染性胃腸炎	報告数	2	14	39	30	39	39	30	17	15	14	14	27	8	38	326
	(定点あたり)	(0.03)	(0.19)	(0.52)	(0.40)	(0.52)	(0.52)	(0.40)	(0.23)	(0.20)	(0.19)	(0.19)	(0.36)	(0.11)	(0.51)	(4.35)
	年齢構成比(%)	1%	4%	12%	9%	12%	12%	9%	5%	5%	4%	4%	8%	2%	12%	100%
水痘	報告数	0	0	2	5	3	0	2	1	1	0	1	0	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.07)	(0.04)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	13%	33%	20%	0%	13%	7%	7%	0%	7%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	8	6	2	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.11)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	50%	38%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	2	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	0	1	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	25%	25%	0%	25%	25%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。