

2014年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) |
| | 年齢構成比(%) | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 67% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 100% |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9 | 3 | 0 | 1 | 1 | 0 | 21 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.06) | (0.06) | (0.11) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.50) | (0.17) | (0.00) | (0.06) | (0.06) | (0.00) | (1.17) |
| | 年齢構成比(%) | 0% | 0% | 5% | 5% | 5% | 10% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 5% | 43% | 14% | 0% | 5% | 5% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) |
| | 年齢構成比(%) | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 1 | 0 | 10 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.06) | (0.06) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) | (0.11) | (0.00) | (0.00) | (0.06) | (0.00) | (0.56) |
| | 年齢構成比(%) | 0% | 0% | 10% | 10% | 10% | 10% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 20% | 0% | 0% | 10% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 100% |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 1 | 0 | 1 | 0 | 0 | 11 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.39) | (0.06) | (0.00) | (0.06) | (0.00) | (0.00) | (0.61) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 9% | 64% | 9% | 0% | 9% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 67% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| 咽頭結膜熱 | 報告数 | 2 | 1 | 12 | 7 | 9 | 6 | 5 | 2 | 1 | 1 | 1 | 0 | 0 | 0 | 47 |
| | (定点あたり) | (0.03) | (0.01) | (0.16) | (0.10) | (0.12) | (0.08) | (0.07) | (0.03) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.64) |
| | 年齢構成比(%) | 4% | 2% | 26% | 15% | 19% | 13% | 11% | 4% | 2% | 2% | 2% | 0% | 0% | 0% | 0% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 4 | 3 | 5 | 6 | 4 | 3 | 1 | 4 | 0 | 4 | 0 | 5 | 39 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.04) | (0.07) | (0.08) | (0.05) | (0.04) | (0.01) | (0.05) | (0.00) | (0.05) | (0.00) | (0.07) | (0.53) |
| | 年齢構成比(%) | 0% | 0% | 10% | 8% | 13% | 15% | 10% | 8% | 3% | 10% | 0% | 10% | 0% | 13% | 0% |
| 感染性胃腸炎 | 報告数 | 4 | 19 | 22 | 22 | 24 | 10 | 18 | 7 | 13 | 9 | 7 | 22 | 6 | 20 | 203 |
| | (定点あたり) | (0.05) | (0.26) | (0.30) | (0.30) | (0.33) | (0.14) | (0.25) | (0.10) | (0.18) | (0.12) | (0.10) | (0.30) | (0.08) | (0.27) | (2.78) |
| | 年齢構成比(%) | 2% | 9% | 11% | 11% | 12% | 5% | 9% | 3% | 6% | 4% | 3% | 11% | 3% | 10% | 0% |
| 水痘 | 報告数 | 0 | 2 | 3 | 9 | 6 | 2 | 9 | 2 | 1 | 0 | 2 | 0 | 0 | 0 | 36 |
| | (定点あたり) | (0.00) | (0.03) | (0.04) | (0.12) | (0.08) | (0.03) | (0.12) | (0.03) | (0.01) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.49) |
| | 年齢構成比(%) | 0% | 6% | 8% | 25% | 17% | 6% | 25% | 6% | 3% | 0% | 6% | 0% | 0% | 0% | 0% |
| 手足口病 | 報告数 | 0 | 6 | 8 | 2 | 3 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| | (定点あたり) | (0.00) | (0.08) | (0.11) | (0.03) | (0.04) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.33) |
| | 年齢構成比(%) | 0% | 25% | 33% | 8% | 13% | 8% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| 伝染性紅斑 | 報告数 | 0 | 2 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比(%) | 0% | 40% | 40% | 0% | 0% | 0% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| 突発性発しん | 報告数 | 1 | 10 | 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 |
| | (定点あたり) | (0.01) | (0.14) | (0.19) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.37) |
| | 年齢構成比(%) | 4% | 37% | 52% | 7% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 2 | 16 | 30 | 13 | 3 | 3 | 2 | 2 | 0 | 2 | 0 | 1 | 1 | 2 | 77 |
| | (定点あたり) | (0.03) | (0.22) | (0.41) | (0.18) | (0.04) | (0.04) | (0.03) | (0.03) | (0.00) | (0.03) | (0.00) | (0.01) | (0.01) | (0.03) | (1.05) |
| | 年齢構成比(%) | 3% | 21% | 39% | 17% | 4% | 4% | 3% | 3% | 0% | 3% | 0% | 1% | 1% | 3% | 0% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 2 | 0 | 1 | 2 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.01) | (0.03) | (0.00) | (0.01) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比(%) | 0% | 0% | 11% | 22% | 0% | 11% | 22% | 0% | 11% | 0% | 11% | 11% | 0% | 0% | 0% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 1 | 0 | 11 | 3 | 3 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 22 |
| | (定点あたり) | (0.01) | (0.00) | (0.15) | (0.04) | (0.04) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.30) |
| | 年齢構成比(%) | 5% | 0% | 50% | 14% | 14% | 9% | 5% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 2 | 3 | 5 | 2 | 1 | 1 | 4 | 0 | 3 | 0 | 1 | 24 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.03) | (0.04) | (0.07) | (0.03) | (0.01) | (0.01) | (0.05) | (0.00) | (0.04) | (0.00) | (0.01) | (0.33) |
| | 年齢構成比(%) | 0% | 0% | 8% | 8% | 13% | 21% | 8% | 4% | 4% | 17% | 0% | 13% | 0% | 4% | 100% |
| 感染性胃腸炎 | 報告数 | 3 | 7 | 16 | 8 | 12 | 7 | 8 | 3 | 6 | 6 | 4 | 13 | 3 | 8 | 104 |
| | (定点あたり) | (0.04) | (0.10) | (0.22) | (0.11) | (0.16) | (0.10) | (0.11) | (0.04) | (0.08) | (0.08) | (0.05) | (0.18) | (0.04) | (0.11) | (1.42) |
| | 年齢構成比(%) | 3% | 7% | 15% | 8% | 12% | 7% | 8% | 3% | 6% | 6% | 4% | 13% | 3% | 8% | 100% |
| 水痘 | 報告数 | 0 | 1 | 3 | 7 | 6 | 1 | 7 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 27 |
| | (定点あたり) | (0.00) | (0.01) | (0.04) | (0.10) | (0.08) | (0.01) | (0.10) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.37) |
| | 年齢構成比(%) | 0% | 4% | 11% | 26% | 22% | 4% | 26% | 7% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 4 | 6 | 2 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| | (定点あたり) | (0.00) | (0.05) | (0.08) | (0.03) | (0.03) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.25) |
| | 年齢構成比(%) | 0% | 22% | 33% | 11% | 11% | 11% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 33% | 33% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 6 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 |
| | (定点あたり) | (0.00) | (0.08) | (0.12) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.23) |
| | 年齢構成比(%) | 0% | 35% | 53% | 12% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 1 | 10 | 14 | 8 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 38 |
| | (定点あたり) | (0.01) | (0.14) | (0.19) | (0.11) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.52) |
| | 年齢構成比(%) | 3% | 26% | 37% | 21% | 3% | 5% | 0% | 0% | 0% | 0% | 0% | 3% | 0% | 3% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比(%) | 0% | 0% | 0% | 50% | 0% | 0% | 25% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比(%) | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 1 | 1 | 1 | 4 | 6 | 4 | 4 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 25 |
| | (定点あたり) | (0.01) | (0.01) | (0.01) | (0.05) | (0.08) | (0.05) | (0.05) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.34) |
| | 年齢構成比(%) | 4% | 4% | 4% | 16% | 24% | 16% | 16% | 4% | 4% | 4% | 4% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 1 | 2 | 1 | 2 | 2 | 0 | 0 | 0 | 1 | 0 | 4 | 15 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.01) | (0.03) | (0.01) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.05) | (0.21) |
| | 年齢構成比(%) | 0% | 0% | 13% | 7% | 13% | 7% | 13% | 13% | 0% | 0% | 0% | 7% | 0% | 27% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 12 | 6 | 14 | 12 | 3 | 10 | 4 | 7 | 3 | 3 | 9 | 3 | 12 | 99 |
| | (定点あたり) | (0.01) | (0.16) | (0.08) | (0.19) | (0.16) | (0.04) | (0.14) | (0.05) | (0.10) | (0.04) | (0.04) | (0.12) | (0.04) | (0.16) | (1.36) |
| | 年齢構成比(%) | 1% | 12% | 6% | 14% | 12% | 3% | 10% | 4% | 7% | 3% | 3% | 9% | 3% | 12% | 100% |
| 水痘 | 報告数 | 0 | 1 | 0 | 2 | 0 | 1 | 2 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.03) | (0.00) | (0.01) | (0.03) | (0.00) | (0.01) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比(%) | 0% | 11% | 0% | 22% | 0% | 11% | 22% | 0% | 11% | 0% | 22% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.03) | (0.03) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比(%) | 0% | 33% | 33% | 0% | 17% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比(%) | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 1 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.01) | (0.05) | (0.07) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.14) |
| | 年齢構成比(%) | 10% | 40% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 1 | 6 | 16 | 5 | 2 | 1 | 2 | 2 | 0 | 2 | 0 | 0 | 1 | 1 | 39 |
| | (定点あたり) | (0.01) | (0.08) | (0.22) | (0.07) | (0.03) | (0.01) | (0.03) | (0.03) | (0.00) | (0.03) | (0.00) | (0.00) | (0.01) | (0.01) | (0.53) |
| | 年齢構成比(%) | 3% | 15% | 41% | 13% | 5% | 3% | 5% | 5% | 0% | 5% | 0% | 0% | 3% | 3% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比(%) | 0% | 0% | 20% | 0% | 0% | 20% | 20% | 0% | 0% | 0% | 20% | 20% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。