

2014年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	0	2	0	0	0	0	0	1	0	0	2	1	0	1	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.12)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	0%	0%	22%	0%	22%	0%	0%	0%	0%	0%	11%	0%	0%	22%	11%	0%	11%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	25%	0%	0%	25%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	20%	0%	40%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	7	12	9	2	0	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.09)	(0.16)	(0.12)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	23%	40%	30%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	9	13	11	1	5	7	6	2	3	6	0	2	67
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.17)	(0.15)	(0.01)	(0.07)	(0.09)	(0.08)	(0.03)	(0.04)	(0.08)	(0.00)	(0.03)	(0.89)
	年齢構成比(%)	0%	3%	13%	19%	16%	1%	7%	10%	9%	3%	4%	9%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	2	4	5	3	5	2	2	6	0	7	40
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.05)	(0.07)	(0.04)	(0.07)	(0.03)	(0.03)	(0.08)	(0.00)	(0.09)	(0.53)
	年齢構成比(%)	0%	0%	3%	8%	5%	10%	13%	8%	13%	5%	5%	15%	0%	18%	100%
感染性胃腸炎	報告数	3	11	37	21	31	23	12	10	8	9	10	22	12	25	234
	(定点あたり)	(0.04)	(0.15)	(0.49)	(0.28)	(0.41)	(0.31)	(0.16)	(0.13)	(0.11)	(0.12)	(0.13)	(0.29)	(0.16)	(0.33)	(3.12)
	年齢構成比(%)	1%	5%	16%	9%	13%	10%	5%	4%	3%	4%	4%	9%	5%	11%	100%
水痘	報告数	2	0	8	10	11	9	1	0	2	0	1	0	0	0	44
	(定点あたり)	(0.03)	(0.00)	(0.11)	(0.13)	(0.15)	(0.12)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.59)
	年齢構成比(%)	5%	0%	18%	23%	25%	20%	2%	0%	5%	0%	2%	0%	0%	0%	100%
手足口病	報告数	0	3	15	7	5	2	2	1	1	1	0	1	0	1	39
	(定点あたり)	(0.00)	(0.04)	(0.20)	(0.09)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.52)
	年齢構成比(%)	0%	8%	38%	18%	13%	5%	5%	3%	3%	3%	0%	3%	0%	3%	100%
伝染性紅斑	報告数	0	0	2	1	2	0	0	0	0	1	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	33%	17%	33%	0%	0%	0%	0%	17%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	17	19	4	0	1	0	0	0	0	0	0	0	0	41
	(定点あたり)	(0.00)	(0.23)	(0.25)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.55)
	年齢構成比(%)	0%	41%	46%	10%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	14	18	8	5	2	3	3	1	1	1	2	0	1	59
	(定点あたり)	(0.00)	(0.19)	(0.24)	(0.11)	(0.07)	(0.03)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.79)
	年齢構成比(%)	0%	24%	31%	14%	8%	3%	5%	5%	2%	2%	2%	3%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	3	1	4	4	0	3	0	0	1	0	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.05)	(0.05)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.21)
	年齢構成比(%)	0%	0%	0%	0%	19%	6%	25%	25%	0%	19%	0%	0%	6%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	8	3	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.03)	(0.11)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	15%	62%	23%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	6	9	7	0	4	3	5	1	1	4	0	1	43
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.12)	(0.09)	(0.00)	(0.05)	(0.04)	(0.07)	(0.01)	(0.01)	(0.05)	(0.00)	(0.01)	(0.57)
	年齢構成比(%)	0%	5%	14%	21%	16%	0%	9%	7%	12%	2%	2%	9%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	0	4	2	1	1	0	2	4	0	2	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.05)	(0.03)	(0.01)	(0.01)	(0.00)	(0.03)	(0.05)	(0.00)	(0.03)	(0.27)
	年齢構成比(%)	0%	0%	5%	15%	0%	20%	10%	5%	5%	0%	10%	20%	0%	10%	100%
感染性胃腸炎	報告数	3	5	20	13	20	11	5	7	3	6	8	13	7	11	132
	(定点あたり)	(0.04)	(0.07)	(0.27)	(0.17)	(0.27)	(0.15)	(0.07)	(0.09)	(0.04)	(0.08)	(0.11)	(0.17)	(0.09)	(0.15)	(1.76)
	年齢構成比(%)	2%	4%	15%	10%	15%	8%	4%	5%	2%	5%	6%	10%	5%	8%	100%
水痘	報告数	0	0	4	2	6	5	1	0	2	0	1	0	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.08)	(0.07)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	19%	10%	29%	24%	5%	0%	10%	0%	5%	0%	0%	0%	100%
手足口病	報告数	0	2	10	6	2	0	0	1	1	1	0	1	0	0	24
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.08)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	8%	42%	25%	8%	0%	0%	4%	4%	4%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	2	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	8	14	3	0	1	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.11)	(0.19)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	31%	54%	12%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	7	10	8	0	2	1	1	0	1	1	1	0	0	32
	(定点あたり)	(0.00)	(0.09)	(0.13)	(0.11)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	22%	31%	25%	0%	6%	3%	3%	0%	3%	3%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	3	0	3	3	0	2	0	0	1	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.04)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	0%	0%	25%	0%	25%	25%	0%	17%	0%	0%	8%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	4	6	2	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.07)	(0.05)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	29%	24%	35%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	4	4	1	1	4	1	1	2	2	0	1	24
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.05)	(0.01)	(0.01)	(0.05)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.32)
	年齢構成比(%)	0%	0%	13%	17%	17%	4%	4%	17%	4%	4%	8%	8%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	2	0	3	2	4	2	0	2	0	5	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.04)	(0.03)	(0.05)	(0.03)	(0.00)	(0.03)	(0.00)	(0.07)	(0.27)
	年齢構成比(%)	0%	0%	0%	0%	10%	0%	15%	10%	20%	10%	0%	10%	0%	25%	100%
感染性胃腸炎	報告数	0	6	17	8	11	12	7	3	5	3	2	9	5	14	102
	(定点あたり)	(0.00)	(0.08)	(0.23)	(0.11)	(0.15)	(0.16)	(0.09)	(0.04)	(0.07)	(0.04)	(0.03)	(0.12)	(0.07)	(0.19)	(1.36)
	年齢構成比(%)	0%	6%	17%	8%	11%	12%	7%	3%	5%	3%	2%	9%	5%	14%	100%
水痘	報告数	2	0	4	8	5	4	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.03)	(0.00)	(0.05)	(0.11)	(0.07)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	9%	0%	17%	35%	22%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	5	1	3	2	2	0	0	0	0	0	0	1	15
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.01)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.20)
	年齢構成比(%)	0%	7%	33%	7%	20%	13%	13%	0%	0%	0%	0%	0%	0%	7%	100%
伝染性紅斑	報告数	0	0	2	0	0	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	9	5	1	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.12)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	60%	33%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	7	8	0	5	0	2	2	1	0	0	1	0	1	27
	(定点あたり)	(0.00)	(0.09)	(0.11)	(0.00)	(0.07)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.36)
	年齢構成比(%)	0%	26%	30%	0%	19%	0%	7%	7%	4%	0%	0%	4%	0%	4%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	1	1	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	25%	25%	0%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。