

2014年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	20%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	40%	20%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	8	18	33	12	1	0	0	0	0	0	0	0	0	0	72
	(定点あたり)	(0.11)	(0.25)	(0.46)	(0.17)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.00)
	年齢構成比(%)	11%	25%	46%	17%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	4	8	3	7	5	4	0	2	1	0	0	0	1	35
	(定点あたり)	(0.00)	(0.06)	(0.11)	(0.04)	(0.10)	(0.07)	(0.06)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.49)
	年齢構成比(%)	0%	11%	23%	9%	20%	14%	11%	0%	6%	3%	0%	0%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	4	3	2	3	3	1	2	3	1	5	30
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.06)	(0.04)	(0.03)	(0.04)	(0.04)	(0.01)	(0.03)	(0.04)	(0.01)	(0.07)	(0.42)
	年齢構成比(%)	0%	0%	3%	7%	13%	10%	7%	10%	10%	3%	7%	10%	3%	17%	100%
感染性胃腸炎	報告数	1	13	26	18	21	18	17	15	7	8	6	10	5	32	197
	(定点あたり)	(0.01)	(0.18)	(0.36)	(0.25)	(0.29)	(0.25)	(0.24)	(0.21)	(0.10)	(0.11)	(0.08)	(0.14)	(0.07)	(0.44)	(2.74)
	年齢構成比(%)	1%	7%	13%	9%	11%	9%	9%	8%	4%	4%	3%	5%	3%	16%	100%
水痘	報告数	0	1	6	5	3	4	5	2	1	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.07)	(0.04)	(0.06)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	0%	4%	22%	19%	11%	15%	19%	7%	4%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	7	7	4	1	2	0	0	0	0	0	0	0	24
	(定点あたり)	(0.00)	(0.04)	(0.10)	(0.10)	(0.06)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	13%	29%	29%	17%	4%	8%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	2	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	50%	0%	25%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	12	12	3	1	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.00)	(0.17)	(0.17)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	43%	43%	11%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	7	6	2	1	2	0	0	0	1	0	0	0	22
	(定点あたり)	(0.00)	(0.04)	(0.10)	(0.08)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	14%	32%	27%	9%	5%	9%	0%	0%	0%	5%	0%	0%	0%	100%
流行性耳下腺炎	報告数	1	0	1	1	2	4	0	2	1	4	1	0	0	0	17
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.06)	(0.00)	(0.03)	(0.01)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	6%	0%	6%	6%	12%	24%	0%	12%	6%	24%	6%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	9	17	7	0	0	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.06)	(0.13)	(0.24)	(0.10)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	11%	24%	46%	19%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	7	1	2	0	2	0	1	1	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.10)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	50%	7%	14%	0%	14%	0%	7%	7%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	2	0	2	2	0	2	3	0	2	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.03)	(0.04)	(0.00)	(0.03)	(0.21)
	年齢構成比(%)	0%	0%	0%	7%	7%	13%	0%	13%	13%	0%	13%	20%	0%	13%	100%
感染性胃腸炎	報告数	0	5	15	9	9	11	12	9	4	4	3	7	1	14	103
	(定点あたり)	(0.00)	(0.07)	(0.21)	(0.13)	(0.13)	(0.15)	(0.17)	(0.13)	(0.06)	(0.06)	(0.04)	(0.10)	(0.01)	(0.19)	(1.43)
	年齢構成比(%)	0%	5%	15%	9%	9%	11%	12%	9%	4%	4%	3%	7%	1%	14%	100%
水痘	報告数	0	0	4	2	0	3	1	1	1	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.03)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	33%	17%	0%	25%	8%	8%	8%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	5	3	1	1	2	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	14%	36%	21%	7%	7%	14%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	9	7	1	1	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.13)	(0.10)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	50%	39%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	1	3	0	0	0	0	0	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	29%	14%	43%	0%	0%	0%	0%	0%	0%	14%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	2	0	1	0	1	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	14%	0%	14%	29%	0%	14%	0%	14%	14%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	9	16	5	1	0	0	0	0	0	0	0	0	0	35
	(定点あたり)	(0.06)	(0.13)	(0.22)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	11%	26%	46%	14%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	4	1	2	5	5	2	0	1	0	0	0	0	1	21
	(定点あたり)	(0.00)	(0.06)	(0.01)	(0.03)	(0.07)	(0.07)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.29)
	年齢構成比(%)	0%	19%	5%	10%	24%	24%	10%	0%	5%	0%	0%	0%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	3	1	2	1	1	1	0	0	1	3	15
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.04)	(0.21)
	年齢構成比(%)	0%	0%	7%	7%	20%	7%	13%	7%	7%	7%	0%	0%	7%	20%	100%
感染性胃腸炎	報告数	1	8	11	9	12	7	5	6	3	4	3	3	4	18	94
	(定点あたり)	(0.01)	(0.11)	(0.15)	(0.13)	(0.17)	(0.10)	(0.07)	(0.08)	(0.04)	(0.06)	(0.04)	(0.04)	(0.06)	(0.25)	(1.31)
	年齢構成比(%)	1%	9%	12%	10%	13%	7%	5%	6%	3%	4%	3%	3%	4%	19%	100%
水痘	報告数	0	1	2	3	3	1	4	1	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.04)	(0.01)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	7%	13%	20%	20%	7%	27%	7%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	2	4	3	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.06)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	10%	20%	40%	30%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	1	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	3	5	2	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	30%	50%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	6	3	2	1	2	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.04)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	7%	40%	20%	13%	7%	13%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	1	0	0	1	1	2	0	1	1	3	0	0	0	0	10
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	10%	0%	0%	10%	10%	20%	0%	10%	10%	30%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。