

## 2015年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

| 感染症名     | 年齢階級区分   | 5ヶ月以下  | 11ヶ月以下 | 1歳     | 2歳     | 3歳     | 4歳     | 5歳     | 6歳     | 7歳     | 8歳     | 9歳     | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上  | 合計      |        |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|--------|
| インフルエンザ  | 報告数      | 19     | 41     | 161    | 145    | 127    | 135    | 126    | 121    | 100    | 69     | 85     | 310    | 213    | 413    | 366    | 339    | 212    | 157    | 141    | 140    | 3420    |        |
|          | (定点あたり)  | (0.16) | (0.34) | (1.33) | (1.20) | (1.05) | (1.12) | (1.04) | (1.00) | (0.83) | (0.57) | (0.70) | (2.56) | (1.76) | (3.41) | (3.02) | (2.80) | (1.75) | (1.30) | (1.17) | (1.16) | (28.26) |        |
|          | 年齢構成比(%) | 1%     | 1%     | 5%     | 4%     | 4%     | 4%     | 4%     | 4%     | 4%     | 3%     | 2%     | 2%     | 9%     | 6%     | 12%    | 11%    | 10%    | 6%     | 5%     | 4%     | 4%      | 100%   |
| 急性出血性結膜炎 | 報告数      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0      |
|          | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00)  | (0.00) |
|          | 年齢構成比(%) | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -       | -      |
| 流行性角結膜炎  | 報告数      | 0      | 0      | 0      | 0      | 1      | 1      | 0      | 0      | 0      | 1      | 0      | 0      | 0      | 0      | 3      | 0      | 0      | 1      | 0      | 0      | 7       |        |
|          | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.17) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.39)  |        |
|          | 年齢構成比(%) | 0%     | 0%     | 0%     | 0%     | 14%    | 14%    | 0%     | 0%     | 0%     | 14%    | 0%     | 0%     | 0%     | 0%     | 43%    | 0%     | 0%     | 14%    | 0%     | 0%     | 100%    |        |

## (2) 男性

| 感染症名     | 年齢階級区分   | 5ヶ月以下  | 11ヶ月以下 | 1歳     | 2歳     | 3歳     | 4歳     | 5歳     | 6歳     | 7歳     | 8歳     | 9歳     | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上  | 合計      |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| インフルエンザ  | 報告数      | 7      | 19     | 84     | 77     | 64     | 77     | 61     | 63     | 64     | 38     | 40     | 153    | 124    | 217    | 176    | 155    | 113    | 70     | 64     | 46     | 1712    |
|          | (定点あたり)  | (0.06) | (0.16) | (0.69) | (0.64) | (0.53) | (0.64) | (0.50) | (0.52) | (0.53) | (0.31) | (0.33) | (1.26) | (1.02) | (1.79) | (1.45) | (1.28) | (0.93) | (0.58) | (0.53) | (0.38) | (14.15) |
|          | 年齢構成比(%) | 0%     | 1%     | 5%     | 4%     | 4%     | 4%     | 4%     | 4%     | 4%     | 4%     | 2%     | 2%     | 9%     | 7%     | 13%    | 10%    | 9%     | 7%     | 4%     | 4%     | 3%      |
| 急性出血性結膜炎 | 報告数      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0       |
|          | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00)  |
|          | 年齢構成比(%) | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -       |
| 流行性角結膜炎  | 報告数      | 0      | 0      | 0      | 0      | 1      | 1      | 0      | 0      | 0      | 1      | 0      | 0      | 0      | 0      | 2      | 0      | 0      | 0      | 0      | 0      | 5       |
|          | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.28)  |
|          | 年齢構成比(%) | 0%     | 0%     | 0%     | 0%     | 20%    | 20%    | 0%     | 0%     | 0%     | 20%    | 0%     | 0%     | 0%     | 0%     | 40%    | 0%     | 0%     | 0%     | 0%     | 0%     | 100%    |

## (3) 女性

| 感染症名     | 年齢階級区分   | 5ヶ月以下  | 11ヶ月以下 | 1歳     | 2歳     | 3歳     | 4歳     | 5歳     | 6歳     | 7歳     | 8歳     | 9歳     | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上  | 合計      |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| インフルエンザ  | 報告数      | 12     | 22     | 77     | 68     | 63     | 58     | 65     | 58     | 36     | 31     | 45     | 157    | 89     | 196    | 190    | 184    | 99     | 87     | 77     | 94     | 1708    |
|          | (定点あたり)  | (0.10) | (0.18) | (0.64) | (0.56) | (0.52) | (0.48) | (0.54) | (0.48) | (0.30) | (0.26) | (0.37) | (1.30) | (0.74) | (1.62) | (1.57) | (1.52) | (0.82) | (0.72) | (0.64) | (0.78) | (14.12) |
|          | 年齢構成比(%) | 1%     | 1%     | 5%     | 4%     | 4%     | 3%     | 4%     | 3%     | 3%     | 2%     | 2%     | 3%     | 9%     | 5%     | 11%    | 11%    | 11%    | 6%     | 5%     | 5%     | 6%      |
| 急性出血性結膜炎 | 報告数      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0       |
|          | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00)  |
|          | 年齢構成比(%) | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -       |
| 流行性角結膜炎  | 報告数      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 1      | 0      | 0      | 1      | 0      | 0      | 2       |
|          | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.11)  |
|          | 年齢構成比(%) | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 50%    | 0%     | 0%     | 50%    | 0%     | 0%     | 100%    |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

| 感染症名          | 年齢階級区分   | 5ヶ月以下  | 11ヶ月以下 | 1歳     | 2歳     | 3歳     | 4歳     | 5歳     | 6歳     | 7歳     | 8歳     | 9歳     | 10～14歳 | 15～19歳 | 20歳以上  | 合計     |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症     | 報告数      | 12     | 15     | 14     | 3      | 2      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 46     |
|               | (定点あたり)  | (0.16) | (0.21) | (0.19) | (0.04) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.63) |
|               | 年齢構成比(%) | 26%    | 33%    | 30%    | 7%     | 4%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 咽頭結膜熱         | 報告数      | 0      | 1      | 7      | 4      | 6      | 2      | 3      | 4      | 1      | 1      | 0      | 2      | 0      | 2      | 33     |
|               | (定点あたり)  | (0.00) | (0.01) | (0.10) | (0.05) | (0.08) | (0.03) | (0.04) | (0.05) | (0.01) | (0.01) | (0.00) | (0.03) | (0.00) | (0.03) | (0.45) |
|               | 年齢構成比(%) | 0%     | 3%     | 21%    | 12%    | 18%    | 6%     | 9%     | 12%    | 3%     | 3%     | 0%     | 6%     | 0%     | 6%     | 100%   |
| A群溶血性レンサ球菌咽頭炎 | 報告数      | 0      | 0      | 5      | 2      | 4      | 7      | 7      | 9      | 8      | 5      | 2      | 12     | 0      | 7      | 68     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.07) | (0.03) | (0.05) | (0.10) | (0.10) | (0.12) | (0.11) | (0.07) | (0.03) | (0.16) | (0.00) | (0.10) | (0.93) |
|               | 年齢構成比(%) | 0%     | 0%     | 7%     | 3%     | 6%     | 10%    | 10%    | 13%    | 12%    | 7%     | 3%     | 18%    | 0%     | 10%    | 100%   |
| 感染性胃腸炎        | 報告数      | 6      | 37     | 60     | 45     | 30     | 31     | 23     | 19     | 14     | 16     | 15     | 39     | 20     | 92     | 447    |
|               | (定点あたり)  | (0.08) | (0.51) | (0.82) | (0.62) | (0.41) | (0.42) | (0.32) | (0.26) | (0.19) | (0.22) | (0.21) | (0.53) | (0.27) | (1.26) | (6.12) |
|               | 年齢構成比(%) | 1%     | 8%     | 13%    | 10%    | 7%     | 7%     | 5%     | 4%     | 3%     | 4%     | 3%     | 9%     | 4%     | 21%    | 100%   |
| 水痘            | 報告数      | 2      | 7      | 13     | 4      | 8      | 9      | 5      | 3      | 0      | 4      | 1      | 4      | 0      | 0      | 60     |
|               | (定点あたり)  | (0.03) | (0.10) | (0.18) | (0.05) | (0.11) | (0.12) | (0.07) | (0.04) | (0.00) | (0.05) | (0.01) | (0.05) | (0.00) | (0.00) | (0.82) |
|               | 年齢構成比(%) | 3%     | 12%    | 22%    | 7%     | 13%    | 15%    | 8%     | 5%     | 0%     | 7%     | 2%     | 7%     | 0%     | 0%     | 100%   |
| 手足口病          | 報告数      | 0      | 1      | 8      | 7      | 4      | 4      | 0      | 1      | 0      | 0      | 0      | 0      | 0      | 2      | 27     |
|               | (定点あたり)  | (0.00) | (0.01) | (0.11) | (0.10) | (0.05) | (0.05) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.37) |
|               | 年齢構成比(%) | 0%     | 4%     | 30%    | 26%    | 15%    | 15%    | 0%     | 4%     | 0%     | 0%     | 0%     | 0%     | 0%     | 7%     | 100%   |
| 伝染性紅斑         | 報告数      | 0      | 0      | 0      | 1      | 3      | 5      | 7      | 4      | 2      | 1      | 2      | 2      | 0      | 0      | 27     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.01) | (0.04) | (0.07) | (0.10) | (0.05) | (0.03) | (0.01) | (0.03) | (0.03) | (0.00) | (0.00) | (0.37) |
|               | 年齢構成比(%) | 0%     | 0%     | 0%     | 4%     | 11%    | 19%    | 26%    | 15%    | 7%     | 4%     | 7%     | 7%     | 0%     | 0%     | 100%   |
| 突発性発しん        | 報告数      | 0      | 8      | 10     | 2      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 21     |
|               | (定点あたり)  | (0.00) | (0.11) | (0.14) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.29) |
|               | 年齢構成比(%) | 0%     | 38%    | 48%    | 10%    | 5%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 百日咳           | 報告数      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|               | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
|               | 年齢構成比(%) | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      |
| ヘルパンギーナ       | 報告数      | 0      | 0      | 3      | 0      | 0      | 0      | 0      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 4      |
|               | (定点あたり)  | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
|               | 年齢構成比(%) | 0%     | 0%     | 75%    | 0%     | 0%     | 0%     | 0%     | 25%    | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 流行性耳下腺炎       | 報告数      | 0      | 0      | 1      | 4      | 1      | 2      | 4      | 0      | 1      | 1      | 1      | 3      | 1      | 0      | 19     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.01) | (0.05) | (0.01) | (0.03) | (0.05) | (0.00) | (0.01) | (0.01) | (0.01) | (0.04) | (0.01) | (0.00) | (0.26) |
|               | 年齢構成比(%) | 0%     | 0%     | 5%     | 21%    | 5%     | 11%    | 21%    | 0%     | 5%     | 5%     | 5%     | 16%    | 5%     | 0%     | 100%   |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

| 感染症名          | 年齢階級区分   | 5ヶ月以下  | 11ヶ月以下 | 1歳     | 2歳     | 3歳     | 4歳     | 5歳     | 6歳     | 7歳     | 8歳     | 9歳     | 10～14歳 | 15～19歳 | 20歳以上  | 合計     |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症     | 報告数      | 9      | 4      | 13     | 2      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 29     |
|               | (定点あたり)  | (0.12) | (0.05) | (0.18) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.40) |
|               | 年齢構成比(%) | 31%    | 14%    | 45%    | 7%     | 3%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 咽頭結膜熱         | 報告数      | 0      | 0      | 1      | 4      | 4      | 1      | 2      | 2      | 1      | 0      | 0      | 0      | 0      | 0      | 15     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.01) | (0.05) | (0.05) | (0.01) | (0.03) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.21) |
|               | 年齢構成比(%) | 0%     | 0%     | 7%     | 27%    | 27%    | 7%     | 13%    | 13%    | 7%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| A群溶血性レンサ球菌咽頭炎 | 報告数      | 0      | 0      | 3      | 1      | 0      | 5      | 6      | 3      | 4      | 4      | 0      | 5      | 0      | 1      | 32     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.04) | (0.01) | (0.00) | (0.07) | (0.08) | (0.04) | (0.05) | (0.05) | (0.00) | (0.07) | (0.00) | (0.01) | (0.44) |
|               | 年齢構成比(%) | 0%     | 0%     | 9%     | 3%     | 0%     | 16%    | 19%    | 9%     | 13%    | 13%    | 0%     | 16%    | 0%     | 3%     | 100%   |
| 感染性胃腸炎        | 報告数      | 2      | 23     | 31     | 20     | 17     | 17     | 11     | 9      | 9      | 10     | 7      | 18     | 10     | 37     | 221    |
|               | (定点あたり)  | (0.03) | (0.32) | (0.42) | (0.27) | (0.23) | (0.23) | (0.15) | (0.12) | (0.12) | (0.14) | (0.10) | (0.25) | (0.14) | (0.51) | (3.03) |
|               | 年齢構成比(%) | 1%     | 10%    | 14%    | 9%     | 8%     | 8%     | 5%     | 4%     | 4%     | 5%     | 3%     | 8%     | 5%     | 17%    | 100%   |
| 水痘            | 報告数      | 1      | 2      | 7      | 2      | 4      | 3      | 2      | 2      | 0      | 4      | 0      | 2      | 0      | 0      | 29     |
|               | (定点あたり)  | (0.01) | (0.03) | (0.10) | (0.03) | (0.05) | (0.04) | (0.03) | (0.03) | (0.00) | (0.05) | (0.00) | (0.03) | (0.00) | (0.00) | (0.40) |
|               | 年齢構成比(%) | 3%     | 7%     | 24%    | 7%     | 14%    | 10%    | 7%     | 7%     | 0%     | 14%    | 0%     | 7%     | 0%     | 0%     | 100%   |
| 手足口病          | 報告数      | 0      | 1      | 3      | 5      | 2      | 1      | 0      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 13     |
|               | (定点あたり)  | (0.00) | (0.01) | (0.04) | (0.07) | (0.03) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
|               | 年齢構成比(%) | 0%     | 8%     | 23%    | 38%    | 15%    | 8%     | 0%     | 8%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 伝染性紅斑         | 報告数      | 0      | 0      | 0      | 0      | 1      | 4      | 4      | 1      | 2      | 1      | 0      | 1      | 0      | 0      | 14     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.05) | (0.05) | (0.01) | (0.03) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.19) |
|               | 年齢構成比(%) | 0%     | 0%     | 0%     | 0%     | 7%     | 29%    | 29%    | 7%     | 14%    | 7%     | 0%     | 7%     | 0%     | 0%     | 100%   |
| 突発性発しん        | 報告数      | 0      | 4      | 4      | 2      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 11     |
|               | (定点あたり)  | (0.00) | (0.05) | (0.05) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.15) |
|               | 年齢構成比(%) | 0%     | 36%    | 36%    | 18%    | 9%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 百日咳           | 報告数      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|               | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
|               | 年齢構成比(%) | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      |
| ヘルパンギーナ       | 報告数      | 0      | 0      | 2      | 0      | 0      | 0      | 0      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 3      |
|               | (定点あたり)  | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
|               | 年齢構成比(%) | 0%     | 0%     | 67%    | 0%     | 0%     | 0%     | 0%     | 33%    | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 流行性耳下腺炎       | 報告数      | 0      | 0      | 0      | 3      | 1      | 2      | 2      | 0      | 0      | 0      | 0      | 3      | 0      | 0      | 11     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.04) | (0.01) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.15) |
|               | 年齢構成比(%) | 0%     | 0%     | 0%     | 27%    | 9%     | 18%    | 18%    | 0%     | 0%     | 0%     | 0%     | 27%    | 0%     | 0%     | 100%   |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

| 感染症名          | 年齢階級区分   | 5ヶ月以下  | 11ヶ月以下 | 1歳     | 2歳     | 3歳     | 4歳     | 5歳     | 6歳     | 7歳     | 8歳     | 9歳     | 10～14歳 | 15～19歳 | 20歳以上  | 合計     |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症     | 報告数      | 3      | 11     | 1      | 1      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 17     |
|               | (定点あたり)  | (0.04) | (0.15) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.23) |
|               | 年齢構成比(%) | 18%    | 65%    | 6%     | 6%     | 6%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 咽頭結膜熱         | 報告数      | 0      | 1      | 6      | 0      | 2      | 1      | 1      | 2      | 0      | 1      | 0      | 2      | 0      | 2      | 18     |
|               | (定点あたり)  | (0.00) | (0.01) | (0.08) | (0.00) | (0.03) | (0.01) | (0.01) | (0.03) | (0.00) | (0.01) | (0.00) | (0.03) | (0.00) | (0.03) | (0.25) |
|               | 年齢構成比(%) | 0%     | 6%     | 33%    | 0%     | 11%    | 6%     | 6%     | 11%    | 0%     | 6%     | 0%     | 11%    | 0%     | 11%    | 100%   |
| A群溶血性レンサ球菌咽頭炎 | 報告数      | 0      | 0      | 2      | 1      | 4      | 2      | 1      | 6      | 4      | 1      | 2      | 7      | 0      | 6      | 36     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.03) | (0.01) | (0.05) | (0.03) | (0.01) | (0.08) | (0.05) | (0.01) | (0.03) | (0.10) | (0.00) | (0.08) | (0.49) |
|               | 年齢構成比(%) | 0%     | 0%     | 6%     | 3%     | 11%    | 6%     | 3%     | 17%    | 11%    | 3%     | 6%     | 19%    | 0%     | 17%    | 100%   |
| 感染性胃腸炎        | 報告数      | 4      | 14     | 29     | 25     | 13     | 14     | 12     | 10     | 5      | 6      | 8      | 21     | 10     | 55     | 226    |
|               | (定点あたり)  | (0.05) | (0.19) | (0.40) | (0.34) | (0.18) | (0.19) | (0.16) | (0.14) | (0.07) | (0.08) | (0.11) | (0.29) | (0.14) | (0.75) | (3.10) |
|               | 年齢構成比(%) | 2%     | 6%     | 13%    | 11%    | 6%     | 6%     | 5%     | 4%     | 2%     | 3%     | 4%     | 9%     | 4%     | 24%    | 100%   |
| 水痘            | 報告数      | 1      | 5      | 6      | 2      | 4      | 6      | 3      | 1      | 0      | 0      | 1      | 2      | 0      | 0      | 31     |
|               | (定点あたり)  | (0.01) | (0.07) | (0.08) | (0.03) | (0.05) | (0.08) | (0.04) | (0.01) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.00) | (0.42) |
|               | 年齢構成比(%) | 3%     | 16%    | 19%    | 6%     | 13%    | 19%    | 10%    | 3%     | 0%     | 0%     | 3%     | 6%     | 0%     | 0%     | 100%   |
| 手足口病          | 報告数      | 0      | 0      | 5      | 2      | 2      | 3      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 2      | 14     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.07) | (0.03) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.19) |
|               | 年齢構成比(%) | 0%     | 0%     | 36%    | 14%    | 14%    | 21%    | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 14%    | 100%   |
| 伝染性紅斑         | 報告数      | 0      | 0      | 0      | 1      | 2      | 1      | 3      | 3      | 0      | 0      | 2      | 1      | 0      | 0      | 13     |
|               | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.01) | (0.04) | (0.04) | (0.00) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.18) |
|               | 年齢構成比(%) | 0%     | 0%     | 0%     | 8%     | 15%    | 8%     | 23%    | 23%    | 0%     | 0%     | 15%    | 8%     | 0%     | 0%     | 100%   |
| 突発性発しん        | 報告数      | 0      | 4      | 6      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 10     |
|               | (定点あたり)  | (0.00) | (0.05) | (0.08) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.14) |
|               | 年齢構成比(%) | 0%     | 40%    | 60%    | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 百日咳           | 報告数      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|               | (定点あたり)  | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
|               | 年齢構成比(%) | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      | -      |
| ヘルパンギーナ       | 報告数      | 0      | 0      | 1      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 1      |
|               | (定点あたり)  | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
|               | 年齢構成比(%) | 0%     | 0%     | 100%   | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 0%     | 100%   |
| 流行性耳下腺炎       | 報告数      | 0      | 0      | 1      | 1      | 0      | 0      | 2      | 0      | 1      | 1      | 1      | 0      | 1      | 0      | 8      |
|               | (定点あたり)  | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.11) |
|               | 年齢構成比(%) | 0%     | 0%     | 13%    | 13%    | 0%     | 0%     | 25%    | 0%     | 13%    | 13%    | 13%    | 0%     | 13%    | 0%     | 100%   |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。