



## 2015年 第08週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	2	3	0	1	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.05)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	40%	20%	30%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	1	2	4	3	2	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.04)	(0.01)	(0.03)	(0.05)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	20%	7%	13%	27%	20%	13%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	4	3	10	14	18	17	15	5	5	14	1	10	117
	(定点あたり)	(0.01)	(0.00)	(0.05)	(0.04)	(0.14)	(0.19)	(0.25)	(0.23)	(0.21)	(0.07)	(0.07)	(0.19)	(0.01)	(0.14)	(1.60)
	年齢構成比(%)	1%	0%	3%	3%	9%	12%	15%	15%	13%	4%	4%	12%	1%	9%	100%
感染性胃腸炎	報告数	2	16	45	47	25	27	33	26	26	14	22	57	12	78	430
	(定点あたり)	(0.03)	(0.22)	(0.62)	(0.64)	(0.34)	(0.37)	(0.45)	(0.36)	(0.36)	(0.19)	(0.30)	(0.78)	(0.16)	(1.07)	(5.89)
	年齢構成比(%)	0%	4%	10%	11%	6%	6%	8%	6%	6%	3%	5%	13%	3%	18%	100%
水痘	報告数	0	1	1	2	1	3	1	3	4	0	0	1	0	1	18
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.01)	(0.04)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.25)
	年齢構成比(%)	0%	6%	6%	11%	6%	17%	6%	17%	22%	0%	0%	6%	0%	6%	100%
手足口病	報告数	0	0	2	3	3	1	3	1	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.04)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	15%	23%	23%	8%	23%	8%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	2	0	1	0	5	0	2	0	0	0	1	13
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.07)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.18)
	年齢構成比(%)	0%	0%	15%	15%	0%	8%	0%	38%	0%	15%	0%	0%	0%	8%	100%
突発性発しん	報告数	0	10	6	0	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.14)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	63%	38%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	3	0	0	2	0	3	0	0	1	2	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	27%	0%	0%	18%	0%	27%	0%	0%	9%	18%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第08週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	0	2	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	60%	0%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	3	1	1	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	0%	50%	17%	17%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	1	2	5	7	9	10	6	4	3	11	1	4	64
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.03)	(0.07)	(0.10)	(0.12)	(0.14)	(0.08)	(0.05)	(0.04)	(0.15)	(0.01)	(0.05)	(0.88)
	年齢構成比(%)	2%	0%	2%	3%	8%	11%	14%	16%	9%	6%	5%	17%	2%	6%	100%
感染性胃腸炎	報告数	1	5	27	15	9	17	17	12	16	11	8	29	8	31	206
	(定点あたり)	(0.01)	(0.07)	(0.37)	(0.21)	(0.12)	(0.23)	(0.23)	(0.16)	(0.22)	(0.15)	(0.11)	(0.40)	(0.11)	(0.42)	(2.82)
	年齢構成比(%)	0%	2%	13%	7%	4%	8%	8%	6%	8%	5%	4%	14%	4%	15%	100%
水痘	報告数	0	0	0	2	1	3	1	2	3	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.01)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	0%	17%	8%	25%	8%	17%	25%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	2	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	0	0	1	0	4	0	2	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	22%	0%	0%	11%	0%	44%	0%	22%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	0	0	2	0	3	0	0	1	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	0%	0%	25%	0%	38%	0%	0%	13%	13%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第08週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	1	0	1	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	20%	40%	20%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	0	2	1	2	1	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.04)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	33%	0%	22%	11%	22%	11%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	1	5	7	9	7	9	1	2	3	0	6	53
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.07)	(0.10)	(0.12)	(0.10)	(0.12)	(0.01)	(0.03)	(0.04)	(0.00)	(0.08)	(0.73)
	年齢構成比(%)	0%	0%	6%	2%	9%	13%	17%	13%	17%	2%	4%	6%	0%	11%	100%
感染性胃腸炎	報告数	1	11	18	32	16	10	16	14	10	3	14	28	4	47	224
	(定点あたり)	(0.01)	(0.15)	(0.25)	(0.44)	(0.22)	(0.14)	(0.22)	(0.19)	(0.14)	(0.04)	(0.19)	(0.38)	(0.05)	(0.64)	(3.07)
	年齢構成比(%)	0%	5%	8%	14%	7%	4%	7%	6%	4%	1%	6%	13%	2%	21%	100%
水痘	報告数	0	1	1	0	0	0	0	1	1	0	0	1	0	1	6
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.08)
	年齢構成比(%)	0%	17%	17%	0%	0%	0%	0%	17%	17%	0%	0%	17%	0%	17%	100%
手足口病	報告数	0	0	2	1	2	1	3	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	20%	10%	20%	10%	30%	10%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	2	0	0	0	1	0	0	0	0	0	1	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)
	年齢構成比(%)	0%	0%	0%	50%	0%	0%	0%	25%	0%	0%	0%	0%	0%	25%	100%
突発性発しん	報告数	0	8	6	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.11)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	57%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	0	0	0	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。