

2015年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	4	2	1	6	1	6	7	13	10	9	30	8	7	11	19	7	3	3	6	153
	(定点あたり)	(0.00)	(0.03)	(0.02)	(0.01)	(0.05)	(0.01)	(0.05)	(0.06)	(0.11)	(0.09)	(0.08)	(0.26)	(0.07)	(0.06)	(0.09)	(0.16)	(0.06)	(0.03)	(0.03)	(0.05)	(1.31)
	年齢構成比(%)	0%	3%	1%	1%	4%	1%	4%	5%	8%	7%	6%	20%	5%	5%	7%	12%	5%	2%	2%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	1	2	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.13)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	20%	40%	20%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	1	0	3	1	1	4	6	4	3	14	5	1	1	7	5	1	1	2	61
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.05)	(0.03)	(0.03)	(0.12)	(0.04)	(0.01)	(0.01)	(0.06)	(0.04)	(0.01)	(0.01)	(0.02)	(0.52)
	年齢構成比(%)	0%	2%	2%	0%	5%	2%	2%	7%	10%	7%	5%	23%	8%	2%	2%	11%	8%	2%	2%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	3	1	1	3	0	5	3	7	6	6	16	3	6	10	12	2	2	2	4	92
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.04)	(0.03)	(0.06)	(0.05)	(0.05)	(0.14)	(0.03)	(0.05)	(0.09)	(0.10)	(0.02)	(0.02)	(0.02)	(0.03)	(0.79)
	年齢構成比(%)	0%	3%	1%	1%	3%	0%	5%	3%	8%	7%	7%	17%	3%	7%	11%	13%	2%	2%	2%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.13)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	25%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	0	0	0	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	33%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	5	16	2	6	2	6	0	1	1	0	0	0	3	42
	(定点あたり)	(0.00)	(0.07)	(0.23)	(0.03)	(0.08)	(0.03)	(0.08)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)	(0.59)
	年齢構成比(%)	0%	12%	38%	5%	14%	5%	14%	0%	2%	2%	0%	0%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	3	11	16	12	16	9	3	5	10	4	15	108
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.04)	(0.15)	(0.23)	(0.17)	(0.23)	(0.13)	(0.04)	(0.07)	(0.14)	(0.06)	(0.21)	(1.52)
	年齢構成比(%)	0%	0%	4%	3%	10%	15%	11%	15%	8%	3%	5%	9%	4%	14%	100%
感染性胃腸炎	報告数	4	26	59	32	42	35	22	22	23	17	10	44	10	46	392
	(定点あたり)	(0.06)	(0.37)	(0.83)	(0.45)	(0.59)	(0.49)	(0.31)	(0.31)	(0.32)	(0.24)	(0.14)	(0.62)	(0.14)	(0.65)	(5.52)
	年齢構成比(%)	1%	7%	15%	8%	11%	9%	6%	6%	6%	4%	3%	11%	3%	12%	100%
水痘	報告数	0	1	7	2	9	6	7	1	1	0	0	0	0	0	34
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.03)	(0.13)	(0.08)	(0.10)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.48)
	年齢構成比(%)	0%	3%	21%	6%	26%	18%	21%	3%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	5	38	20	20	7	4	3	1	0	0	2	0	0	100
	(定点あたり)	(0.00)	(0.07)	(0.54)	(0.28)	(0.28)	(0.10)	(0.06)	(0.04)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(1.41)
	年齢構成比(%)	0%	5%	38%	20%	20%	7%	4%	3%	1%	0%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	1	4	4	3	4	9	3	2	2	1	1	1	1	36
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.06)	(0.04)	(0.06)	(0.13)	(0.04)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.51)
	年齢構成比(%)	0%	3%	11%	11%	8%	11%	25%	8%	6%	6%	3%	3%	3%	3%	100%
突発性発しん	報告数	0	9	24	4	2	0	0	0	0	0	0	0	0	0	39
	(定点あたり)	(0.00)	(0.13)	(0.34)	(0.06)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.55)
	年齢構成比(%)	0%	23%	62%	10%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	0	1	0	0	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	2	6	0	0	0	0	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	0%	18%	18%	55%	0%	0%	0%	0%	9%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	11	2	3	1	2	0	0	1	0	0	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.03)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	9%	50%	9%	14%	5%	9%	0%	0%	5%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	6	9	10	10	5	2	1	5	3	2	54
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)	(0.13)	(0.14)	(0.14)	(0.07)	(0.03)	(0.01)	(0.07)	(0.04)	(0.03)	(0.76)
	年齢構成比(%)	0%	0%	0%	2%	11%	17%	19%	19%	9%	4%	2%	9%	6%	4%	100%
感染性胃腸炎	報告数	3	13	30	13	20	22	13	10	11	11	5	29	6	15	201
	(定点あたり)	(0.04)	(0.18)	(0.42)	(0.18)	(0.28)	(0.31)	(0.18)	(0.14)	(0.15)	(0.15)	(0.07)	(0.41)	(0.08)	(0.21)	(2.83)
	年齢構成比(%)	1%	6%	15%	6%	10%	11%	6%	5%	5%	5%	2%	14%	3%	7%	100%
水痘	報告数	0	0	5	1	4	3	5	1	1	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.01)	(0.06)	(0.04)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	25%	5%	20%	15%	25%	5%	5%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	20	11	12	4	3	1	1	0	0	1	0	0	55
	(定点あたり)	(0.00)	(0.03)	(0.28)	(0.15)	(0.17)	(0.06)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.77)
	年齢構成比(%)	0%	4%	36%	20%	22%	7%	5%	2%	2%	0%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	1	2	2	3	1	4	1	0	1	1	1	0	0	17
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.04)	(0.01)	(0.06)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	6%	12%	12%	18%	6%	24%	6%	0%	6%	6%	6%	0%	0%	100%
突発性発しん	報告数	0	4	15	4	2	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.00)	(0.06)	(0.21)	(0.06)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	16%	60%	16%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	2	1	4	0	0	0	0	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	25%	13%	50%	0%	0%	0%	0%	13%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	0	0	0	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	33%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	5	0	3	1	4	0	1	0	0	0	0	3	20
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.00)	(0.04)	(0.01)	(0.06)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.28)
	年齢構成比(%)	0%	15%	25%	0%	15%	5%	20%	0%	5%	0%	0%	0%	0%	15%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	2	5	7	2	6	4	1	4	5	1	13	54
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.03)	(0.07)	(0.10)	(0.03)	(0.08)	(0.06)	(0.01)	(0.06)	(0.07)	(0.01)	(0.18)	(0.76)
	年齢構成比(%)	0%	0%	7%	4%	9%	13%	4%	11%	7%	2%	7%	9%	2%	24%	100%
感染性胃腸炎	報告数	1	13	29	19	22	13	9	12	12	6	5	15	4	31	191
	(定点あたり)	(0.01)	(0.18)	(0.41)	(0.27)	(0.31)	(0.18)	(0.13)	(0.17)	(0.17)	(0.08)	(0.07)	(0.21)	(0.06)	(0.44)	(2.69)
	年齢構成比(%)	1%	7%	15%	10%	12%	7%	5%	6%	6%	3%	3%	8%	2%	16%	100%
水痘	報告数	0	1	2	1	5	3	2	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.07)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	7%	14%	7%	36%	21%	14%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	18	9	8	3	1	2	0	0	0	1	0	0	45
	(定点あたり)	(0.00)	(0.04)	(0.25)	(0.13)	(0.11)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.63)
	年齢構成比(%)	0%	7%	40%	20%	18%	7%	2%	4%	0%	0%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	2	0	3	5	2	2	1	0	0	1	1	19
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.04)	(0.07)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.27)
	年齢構成比(%)	0%	0%	11%	11%	0%	16%	26%	11%	11%	5%	0%	0%	5%	5%	100%
突発性発しん	報告数	0	5	9	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	36%	64%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	1	0	0	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。