

2015年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	0%	40%	0%	0%	0%	20%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	2	0	0	0	0	0	0	1	0	0	2	2	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.12)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	0%	0%	0%	29%	0%	0%	0%	0%	0%	0%	14%	0%	0%	29%	29%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	25%	0%	0%	0%	25%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	2	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	0%	0%	0%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	8	12	7	0	3	2	2	2	0	3	0	1	42
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.16)	(0.10)	(0.00)	(0.04)	(0.03)	(0.03)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.58)
	年齢構成比	0%	5%	19%	29%	17%	0%	7%	5%	5%	5%	0%	7%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	5	9	10	18	16	11	3	10	8	13	2	14	121
	(定点あたり)	(0.01)	(0.01)	(0.07)	(0.12)	(0.14)	(0.25)	(0.22)	(0.15)	(0.04)	(0.14)	(0.11)	(0.18)	(0.03)	(0.19)	(1.66)
	年齢構成比	1%	1%	4%	7%	8%	15%	13%	9%	2%	8%	7%	11%	2%	12%	100%
感染性胃腸炎	報告数	1	17	49	42	37	44	24	11	25	12	17	39	13	79	410
	(定点あたり)	(0.01)	(0.23)	(0.67)	(0.58)	(0.51)	(0.60)	(0.33)	(0.15)	(0.34)	(0.16)	(0.23)	(0.53)	(0.18)	(1.08)	(5.62)
	年齢構成比	0%	4%	12%	10%	9%	11%	6%	3%	6%	3%	4%	10%	3%	19%	100%
水痘	報告数	1	0	2	3	3	5	8	4	0	1	0	3	0	0	30
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.04)	(0.04)	(0.07)	(0.11)	(0.05)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.41)
	年齢構成比	3%	0%	7%	10%	10%	17%	27%	13%	0%	3%	0%	10%	0%	0%	100%
手足口病	報告数	8	70	258	170	111	85	47	19	11	10	5	9	1	10	814
	(定点あたり)	(0.11)	(0.96)	(3.53)	(2.33)	(1.52)	(1.16)	(0.64)	(0.26)	(0.15)	(0.14)	(0.07)	(0.12)	(0.01)	(0.14)	#####
	年齢構成比	1%	9%	32%	21%	14%	10%	6%	2%	1%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	5	1	6	7	9	2	1	7	4	3	0	3	48
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.01)	(0.08)	(0.10)	(0.12)	(0.03)	(0.01)	(0.10)	(0.05)	(0.04)	(0.00)	(0.04)	(0.66)
	年齢構成比	0%	0%	10%	2%	13%	15%	19%	4%	2%	15%	8%	6%	0%	6%	100%
突発性発しん	報告数	2	7	18	5	3	1	0	0	0	0	0	0	0	0	36
	(定点あたり)	(0.03)	(0.10)	(0.25)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比	6%	19%	50%	14%	8%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	5	22	14	10	8	6	3	0	0	0	1	2	0	71
	(定点あたり)	(0.00)	(0.07)	(0.30)	(0.19)	(0.14)	(0.11)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.97)
	年齢構成比	0%	7%	31%	20%	14%	11%	8%	4%	0%	0%	0%	1%	3%	0%	100%
流行性耳下腺炎	報告数	0	0	2	1	3	6	5	3	1	2	2	2	0	1	28
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.08)	(0.07)	(0.04)	(0.01)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.38)
	年齢構成比	0%	0%	7%	4%	11%	21%	18%	11%	4%	7%	7%	7%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	7	6	5	0	2	1	0	0	0	1	0	1	24
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.08)	(0.07)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.33)
	年齢構成比	0%	4%	29%	25%	21%	0%	8%	4%	0%	0%	0%	4%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	3	6	8	9	9	6	2	4	7	4	2	7	68
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.08)	(0.11)	(0.12)	(0.12)	(0.08)	(0.03)	(0.05)	(0.10)	(0.05)	(0.03)	(0.10)	(0.93)
	年齢構成比	0%	1%	4%	9%	12%	13%	13%	9%	3%	6%	10%	6%	3%	10%	100%
感染性胃腸炎	報告数	1	7	29	13	22	29	15	6	14	8	13	25	5	39	226
	(定点あたり)	(0.01)	(0.10)	(0.40)	(0.18)	(0.30)	(0.40)	(0.21)	(0.08)	(0.19)	(0.11)	(0.18)	(0.34)	(0.07)	(0.53)	(3.10)
	年齢構成比	0%	3%	13%	6%	10%	13%	7%	3%	6%	4%	6%	11%	2%	17%	100%
水痘	報告数	1	0	0	1	2	3	6	2	0	0	0	1	0	0	16
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	6%	0%	0%	6%	13%	19%	38%	13%	0%	0%	0%	6%	0%	0%	100%
手足口病	報告数	6	41	146	101	61	42	24	9	4	8	3	6	0	3	454
	(定点あたり)	(0.08)	(0.56)	(2.00)	(1.38)	(0.84)	(0.58)	(0.33)	(0.12)	(0.05)	(0.11)	(0.04)	(0.08)	(0.00)	(0.04)	(6.22)
	年齢構成比	1%	9%	32%	22%	13%	9%	5%	2%	1%	2%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	4	0	3	5	4	0	0	1	1	1	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.04)	(0.07)	(0.05)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	0%	21%	0%	16%	26%	21%	0%	0%	5%	5%	5%	0%	0%	100%
突発性発しん	報告数	2	3	8	4	2	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.03)	(0.04)	(0.11)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	11%	16%	42%	21%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	11	4	6	4	4	1	0	0	0	0	0	0	33
	(定点あたり)	(0.00)	(0.04)	(0.15)	(0.05)	(0.08)	(0.05)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	9%	33%	12%	18%	12%	12%	3%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	4	1	1	2	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.05)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	0%	8%	8%	15%	31%	8%	8%	15%	0%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	6	2	0	1	1	2	2	0	2	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.08)	(0.03)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	6%	6%	33%	11%	0%	6%	6%	11%	11%	0%	11%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	2	3	2	9	7	5	1	6	1	9	0	7	53
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.04)	(0.03)	(0.12)	(0.10)	(0.07)	(0.01)	(0.08)	(0.01)	(0.12)	(0.00)	(0.10)	(0.73)
	年齢構成比	2%	0%	4%	6%	4%	17%	13%	9%	2%	11%	2%	17%	0%	13%	100%
感染性胃腸炎	報告数	0	10	20	29	15	15	9	5	11	4	4	14	8	40	184
	(定点あたり)	(0.00)	(0.14)	(0.27)	(0.40)	(0.21)	(0.21)	(0.12)	(0.07)	(0.15)	(0.05)	(0.05)	(0.19)	(0.11)	(0.55)	(2.52)
	年齢構成比	0%	5%	11%	16%	8%	8%	5%	3%	6%	2%	2%	8%	4%	22%	100%
水痘	報告数	0	0	2	2	1	2	2	2	0	1	0	2	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	0%	14%	14%	7%	14%	14%	14%	0%	7%	0%	14%	0%	0%	100%
手足口病	報告数	2	29	112	69	50	43	23	10	7	2	2	3	1	7	360
	(定点あたり)	(0.03)	(0.40)	(1.53)	(0.95)	(0.68)	(0.59)	(0.32)	(0.14)	(0.10)	(0.03)	(0.03)	(0.04)	(0.01)	(0.10)	(4.93)
	年齢構成比	1%	8%	31%	19%	14%	12%	6%	3%	2%	1%	1%	1%	0%	2%	100%
伝染性紅斑	報告数	0	0	1	1	3	2	5	2	1	6	3	2	0	3	29
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.07)	(0.03)	(0.01)	(0.08)	(0.04)	(0.03)	(0.00)	(0.04)	(0.40)
	年齢構成比	0%	0%	3%	3%	10%	7%	17%	7%	3%	21%	10%	7%	0%	10%	100%
突発性発しん	報告数	0	4	10	1	1	1	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.05)	(0.14)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	24%	59%	6%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	2	11	10	4	4	2	2	0	0	0	1	2	0	38
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.14)	(0.05)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.52)
	年齢構成比	0%	5%	29%	26%	11%	11%	5%	5%	0%	0%	0%	3%	5%	0%	100%
流行性耳下腺炎	報告数	0	0	2	0	2	4	1	2	0	0	2	1	0	1	15
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.05)	(0.01)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.21)
	年齢構成比	0%	0%	13%	0%	13%	27%	7%	13%	0%	0%	13%	7%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。