

2015年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	60%	20%	0%	0%	20%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	0	3	2	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.50)
	年齢構成比	0%	0%	22%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	22%	0%	11%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	75%	0%	0%	0%	25%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	3	2	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	43%	29%	0%	14%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	11	6	7	7	0	3	3	0	2	1	0	2	44
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.08)	(0.10)	(0.10)	(0.00)	(0.04)	(0.04)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.60)
	年齢構成比	0%	5%	25%	14%	16%	16%	0%	7%	7%	0%	5%	2%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	3	6	6	19	13	12	7	7	4	20	2	16	116
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.08)	(0.08)	(0.26)	(0.18)	(0.16)	(0.10)	(0.10)	(0.05)	(0.27)	(0.03)	(0.22)	(1.59)
	年齢構成比	0%	1%	3%	5%	5%	16%	11%	10%	6%	6%	3%	17%	2%	14%	100%
感染性胃腸炎	報告数	5	23	29	27	25	43	16	21	22	13	10	34	3	46	317
	(定点あたり)	(0.07)	(0.32)	(0.40)	(0.37)	(0.34)	(0.59)	(0.22)	(0.29)	(0.30)	(0.18)	(0.14)	(0.47)	(0.04)	(0.63)	(4.34)
	年齢構成比	2%	7%	9%	9%	8%	14%	5%	7%	7%	4%	3%	11%	1%	15%	100%
水痘	報告数	0	0	1	1	0	2	4	0	1	1	0	2	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.05)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	8%	8%	0%	17%	33%	0%	8%	8%	0%	17%	0%	0%	100%
手足口病	報告数	12	102	297	206	133	82	57	23	9	6	2	9	1	11	950
	(定点あたり)	(0.16)	(1.40)	(4.07)	(2.82)	(1.82)	(1.12)	(0.78)	(0.32)	(0.12)	(0.08)	(0.03)	(0.12)	(0.01)	(0.15)	#####
	年齢構成比	1%	11%	31%	22%	14%	9%	6%	2%	1%	1%	0%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	4	2	7	7	4	2	6	8	0	2	0	1	43
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.10)	(0.10)	(0.05)	(0.03)	(0.08)	(0.11)	(0.00)	(0.03)	(0.00)	(0.01)	(0.59)
	年齢構成比	0%	0%	9%	5%	16%	16%	9%	5%	14%	19%	0%	5%	0%	2%	100%
突発性発しん	報告数	1	15	10	3	1	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.01)	(0.21)	(0.14)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	3%	50%	33%	10%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	10	22	23	14	10	2	4	2	1	1	2	0	1	92
	(定点あたり)	(0.00)	(0.14)	(0.30)	(0.32)	(0.19)	(0.14)	(0.03)	(0.05)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(1.26)
	年齢構成比	0%	11%	24%	25%	15%	11%	2%	4%	2%	1%	1%	2%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	1	2	10	8	5	1	2	0	0	4	0	0	33
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.14)	(0.11)	(0.07)	(0.01)	(0.03)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	0%	3%	6%	30%	24%	15%	3%	6%	0%	0%	12%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	4	6	5	6	0	2	2	0	2	1	0	2	32
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.08)	(0.07)	(0.08)	(0.00)	(0.03)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.44)
	年齢構成比	0%	6%	13%	19%	16%	19%	0%	6%	6%	0%	6%	3%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	2	2	12	9	8	5	4	0	7	2	6	60
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.16)	(0.12)	(0.11)	(0.07)	(0.05)	(0.00)	(0.10)	(0.03)	(0.08)	(0.82)
	年齢構成比	0%	2%	3%	3%	3%	20%	15%	13%	8%	7%	0%	12%	3%	10%	100%
感染性胃腸炎	報告数	3	12	19	15	14	24	11	13	10	4	6	20	1	17	169
	(定点あたり)	(0.04)	(0.16)	(0.26)	(0.21)	(0.19)	(0.33)	(0.15)	(0.18)	(0.14)	(0.05)	(0.08)	(0.27)	(0.01)	(0.23)	(2.32)
	年齢構成比	2%	7%	11%	9%	8%	14%	7%	8%	6%	2%	4%	12%	1%	10%	100%
水痘	報告数	0	0	1	0	0	1	1	0	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	0%	0%	25%	25%	0%	0%	0%	0%	25%	0%	0%	100%
手足口病	報告数	7	50	153	108	77	48	33	10	6	3	2	7	0	4	508
	(定点あたり)	(0.10)	(0.68)	(2.10)	(1.48)	(1.05)	(0.66)	(0.45)	(0.14)	(0.08)	(0.04)	(0.03)	(0.10)	(0.00)	(0.05)	(6.96)
	年齢構成比	1%	10%	30%	21%	15%	9%	6%	2%	1%	1%	0%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	2	1	3	2	3	1	3	3	0	1	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.03)	(0.04)	(0.01)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	0%	11%	5%	16%	11%	16%	5%	16%	16%	0%	5%	0%	0%	100%
突発性発しん	報告数	0	6	6	1	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	43%	43%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	5	8	13	3	7	1	2	2	1	1	1	0	1	45
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.18)	(0.04)	(0.10)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.62)
	年齢構成比	0%	11%	18%	29%	7%	16%	2%	4%	4%	2%	2%	2%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	1	0	3	3	2	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	11%	0%	33%	33%	22%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	7	0	2	1	0	1	1	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.10)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	58%	0%	17%	8%	0%	8%	8%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	4	7	4	4	2	3	4	13	0	10	56
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.05)	(0.10)	(0.05)	(0.05)	(0.03)	(0.04)	(0.05)	(0.18)	(0.00)	(0.14)	(0.77)
	年齢構成比	0%	0%	2%	7%	7%	13%	7%	7%	4%	5%	7%	23%	0%	18%	100%
感染性胃腸炎	報告数	2	11	10	12	11	19	5	8	12	9	4	14	2	29	148
	(定点あたり)	(0.03)	(0.15)	(0.14)	(0.16)	(0.15)	(0.26)	(0.07)	(0.11)	(0.16)	(0.12)	(0.05)	(0.19)	(0.03)	(0.40)	(2.03)
	年齢構成比	1%	7%	7%	8%	7%	13%	3%	5%	8%	6%	3%	9%	1%	20%	100%
水痘	報告数	0	0	0	1	0	1	3	0	1	1	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	13%	0%	13%	38%	0%	13%	13%	0%	13%	0%	0%	100%
手足口病	報告数	5	52	144	98	56	34	24	13	3	3	0	2	1	7	442
	(定点あたり)	(0.07)	(0.71)	(1.97)	(1.34)	(0.77)	(0.47)	(0.33)	(0.18)	(0.04)	(0.04)	(0.00)	(0.03)	(0.01)	(0.10)	(6.05)
	年齢構成比	1%	12%	33%	22%	13%	8%	5%	3%	1%	1%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	2	1	4	5	1	1	3	5	0	1	0	1	24
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.05)	(0.07)	(0.01)	(0.01)	(0.04)	(0.07)	(0.00)	(0.01)	(0.00)	(0.01)	(0.33)
	年齢構成比	0%	0%	8%	4%	17%	21%	4%	4%	13%	21%	0%	4%	0%	4%	100%
突発性発しん	報告数	1	9	4	2	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.01)	(0.12)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	6%	56%	25%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	14	10	11	3	1	2	0	0	0	1	0	0	47
	(定点あたり)	(0.00)	(0.07)	(0.19)	(0.14)	(0.15)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.64)
	年齢構成比	0%	11%	30%	21%	23%	6%	2%	4%	0%	0%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	7	5	3	1	2	0	0	4	0	0	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.10)	(0.07)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	0%	8%	29%	21%	13%	4%	8%	0%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。