

2015年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	2	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	0%	0%	20%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	8	4	5	5	5	2	1	2	0	0	0	2	36
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.05)	(0.07)	(0.07)	(0.07)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.49)
	年齢構成比	0%	6%	22%	11%	14%	14%	14%	6%	3%	6%	0%	0%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	7	11	9	14	14	10	3	9	7	3	15	107
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.10)	(0.15)	(0.12)	(0.19)	(0.19)	(0.14)	(0.04)	(0.12)	(0.10)	(0.04)	(0.21)	(1.47)
	年齢構成比	0%	1%	4%	7%	10%	8%	13%	13%	9%	3%	8%	7%	3%	14%	100%
感染性胃腸炎	報告数	3	19	35	37	15	22	26	16	21	15	14	38	10	39	310
	(定点あたり)	(0.04)	(0.26)	(0.48)	(0.51)	(0.21)	(0.30)	(0.36)	(0.22)	(0.29)	(0.21)	(0.19)	(0.52)	(0.14)	(0.53)	(4.25)
	年齢構成比	1%	6%	11%	12%	5%	7%	8%	5%	7%	5%	5%	12%	3%	13%	100%
水痘	報告数	0	2	3	8	2	3	4	1	1	1	0	3	0	1	29
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.11)	(0.03)	(0.04)	(0.05)	(0.01)	(0.01)	(0.01)	(0.00)	(0.04)	(0.00)	(0.01)	(0.40)
	年齢構成比	0%	7%	10%	28%	7%	10%	14%	3%	3%	3%	0%	10%	0%	3%	100%
手足口病	報告数	12	95	321	204	176	112	62	31	18	11	8	7	2	20	1079
	(定点あたり)	(0.16)	(1.30)	(4.40)	(2.79)	(2.41)	(1.53)	(0.85)	(0.42)	(0.25)	(0.15)	(0.11)	(0.10)	(0.03)	(0.27)	(14.78)
	年齢構成比	1%	9%	30%	19%	16%	10%	6%	3%	2%	1%	1%	1%	0%	2%	100%
伝染性紅斑	報告数	0	0	1	1	5	9	8	6	4	9	1	3	1	2	50
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)	(0.12)	(0.11)	(0.08)	(0.05)	(0.12)	(0.01)	(0.04)	(0.01)	(0.03)	(0.68)
	年齢構成比	0%	0%	2%	2%	10%	18%	16%	12%	8%	18%	2%	6%	2%	4%	100%
突発性発しん	報告数	0	8	15	2	2	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.11)	(0.21)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	30%	56%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	11	21	15	20	12	7	5	3	2	0	0	0	1	97
	(定点あたり)	(0.00)	(0.15)	(0.29)	(0.21)	(0.27)	(0.16)	(0.10)	(0.07)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(1.33)
	年齢構成比	0%	11%	22%	15%	21%	12%	7%	5%	3%	2%	0%	0%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	1	1	4	4	4	2	2	4	0	1	0	0	23
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.05)	(0.05)	(0.03)	(0.03)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	0%	4%	4%	17%	17%	17%	9%	9%	17%	0%	4%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	5	2	5	2	4	1	0	1	0	0	0	1	21
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.07)	(0.03)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.29)
	年齢構成比	0%	0%	24%	10%	24%	10%	19%	5%	0%	5%	0%	0%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	1	9	5	6	6	7	1	4	5	1	3	50
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.12)	(0.07)	(0.08)	(0.08)	(0.10)	(0.01)	(0.05)	(0.07)	(0.01)	(0.04)	(0.68)
	年齢構成比	0%	0%	4%	2%	18%	10%	12%	12%	14%	2%	8%	10%	2%	6%	100%
感染性胃腸炎	報告数	2	14	18	15	4	13	18	11	12	6	10	30	4	15	172
	(定点あたり)	(0.03)	(0.19)	(0.25)	(0.21)	(0.05)	(0.18)	(0.25)	(0.15)	(0.16)	(0.08)	(0.14)	(0.41)	(0.05)	(0.21)	(2.36)
	年齢構成比	1%	8%	10%	9%	2%	8%	10%	6%	7%	3%	6%	17%	2%	9%	100%
水痘	報告数	0	2	1	4	0	2	1	1	1	1	0	2	0	1	16
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.05)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.22)
	年齢構成比	0%	13%	6%	25%	0%	13%	6%	6%	6%	6%	0%	13%	0%	6%	100%
手足口病	報告数	5	52	175	113	82	62	37	20	13	5	3	4	2	6	579
	(定点あたり)	(0.07)	(0.71)	(2.40)	(1.55)	(1.12)	(0.85)	(0.51)	(0.27)	(0.18)	(0.07)	(0.04)	(0.05)	(0.03)	(0.08)	(7.93)
	年齢構成比	1%	9%	30%	20%	14%	11%	6%	3%	2%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	1	0	3	3	5	3	1	4	1	3	1	0	25
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.04)	(0.07)	(0.04)	(0.01)	(0.05)	(0.01)	(0.04)	(0.01)	(0.00)	(0.34)
	年齢構成比	0%	0%	4%	0%	12%	12%	20%	12%	4%	16%	4%	12%	4%	0%	100%
突発性発しん	報告数	0	3	10	1	1	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	20%	67%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	14	6	10	7	3	3	1	2	0	0	0	0	49
	(定点あたり)	(0.00)	(0.04)	(0.19)	(0.08)	(0.14)	(0.10)	(0.04)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.67)
	年齢構成比	0%	6%	29%	12%	20%	14%	6%	6%	2%	4%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	2	0	0	4	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	0%	10%	10%	20%	20%	0%	0%	40%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	3	2	0	3	1	1	1	1	0	0	0	1	15
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.03)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.21)
	年齢構成比	0%	13%	20%	13%	0%	20%	7%	7%	7%	7%	0%	0%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	6	2	4	8	8	3	2	5	2	2	12	57
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.08)	(0.03)	(0.05)	(0.11)	(0.11)	(0.04)	(0.03)	(0.07)	(0.03)	(0.03)	(0.16)	(0.78)
	年齢構成比	0%	2%	4%	11%	4%	7%	14%	14%	5%	4%	9%	4%	4%	21%	100%
感染性胃腸炎	報告数	1	5	17	22	11	9	8	5	9	9	4	8	6	24	138
	(定点あたり)	(0.01)	(0.07)	(0.23)	(0.30)	(0.15)	(0.12)	(0.11)	(0.07)	(0.12)	(0.12)	(0.05)	(0.11)	(0.08)	(0.33)	(1.89)
	年齢構成比	1%	4%	12%	16%	8%	7%	6%	4%	7%	7%	3%	6%	4%	17%	100%
水痘	報告数	0	0	2	4	2	1	3	0	0	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	15%	31%	15%	8%	23%	0%	0%	0%	0%	8%	0%	0%	100%
手足口病	報告数	7	43	146	91	94	50	25	11	5	6	5	3	0	14	500
	(定点あたり)	(0.10)	(0.59)	(2.00)	(1.25)	(1.29)	(0.68)	(0.34)	(0.15)	(0.07)	(0.08)	(0.07)	(0.04)	(0.00)	(0.19)	(6.85)
	年齢構成比	1%	9%	29%	18%	19%	10%	5%	2%	1%	1%	1%	1%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	1	2	6	3	3	3	5	0	0	0	2	25
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.08)	(0.04)	(0.04)	(0.04)	(0.07)	(0.00)	(0.00)	(0.00)	(0.03)	(0.34)
	年齢構成比	0%	0%	0%	4%	8%	24%	12%	12%	12%	20%	0%	0%	0%	8%	100%
突発性発しん	報告数	0	5	5	1	1	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.07)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	42%	42%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	8	7	9	10	5	4	2	2	0	0	0	0	1	48
	(定点あたり)	(0.00)	(0.11)	(0.10)	(0.12)	(0.14)	(0.07)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.66)
	年齢構成比	0%	17%	15%	19%	21%	10%	8%	4%	4%	0%	0%	0%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	1	0	3	2	2	2	2	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	8%	0%	23%	15%	15%	15%	15%	0%	0%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。