

2015年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	1	0	0	0	0	0	0	1	0	1	0	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	17%	0%	17%	17%	0%	0%	0%	0%	0%	0%	17%	0%	17%	0%	17%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	100%

2015年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	3	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	29%	29%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	5	6	4	2	5	1	0	0	0	0	2	0	4	30
	(定点あたり)	(0.01)	(0.07)	(0.08)	(0.05)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.05)	(0.41)
	年齢構成比	3%	17%	20%	13%	7%	17%	3%	0%	0%	0%	0%	7%	0%	13%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	4	3	1	3	5	2	2	4	0	6	31
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.04)	(0.01)	(0.04)	(0.07)	(0.03)	(0.03)	(0.05)	(0.00)	(0.08)	(0.42)
	年齢構成比	0%	0%	0%	3%	13%	10%	3%	10%	16%	6%	6%	13%	0%	19%	100%
感染性胃腸炎	報告数	3	18	30	21	14	8	6	1	7	10	9	23	8	24	182
	(定点あたり)	(0.04)	(0.24)	(0.41)	(0.28)	(0.19)	(0.11)	(0.08)	(0.01)	(0.09)	(0.14)	(0.12)	(0.31)	(0.11)	(0.32)	(2.46)
	年齢構成比	2%	10%	16%	12%	8%	4%	3%	1%	4%	5%	5%	13%	4%	13%	100%
水痘	報告数	1	0	2	2	1	2	5	1	1	1	0	3	0	0	19
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.03)	(0.01)	(0.03)	(0.07)	(0.01)	(0.01)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.26)
	年齢構成比	5%	0%	11%	11%	5%	11%	26%	5%	5%	5%	0%	16%	0%	0%	100%
手足口病	報告数	2	19	71	26	13	13	13	7	1	5	6	7	0	6	189
	(定点あたり)	(0.03)	(0.26)	(0.96)	(0.35)	(0.18)	(0.18)	(0.18)	(0.09)	(0.01)	(0.07)	(0.08)	(0.09)	(0.00)	(0.08)	(2.55)
	年齢構成比	1%	10%	38%	14%	7%	7%	7%	4%	1%	3%	3%	4%	0%	3%	100%
伝染性紅斑	報告数	0	0	3	1	3	5	3	7	1	2	1	3	0	0	29
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.04)	(0.07)	(0.04)	(0.09)	(0.01)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	10%	3%	10%	17%	10%	24%	3%	7%	3%	10%	0%	0%	100%
突発性発しん	報告数	1	9	13	3	0	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.01)	(0.12)	(0.18)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比	4%	35%	50%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	2	4	12	8	6	4	6	0	0	1	2	1	0	2	48
	(定点あたり)	(0.03)	(0.05)	(0.16)	(0.11)	(0.08)	(0.05)	(0.08)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.65)
	年齢構成比	4%	8%	25%	17%	13%	8%	13%	0%	0%	2%	4%	2%	0%	4%	100%
流行性耳下腺炎	報告数	0	0	1	2	8	7	5	4	2	3	4	2	0	0	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.11)	(0.09)	(0.07)	(0.05)	(0.03)	(0.04)	(0.05)	(0.03)	(0.00)	(0.00)	(0.51)
	年齢構成比	0%	0%	3%	5%	21%	18%	13%	11%	5%	8%	11%	5%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	3	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.01)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	17%	33%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	2	5	3	0	4	1	0	0	0	0	2	0	2	20
	(定点あたり)	(0.01)	(0.03)	(0.07)	(0.04)	(0.00)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.27)
	年齢構成比	5%	10%	25%	15%	0%	20%	5%	0%	0%	0%	0%	10%	0%	10%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	2	1	3	2	2	2	2	0	4	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.05)	(0.27)
	年齢構成比	0%	0%	0%	5%	5%	10%	5%	15%	10%	10%	10%	10%	0%	20%	100%
感染性胃腸炎	報告数	2	6	13	15	8	4	2	1	5	4	8	14	5	11	98
	(定点あたり)	(0.03)	(0.08)	(0.18)	(0.20)	(0.11)	(0.05)	(0.03)	(0.01)	(0.07)	(0.05)	(0.11)	(0.19)	(0.07)	(0.15)	(1.32)
	年齢構成比	2%	6%	13%	15%	8%	4%	2%	1%	5%	4%	8%	14%	5%	11%	100%
水痘	報告数	1	0	1	1	1	0	4	1	0	0	0	1	0	0	10
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	10%	0%	10%	10%	10%	0%	40%	10%	0%	0%	0%	10%	0%	0%	100%
手足口病	報告数	1	12	48	10	7	6	7	3	1	1	4	2	0	2	104
	(定点あたり)	(0.01)	(0.16)	(0.65)	(0.14)	(0.09)	(0.08)	(0.09)	(0.04)	(0.01)	(0.01)	(0.05)	(0.03)	(0.00)	(0.03)	(1.41)
	年齢構成比	1%	12%	46%	10%	7%	6%	7%	3%	1%	1%	4%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	1	0	4	2	4	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	0%	9%	0%	36%	18%	36%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	8	8	3	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.11)	(0.11)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	42%	42%	16%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	6	5	2	3	3	0	0	0	0	1	0	1	23
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.07)	(0.03)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.31)
	年齢構成比	0%	9%	26%	22%	9%	13%	13%	0%	0%	0%	0%	4%	0%	4%	100%
流行性耳下腺炎	報告数	0	0	0	2	4	4	3	2	1	0	2	0	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.05)	(0.05)	(0.04)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	0%	11%	22%	22%	17%	11%	6%	0%	11%	0%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	1	1	2	1	0	0	0	0	0	0	0	2	10
	(定点あたり)	(0.00)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.14)
	年齢構成比	0%	30%	10%	10%	20%	10%	0%	0%	0%	0%	0%	0%	0%	20%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	3	1	0	0	3	0	0	2	0	2	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.15)
	年齢構成比	0%	0%	0%	0%	27%	9%	0%	0%	27%	0%	0%	18%	0%	18%	100%
感染性胃腸炎	報告数	1	12	17	6	6	4	4	0	2	6	1	9	3	13	84
	(定点あたり)	(0.01)	(0.16)	(0.23)	(0.08)	(0.08)	(0.05)	(0.05)	(0.00)	(0.03)	(0.08)	(0.01)	(0.12)	(0.04)	(0.18)	(1.14)
	年齢構成比	1%	14%	20%	7%	7%	5%	5%	0%	2%	7%	1%	11%	4%	15%	100%
水痘	報告数	0	0	1	1	0	2	1	0	1	1	0	2	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	11%	11%	0%	22%	11%	0%	11%	11%	0%	22%	0%	0%	100%
手足口病	報告数	1	7	23	16	6	7	6	4	0	4	2	5	0	4	85
	(定点あたり)	(0.01)	(0.09)	(0.31)	(0.22)	(0.08)	(0.09)	(0.08)	(0.05)	(0.00)	(0.05)	(0.03)	(0.07)	(0.00)	(0.05)	(1.15)
	年齢構成比	1%	8%	27%	19%	7%	8%	7%	5%	0%	5%	2%	6%	0%	5%	100%
伝染性紅斑	報告数	0	0	3	0	3	1	1	3	1	2	1	3	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.04)	(0.01)	(0.01)	(0.04)	(0.01)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	17%	0%	17%	6%	6%	17%	6%	11%	6%	17%	0%	0%	100%
突発性発しん	報告数	1	1	5	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.01)	(0.01)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	14%	14%	71%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	2	2	6	3	4	1	3	0	0	1	2	0	0	1	25
	(定点あたり)	(0.03)	(0.03)	(0.08)	(0.04)	(0.05)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.34)
	年齢構成比	8%	8%	24%	12%	16%	4%	12%	0%	0%	4%	8%	0%	0%	4%	100%
流行性耳下腺炎	報告数	0	0	1	0	4	3	2	2	1	3	2	2	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.04)	(0.03)	(0.03)	(0.01)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	0%	5%	0%	20%	15%	10%	10%	5%	15%	10%	10%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。