

2015年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	25%	0%	0%	0%	25%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	6	0	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.50)
	年齢構成比	0%	0%	11%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	11%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	17%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	0%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	7	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	13%	88%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	6	5	0	2	4	2	0	1	0	1	0	0	23
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.07)	(0.00)	(0.03)	(0.05)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	9%	26%	22%	0%	9%	17%	9%	0%	4%	0%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	2	2	6	8	4	6	3	3	7	3	10	58
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.03)	(0.03)	(0.08)	(0.11)	(0.05)	(0.08)	(0.04)	(0.04)	(0.09)	(0.04)	(0.14)	(0.78)
	年齢構成比	0%	3%	3%	3%	3%	10%	14%	7%	10%	5%	5%	12%	5%	17%	100%
感染性胃腸炎	報告数	2	7	24	24	12	12	5	11	7	17	6	21	3	28	179
	(定点あたり)	(0.03)	(0.09)	(0.32)	(0.32)	(0.16)	(0.16)	(0.07)	(0.15)	(0.09)	(0.23)	(0.08)	(0.28)	(0.04)	(0.38)	(2.42)
	年齢構成比	1%	4%	13%	13%	7%	7%	3%	6%	4%	9%	3%	12%	2%	16%	100%
水痘	報告数	0	1	1	3	1	3	0	4	1	1	0	3	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.01)	(0.04)	(0.00)	(0.05)	(0.01)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	6%	6%	17%	6%	17%	0%	22%	6%	6%	0%	17%	0%	0%	100%
手足口病	報告数	1	11	43	26	15	11	3	3	4	3	2	5	0	5	132
	(定点あたり)	(0.01)	(0.15)	(0.58)	(0.35)	(0.20)	(0.15)	(0.04)	(0.04)	(0.05)	(0.04)	(0.03)	(0.07)	(0.00)	(0.07)	(1.78)
	年齢構成比	1%	8%	33%	20%	11%	8%	2%	2%	3%	2%	2%	4%	0%	4%	100%
伝染性紅斑	報告数	0	1	2	2	8	5	9	5	3	0	0	2	0	2	39
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.11)	(0.07)	(0.12)	(0.07)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.53)
	年齢構成比	0%	3%	5%	5%	21%	13%	23%	13%	8%	0%	0%	5%	0%	5%	100%
突発性発しん	報告数	0	8	16	3	1	0	0	1	1	0	0	0	0	0	30
	(定点あたり)	(0.00)	(0.11)	(0.22)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	27%	53%	10%	3%	0%	0%	3%	3%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	7	2	5	2	1	1	1	0	0	1	0	0	24
	(定点あたり)	(0.00)	(0.05)	(0.09)	(0.03)	(0.07)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	17%	29%	8%	21%	8%	4%	4%	4%	0%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	2	1	4	3	2	1	1	0	4	0	1	21
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.05)	(0.04)	(0.03)	(0.01)	(0.01)	(0.00)	(0.05)	(0.00)	(0.01)	(0.28)
	年齢構成比	0%	0%	10%	10%	5%	19%	14%	10%	5%	5%	0%	19%	0%	5%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	4	2	0	2	3	2	0	1	0	1	0	0	16
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.03)	(0.00)	(0.03)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	6%	25%	13%	0%	13%	19%	13%	0%	6%	0%	6%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	1	1	3	6	0	4	3	2	2	2	5	33
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.01)	(0.04)	(0.08)	(0.00)	(0.05)	(0.04)	(0.03)	(0.03)	(0.03)	(0.07)	(0.45)
	年齢構成比	0%	6%	6%	3%	3%	9%	18%	0%	12%	9%	6%	6%	6%	15%	100%
感染性胃腸炎	報告数	0	2	10	13	4	6	2	7	4	8	5	17	2	17	97
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.18)	(0.05)	(0.08)	(0.03)	(0.09)	(0.05)	(0.11)	(0.07)	(0.23)	(0.03)	(0.23)	(1.31)
	年齢構成比	0%	2%	10%	13%	4%	6%	2%	7%	4%	8%	5%	18%	2%	18%	100%
水痘	報告数	0	1	0	3	1	1	0	3	1	1	0	3	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	7%	0%	21%	7%	7%	0%	21%	7%	7%	0%	21%	0%	0%	100%
手足口病	報告数	0	6	24	14	5	5	3	0	4	2	1	2	0	2	68
	(定点あたり)	(0.00)	(0.08)	(0.32)	(0.19)	(0.07)	(0.07)	(0.04)	(0.00)	(0.05)	(0.03)	(0.01)	(0.03)	(0.00)	(0.03)	(0.92)
	年齢構成比	0%	9%	35%	21%	7%	7%	4%	0%	6%	3%	1%	3%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	1	2	3	3	1	1	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	0%	9%	18%	27%	27%	9%	9%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	9	1	1	0	0	1	1	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.08)	(0.12)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	32%	47%	5%	5%	0%	0%	5%	5%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	3	4	2	0	1	1	1	1	0	0	1	0	0	14
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	21%	29%	14%	0%	7%	7%	7%	7%	0%	0%	7%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	2	1	1	1	0	0	2	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	11%	0%	11%	22%	11%	11%	11%	0%	0%	22%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	4	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	20%	80%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	3	0	0	1	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	14%	29%	43%	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	3	2	4	2	0	1	5	1	5	25
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.05)	(0.03)	(0.00)	(0.01)	(0.07)	(0.01)	(0.07)	(0.34)
	年齢構成比	0%	0%	0%	4%	4%	12%	8%	16%	8%	0%	4%	20%	4%	20%	100%
感染性胃腸炎	報告数	2	5	14	11	8	6	3	4	3	9	1	4	1	11	82
	(定点あたり)	(0.03)	(0.07)	(0.19)	(0.15)	(0.11)	(0.08)	(0.04)	(0.05)	(0.04)	(0.12)	(0.01)	(0.05)	(0.01)	(0.15)	(1.11)
	年齢構成比	2%	6%	17%	13%	10%	7%	4%	5%	4%	11%	1%	5%	1%	13%	100%
水痘	報告数	0	0	1	0	0	2	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	0%	0%	50%	0%	25%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	5	19	12	10	6	0	3	0	1	1	3	0	3	64
	(定点あたり)	(0.01)	(0.07)	(0.26)	(0.16)	(0.14)	(0.08)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.04)	(0.00)	(0.04)	(0.86)
	年齢構成比	2%	8%	30%	19%	16%	9%	0%	5%	0%	2%	2%	5%	0%	5%	100%
伝染性紅斑	報告数	0	1	2	1	6	2	6	4	2	0	0	2	0	2	28
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.08)	(0.03)	(0.08)	(0.05)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.38)
	年齢構成比	0%	4%	7%	4%	21%	7%	21%	14%	7%	0%	0%	7%	0%	7%	100%
突発性発しん	報告数	0	2	7	2	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	18%	64%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	3	0	5	1	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	10%	30%	0%	50%	10%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	0	2	2	1	0	1	0	2	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	8%	17%	0%	17%	17%	8%	0%	8%	0%	17%	0%	8%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。