

## 2015年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	25%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	1	0	0	0	0	0	0	0	0	0	0	4	0	0	0	2	0	8
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)	(0.00)	(0.00)	(0.00)	(0.13)	(0.00)	(0.50)
	年齢構成比	0%	13%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	25%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	5
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.31)
	年齢構成比	0%	20%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	0%	0%	0%	20%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	33%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.19)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	0%	33%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

## 2015年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	9	12	4	0	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.04)	(0.12)	(0.16)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比	11%	32%	43%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	3	0	1	1	2	1	0	2	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	8%	25%	0%	8%	8%	17%	8%	0%	17%	8%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	7	3	5	10	12	5	3	3	4	8	4	12	77
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.04)	(0.07)	(0.14)	(0.16)	(0.07)	(0.04)	(0.04)	(0.05)	(0.11)	(0.05)	(0.16)	(1.04)
	年齢構成比	0%	1%	9%	4%	6%	13%	16%	6%	4%	4%	5%	10%	5%	16%	100%
感染性胃腸炎	報告数	3	19	29	26	17	18	15	19	10	7	9	19	10	30	231
	(定点あたり)	(0.04)	(0.26)	(0.39)	(0.35)	(0.23)	(0.24)	(0.20)	(0.26)	(0.14)	(0.09)	(0.12)	(0.26)	(0.14)	(0.41)	(3.12)
	年齢構成比	1%	8%	13%	11%	7%	8%	6%	8%	4%	3%	4%	8%	4%	13%	100%
水痘	報告数	0	0	0	2	2	2	3	3	2	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.03)	(0.04)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	0%	0%	14%	14%	14%	21%	21%	14%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	5	18	23	10	6	6	1	3	1	1	2	0	0	77
	(定点あたり)	(0.01)	(0.07)	(0.24)	(0.31)	(0.14)	(0.08)	(0.08)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(1.04)
	年齢構成比	1%	6%	23%	30%	13%	8%	8%	1%	4%	1%	1%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	3	5	4	8	1	2	1	0	0	0	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.07)	(0.05)	(0.11)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	0%	0%	0%	13%	21%	17%	33%	4%	8%	4%	0%	0%	0%	100%
突発性発しん	報告数	1	10	8	1	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.01)	(0.14)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	5%	50%	40%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	5	8	11	1	4	1	1	0	0	0	1	0	0	33
	(定点あたり)	(0.01)	(0.07)	(0.11)	(0.15)	(0.01)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.45)
	年齢構成比	3%	15%	24%	33%	3%	12%	3%	3%	0%	0%	0%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	3	2	4	9	9	5	3	2	6	4	0	1	48
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.05)	(0.12)	(0.12)	(0.07)	(0.04)	(0.03)	(0.08)	(0.05)	(0.00)	(0.01)	(0.65)
	年齢構成比	0%	0%	6%	4%	8%	19%	19%	10%	6%	4%	13%	8%	0%	2%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

## 2015年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	6	3	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.03)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	8%	17%	50%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	1	0	0	0	1	1	0	1	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	0%	20%	0%	0%	0%	20%	20%	0%	20%	20%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	2	2	7	3	3	2	2	2	4	2	3	35
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.09)	(0.04)	(0.04)	(0.03)	(0.03)	(0.03)	(0.05)	(0.03)	(0.04)	(0.47)
	年齢構成比	0%	3%	6%	6%	6%	20%	9%	9%	6%	6%	6%	11%	6%	9%	100%
感染性胃腸炎	報告数	3	14	17	13	7	13	9	9	4	3	6	11	6	15	130
	(定点あたり)	(0.04)	(0.19)	(0.23)	(0.18)	(0.09)	(0.18)	(0.12)	(0.12)	(0.05)	(0.04)	(0.08)	(0.15)	(0.08)	(0.20)	(1.76)
	年齢構成比	2%	11%	13%	10%	5%	10%	7%	7%	3%	2%	5%	8%	5%	12%	100%
水痘	報告数	0	0	0	2	1	1	3	3	1	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	0%	18%	9%	9%	27%	27%	9%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	0	9	11	4	1	3	0	3	0	1	1	0	0	34
	(定点あたり)	(0.01)	(0.00)	(0.12)	(0.15)	(0.05)	(0.01)	(0.04)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.46)
	年齢構成比	3%	0%	26%	32%	12%	3%	9%	0%	9%	0%	3%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	2	2	1	6	1	2	1	0	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.08)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	0%	0%	0%	13%	13%	7%	40%	7%	13%	7%	0%	0%	0%	100%
突発性発しん	報告数	1	3	5	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.01)	(0.04)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	11%	33%	56%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	2	1	5	0	2	1	0	0	0	0	1	0	0	13
	(定点あたり)	(0.01)	(0.03)	(0.01)	(0.07)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比	8%	15%	8%	38%	0%	15%	8%	0%	0%	0%	0%	8%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	2	3	5	4	2	2	0	4	1	0	1	26
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.07)	(0.05)	(0.03)	(0.03)	(0.00)	(0.05)	(0.01)	(0.00)	(0.01)	(0.35)
	年齢構成比	0%	0%	8%	8%	12%	19%	15%	8%	8%	0%	15%	4%	0%	4%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

## 2015年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	7	6	1	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.03)	(0.09)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	13%	44%	38%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	2	0	1	1	1	0	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	14%	29%	0%	14%	14%	14%	0%	0%	14%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	1	3	3	9	2	1	1	2	4	2	9	42
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.01)	(0.04)	(0.04)	(0.12)	(0.03)	(0.01)	(0.01)	(0.03)	(0.05)	(0.03)	(0.12)	(0.57)
	年齢構成比	0%	0%	12%	2%	7%	7%	21%	5%	2%	2%	5%	10%	5%	21%	100%
感染性胃腸炎	報告数	0	5	12	13	10	5	6	10	6	4	3	8	4	15	101
	(定点あたり)	(0.00)	(0.07)	(0.16)	(0.18)	(0.14)	(0.07)	(0.08)	(0.14)	(0.08)	(0.05)	(0.04)	(0.11)	(0.05)	(0.20)	(1.36)
	年齢構成比	0%	5%	12%	13%	10%	5%	6%	10%	6%	4%	3%	8%	4%	15%	100%
水痘	報告数	0	0	0	0	1	1	0	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	33%	33%	0%	0%	33%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	5	9	12	6	5	3	1	0	1	0	1	0	0	43
	(定点あたり)	(0.00)	(0.07)	(0.12)	(0.16)	(0.08)	(0.07)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.58)
	年齢構成比	0%	12%	21%	28%	14%	12%	7%	2%	0%	2%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	3	3	2	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	11%	33%	33%	22%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	3	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.09)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	64%	27%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	7	6	1	2	0	1	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.08)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	15%	35%	30%	5%	10%	0%	5%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	4	5	3	1	2	2	3	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.05)	(0.07)	(0.04)	(0.01)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	0%	5%	0%	5%	18%	23%	14%	5%	9%	9%	14%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。