

2015年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	1	2	0	0	2	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	17%	33%	0%	0%	33%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	20%	40%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	25%	25%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	0%	0%	25%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%

2015年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	4	10	2	1	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.07)	(0.05)	(0.14)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	23%	18%	45%	9%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	2	0	0	1	1	1	1	1	3	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.04)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	8%	17%	0%	0%	8%	8%	8%	8%	8%	25%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	4	2	2	11	7	6	4	1	13	0	6	58
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.03)	(0.03)	(0.15)	(0.10)	(0.08)	(0.05)	(0.01)	(0.18)	(0.00)	(0.08)	(0.79)
	年齢構成比	0%	0%	3%	7%	3%	3%	19%	12%	10%	7%	2%	22%	0%	10%	100%
感染性胃腸炎	報告数	2	16	47	39	28	14	23	14	13	8	10	26	5	33	278
	(定点あたり)	(0.03)	(0.22)	(0.64)	(0.53)	(0.38)	(0.19)	(0.32)	(0.19)	(0.18)	(0.11)	(0.14)	(0.36)	(0.07)	(0.45)	(3.81)
	年齢構成比	1%	6%	17%	14%	10%	5%	8%	5%	5%	3%	4%	9%	2%	12%	100%
水痘	報告数	1	1	1	1	0	2	0	3	0	0	0	2	0	0	11
	(定点あたり)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.15)
	年齢構成比	9%	9%	9%	9%	0%	18%	0%	27%	0%	0%	0%	18%	0%	0%	100%
手足口病	報告数	0	2	5	3	6	1	0	0	1	0	1	0	0	0	19
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.04)	(0.08)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	11%	26%	16%	32%	5%	0%	0%	5%	0%	5%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	5	2	1	3	2	0	0	2	1	1	1	20
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.07)	(0.03)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.27)
	年齢構成比	0%	0%	10%	25%	10%	5%	15%	10%	0%	0%	10%	5%	5%	5%	100%
突発性発しん	報告数	0	10	16	4	1	1	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.14)	(0.22)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比	0%	31%	50%	13%	3%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	1	0	0	0	0	1	0	0	0	0	0	1	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)
	年齢構成比	0%	25%	25%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	25%	100%
ヘルパンギーナ	報告数	0	0	3	1	0	0	1	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	60%	20%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	3	4	7	4	5	4	1	9	0	0	39
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.05)	(0.10)	(0.05)	(0.07)	(0.05)	(0.01)	(0.12)	(0.00)	(0.00)	(0.53)
	年齢構成比	0%	0%	3%	3%	8%	10%	18%	10%	13%	10%	3%	23%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	7	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.01)	(0.03)	(0.10)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	9%	18%	64%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	0	1	0	0	1	0	0	0	1	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)
	年齢構成比	0%	0%	20%	20%	0%	0%	20%	0%	0%	20%	0%	0%	0%	20%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	1	2	3	4	2	0	0	8	0	2	27
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.03)	(0.04)	(0.05)	(0.03)	(0.00)	(0.00)	(0.11)	(0.00)	(0.03)	(0.37)
	年齢構成比	0%	0%	7%	11%	4%	7%	11%	15%	7%	0%	0%	30%	0%	7%	100%
感染性胃腸炎	報告数	1	8	21	24	13	6	14	8	7	5	3	16	2	15	143
	(定点あたり)	(0.01)	(0.11)	(0.29)	(0.33)	(0.18)	(0.08)	(0.19)	(0.11)	(0.10)	(0.07)	(0.04)	(0.22)	(0.03)	(0.21)	(1.96)
	年齢構成比	1%	6%	15%	17%	9%	4%	10%	6%	5%	3%	2%	11%	1%	10%	100%
水痘	報告数	1	1	1	1	0	1	0	2	0	0	0	1	0	0	8
	(定点あたり)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比	13%	13%	13%	13%	0%	13%	0%	25%	0%	0%	0%	13%	0%	0%	100%
手足口病	報告数	0	2	0	0	4	1	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	29%	0%	0%	57%	14%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	4	2	0	2	1	0	0	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	9%	36%	18%	0%	18%	9%	0%	0%	9%	0%	0%	0%	100%
突発性発しん	報告数	0	6	12	3	1	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.08)	(0.16)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	27%	55%	14%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	4	1	0	3	0	5	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.05)	(0.01)	(0.00)	(0.04)	(0.00)	(0.07)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	0%	0%	6%	6%	12%	24%	6%	0%	18%	0%	29%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	2	3	1	1	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.05)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	36%	18%	27%	9%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	1	0	0	0	1	1	0	1	3	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	0%	14%	0%	0%	0%	14%	14%	0%	14%	43%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	0	8	3	4	4	1	5	0	4	31
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.11)	(0.04)	(0.05)	(0.05)	(0.01)	(0.07)	(0.00)	(0.05)	(0.42)
	年齢構成比	0%	0%	0%	3%	3%	0%	26%	10%	13%	13%	3%	16%	0%	13%	100%
感染性胃腸炎	報告数	1	8	26	15	15	8	9	6	6	3	7	10	3	18	135
	(定点あたり)	(0.01)	(0.11)	(0.36)	(0.21)	(0.21)	(0.11)	(0.12)	(0.08)	(0.08)	(0.04)	(0.10)	(0.14)	(0.04)	(0.25)	(1.85)
	年齢構成比	1%	6%	19%	11%	11%	6%	7%	4%	4%	2%	5%	7%	2%	13%	100%
水痘	報告数	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	33%	0%	0%	100%
手足口病	報告数	0	0	5	3	2	0	0	0	1	0	1	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	42%	25%	17%	0%	0%	0%	8%	0%	8%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	0	1	1	1	0	0	1	1	1	1	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.12)
	年齢構成比	0%	0%	11%	11%	0%	11%	11%	11%	0%	0%	11%	11%	11%	11%	100%
突発性発しん	報告数	0	4	4	1	0	1	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	40%	40%	10%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	1	0	0	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	33%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	2	3	3	5	1	1	4	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.04)	(0.04)	(0.07)	(0.01)	(0.01)	(0.05)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	0%	5%	0%	9%	9%	14%	14%	23%	5%	5%	18%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。