

2015年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	1	1	0	3	0	1	2	4	2	1	1	2	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.02)	(0.00)	(0.01)	(0.02)	(0.03)	(0.02)	(0.01)	(0.01)	(0.02)	(0.15)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	6%	6%	0%	17%	0%	6%	11%	22%	11%	6%	6%	11%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	2	3	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.11)	(0.11)	(0.17)	(0.00)	(0.00)	(0.61)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	9%	27%	18%	18%	27%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	1	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.00)	(0.01)	(0.05)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	0%	0%	0%	33%	17%	17%	0%	17%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	2	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.06)	(0.11)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	29%	14%	29%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	1	1	0	2	0	1	2	2	1	0	1	1	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.02)	(0.00)	(0.01)	(0.02)	(0.02)	(0.01)	(0.00)	(0.01)	(0.01)	(0.10)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	8%	8%	0%	17%	0%	8%	17%	17%	8%	0%	8%	8%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	25%	25%	0%	0%	100%

2015年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	16	24	40	25	6	1	0	0	0	0	0	0	0	0	112
	(定点あたり)	(0.22)	(0.32)	(0.54)	(0.34)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.51)
	年齢構成比	14%	21%	36%	22%	5%	1%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	3	2	2	2	0	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.04)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	8%	8%	8%	23%	15%	15%	15%	0%	0%	0%	8%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	9	15	21	14	10	10	4	15	4	12	117
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.12)	(0.20)	(0.28)	(0.19)	(0.14)	(0.14)	(0.05)	(0.20)	(0.05)	(0.16)	(1.58)
	年齢構成比	0%	0%	0%	3%	8%	13%	18%	12%	9%	9%	3%	13%	3%	10%	100%
感染性胃腸炎	報告数	4	34	96	60	50	41	36	40	21	22	20	35	18	73	550
	(定点あたり)	(0.05)	(0.46)	(1.30)	(0.81)	(0.68)	(0.55)	(0.49)	(0.54)	(0.28)	(0.30)	(0.27)	(0.47)	(0.24)	(0.99)	(7.43)
	年齢構成比	1%	6%	17%	11%	9%	7%	7%	7%	4%	4%	4%	6%	3%	13%	100%
水痘	報告数	1	1	5	3	1	9	7	3	2	4	0	2	0	1	39
	(定点あたり)	(0.01)	(0.01)	(0.07)	(0.04)	(0.01)	(0.12)	(0.09)	(0.04)	(0.03)	(0.05)	(0.00)	(0.03)	(0.00)	(0.01)	(0.53)
	年齢構成比	3%	3%	13%	8%	3%	23%	18%	8%	5%	10%	0%	5%	0%	3%	100%
手足口病	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	3	2	5	6	8	5	6	2	5	0	0	42
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.07)	(0.08)	(0.11)	(0.07)	(0.08)	(0.03)	(0.07)	(0.00)	(0.00)	(0.57)
	年齢構成比	0%	0%	0%	7%	5%	12%	14%	19%	12%	14%	5%	12%	0%	0%	100%
突発性発しん	報告数	1	10	12	1	1	1	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.01)	(0.14)	(0.16)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比	4%	38%	46%	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	1	0	6	6	6	5	5	5	0	4	1	2	42
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.08)	(0.08)	(0.08)	(0.07)	(0.07)	(0.07)	(0.00)	(0.05)	(0.01)	(0.03)	(0.57)
	年齢構成比	0%	2%	2%	0%	14%	14%	14%	12%	12%	12%	0%	10%	2%	5%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~14歳	15~19歳	20歳以上	合計
RSウイルス感染症	報告数	5	14	19	16	3	0	0	0	0	0	0	0	0	0	57
	(定点あたり)	(0.07)	(0.19)	(0.26)	(0.22)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.77)
	年齢構成比	9%	25%	33%	28%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	1	1	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	4	8	12	6	8	6	2	7	1	5	62
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.05)	(0.11)	(0.16)	(0.08)	(0.11)	(0.08)	(0.03)	(0.09)	(0.01)	(0.07)	(0.84)
	年齢構成比	0%	0%	0%	5%	6%	13%	19%	10%	13%	10%	3%	11%	2%	8%	100%
感染性胃腸炎	報告数	3	14	52	29	34	21	21	23	11	7	12	21	11	29	288
	(定点あたり)	(0.04)	(0.19)	(0.70)	(0.39)	(0.46)	(0.28)	(0.28)	(0.31)	(0.15)	(0.09)	(0.16)	(0.28)	(0.15)	(0.39)	(3.89)
	年齢構成比	1%	5%	18%	10%	12%	7%	7%	8%	4%	2%	4%	7%	4%	10%	100%
水痘	報告数	0	0	2	2	0	4	3	2	0	2	0	1	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.05)	(0.04)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	13%	13%	0%	25%	19%	13%	0%	13%	0%	6%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	2	1	3	4	3	2	3	1	2	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.05)	(0.04)	(0.03)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	10%	5%	14%	19%	14%	10%	14%	5%	10%	0%	0%	100%
突発性発しん	報告数	1	4	7	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.05)	(0.09)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	8%	31%	54%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	1	0	3	3	5	2	2	1	0	1	1	1	21
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.04)	(0.04)	(0.07)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.28)
	年齢構成比	0%	5%	5%	0%	14%	14%	24%	10%	10%	5%	0%	5%	5%	5%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	11	10	21	9	3	1	0	0	0	0	0	0	0	0	55
	(定点あたり)	(0.15)	(0.14)	(0.28)	(0.12)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.74)
	年齢構成比	20%	18%	38%	16%	5%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	2	1	1	2	0	0	0	1	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	10%	10%	10%	20%	10%	10%	20%	0%	0%	0%	10%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	5	7	9	8	2	4	2	8	3	7	55
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)	(0.09)	(0.12)	(0.11)	(0.03)	(0.05)	(0.03)	(0.11)	(0.04)	(0.09)	(0.74)
	年齢構成比	0%	0%	0%	0%	9%	13%	16%	15%	4%	7%	4%	15%	5%	13%	100%
感染性胃腸炎	報告数	1	20	44	31	16	20	15	17	10	15	8	14	7	44	262
	(定点あたり)	(0.01)	(0.27)	(0.59)	(0.42)	(0.22)	(0.27)	(0.20)	(0.23)	(0.14)	(0.20)	(0.11)	(0.19)	(0.09)	(0.59)	(3.54)
	年齢構成比	0%	8%	17%	12%	6%	8%	6%	6%	4%	6%	3%	5%	3%	17%	100%
水痘	報告数	1	1	3	1	1	5	4	1	2	2	0	1	0	1	23
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.01)	(0.01)	(0.07)	(0.05)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.31)
	年齢構成比	4%	4%	13%	4%	4%	22%	17%	4%	9%	9%	0%	4%	0%	4%	100%
手足口病	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	1	2	2	5	3	3	1	3	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.07)	(0.04)	(0.04)	(0.01)	(0.04)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	5%	5%	10%	10%	24%	14%	14%	5%	14%	0%	0%	100%
突発性発しん	報告数	0	6	5	0	1	1	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.08)	(0.07)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	46%	38%	0%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	3	3	1	3	3	4	0	3	0	1	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.04)	(0.01)	(0.04)	(0.04)	(0.05)	(0.00)	(0.04)	(0.00)	(0.01)	(0.28)
	年齢構成比	0%	0%	0%	0%	14%	14%	5%	14%	14%	19%	0%	14%	0%	5%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。