

2015年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	0	2	0	0	0	1	0	2	1	0	3	0	1	0	1	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.01)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.10)
	年齢構成比	0%	0%	0%	8%	0%	17%	0%	0%	0%	0%	8%	0%	17%	8%	0%	25%	0%	8%	0%	8%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	1	0	0	0	0	0	0	0	2	2	1	0	1	2	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.06)	(0.00)	(0.06)	(0.11)	(0.00)	(0.56)
	年齢構成比	0%	0%	0%	10%	0%	10%	0%	0%	0%	0%	0%	0%	0%	20%	20%	10%	0%	10%	20%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	2	0	0	0	1	0	1	0	0	1	0	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	17%	0%	17%	0%	0%	17%	0%	17%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	0	0	0	0	0	0	0	1	1	0	2	0	0	0	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	17%	17%	0%	33%	0%	0%	0%	17%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	1	0	0	0	0	0	0	0	2	1	1	0	1	2	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.00)	(0.06)	(0.11)	(0.00)	(0.50)
	年齢構成比	0%	0%	0%	11%	0%	11%	0%	0%	0%	0%	0%	0%	0%	22%	11%	11%	0%	11%	22%	0%	100%

2015年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	28	30	43	37	15	2	0	1	0	1	0	0	0	0	157
	(定点あたり)	(0.38)	(0.41)	(0.59)	(0.51)	(0.21)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(2.15)
	年齢構成比	18%	19%	27%	24%	10%	1%	0%	1%	0%	1%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	6	1	0	5	0	2	3	0	1	0	2	0	21
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.01)	(0.00)	(0.07)	(0.00)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.29)
	年齢構成比	0%	5%	29%	5%	0%	24%	0%	10%	14%	0%	5%	0%	10%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	5	12	20	13	11	9	10	6	9	1	14	115
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.07)	(0.16)	(0.27)	(0.18)	(0.15)	(0.12)	(0.14)	(0.08)	(0.12)	(0.01)	(0.19)	(1.58)
	年齢構成比	0%	1%	3%	4%	10%	17%	11%	10%	8%	9%	5%	8%	1%	12%	100%
感染性胃腸炎	報告数	4	17	63	42	39	30	32	18	17	10	12	31	7	51	373
	(定点あたり)	(0.05)	(0.23)	(0.86)	(0.58)	(0.53)	(0.41)	(0.44)	(0.25)	(0.23)	(0.14)	(0.16)	(0.42)	(0.10)	(0.70)	(5.11)
	年齢構成比	1%	5%	17%	11%	10%	8%	9%	5%	5%	3%	3%	8%	2%	14%	100%
水痘	報告数	0	2	8	4	8	3	4	7	3	5	6	1	0	0	51
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.05)	(0.11)	(0.04)	(0.05)	(0.10)	(0.04)	(0.07)	(0.08)	(0.01)	(0.00)	(0.00)	(0.70)
	年齢構成比	0%	4%	16%	8%	16%	6%	8%	14%	6%	10%	12%	2%	0%	0%	100%
手足口病	報告数	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	3	2	0	3	3	6	2	2	3	5	0	2	32
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.00)	(0.04)	(0.04)	(0.08)	(0.03)	(0.03)	(0.04)	(0.07)	(0.00)	(0.03)	(0.44)
	年齢構成比	0%	3%	9%	6%	0%	9%	9%	19%	6%	6%	9%	16%	0%	6%	100%
突発性発しん	報告数	0	4	6	0	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	40%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	1	3	1	0	0	0	1	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	17%	50%	17%	0%	0%	0%	17%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	6	3	9	8	7	2	2	6	1	1	49
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.08)	(0.04)	(0.12)	(0.11)	(0.10)	(0.03)	(0.03)	(0.08)	(0.01)	(0.01)	(0.67)
	年齢構成比	0%	0%	2%	6%	12%	6%	18%	16%	14%	4%	4%	12%	2%	2%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	13	16	28	22	9	1	0	0	0	1	0	0	0	0	90
	(定点あたり)	(0.18)	(0.22)	(0.38)	(0.30)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(1.23)
	年齢構成比	14%	18%	31%	24%	10%	1%	0%	0%	0%	1%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	4	0	0	1	0	0	2	0	0	0	1	0	9
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.12)
	年齢構成比	0%	11%	44%	0%	0%	11%	0%	0%	22%	0%	0%	0%	11%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	3	4	6	7	8	5	8	7	2	6	1	8	66
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.08)	(0.10)	(0.11)	(0.07)	(0.11)	(0.10)	(0.03)	(0.08)	(0.01)	(0.11)	(0.90)
	年齢構成比	0%	2%	5%	6%	9%	11%	12%	8%	12%	11%	3%	9%	2%	12%	100%
感染性胃腸炎	報告数	2	13	29	27	19	19	19	9	13	4	5	19	4	20	202
	(定点あたり)	(0.03)	(0.18)	(0.40)	(0.37)	(0.26)	(0.26)	(0.26)	(0.12)	(0.18)	(0.05)	(0.07)	(0.26)	(0.05)	(0.27)	(2.77)
	年齢構成比	1%	6%	14%	13%	9%	9%	9%	4%	6%	2%	2%	9%	2%	10%	100%
水痘	報告数	0	1	6	2	6	2	3	6	2	4	3	1	0	0	36
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.03)	(0.08)	(0.03)	(0.04)	(0.08)	(0.03)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.49)
	年齢構成比	0%	3%	17%	6%	17%	6%	8%	17%	6%	11%	8%	3%	0%	0%	100%
手足口病	報告数	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	3	1	0	2	0	2	1	1	3	1	0	1	16
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.04)	(0.01)	(0.00)	(0.01)	(0.22)
	年齢構成比	0%	6%	19%	6%	0%	13%	0%	13%	6%	6%	19%	6%	0%	6%	100%
突発性発しん	報告数	0	2	2	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	1	1	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	33%	33%	0%	0%	0%	33%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	3	1	6	6	2	1	0	4	0	0	25
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.08)	(0.08)	(0.03)	(0.01)	(0.00)	(0.05)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	0%	0%	8%	12%	4%	24%	24%	8%	4%	0%	16%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	15	14	15	15	6	1	0	1	0	0	0	0	0	0	67
	(定点あたり)	(0.21)	(0.19)	(0.21)	(0.21)	(0.08)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.92)
	年齢構成比	22%	21%	22%	22%	9%	1%	0%	1%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	0	4	0	2	1	0	1	0	1	0	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.05)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.16)
	年齢構成比	0%	0%	17%	8%	0%	33%	0%	17%	8%	0%	8%	0%	8%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	6	13	5	6	1	3	4	3	0	6	49
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.08)	(0.18)	(0.07)	(0.08)	(0.01)	(0.04)	(0.05)	(0.04)	(0.00)	(0.08)	(0.67)
	年齢構成比	0%	0%	2%	2%	12%	27%	10%	12%	2%	6%	8%	6%	0%	12%	100%
感染性胃腸炎	報告数	2	4	34	15	20	11	13	9	4	6	7	12	3	31	171
	(定点あたり)	(0.03)	(0.05)	(0.47)	(0.21)	(0.27)	(0.15)	(0.18)	(0.12)	(0.05)	(0.08)	(0.10)	(0.16)	(0.04)	(0.42)	(2.34)
	年齢構成比	1%	2%	20%	9%	12%	6%	8%	5%	2%	4%	4%	7%	2%	18%	100%
水痘	報告数	0	1	2	2	2	1	1	1	1	1	3	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	7%	13%	13%	13%	7%	7%	7%	7%	7%	20%	0%	0%	0%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	1	3	4	1	1	0	4	0	1	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.04)	(0.05)	(0.01)	(0.01)	(0.00)	(0.05)	(0.00)	(0.01)	(0.22)
	年齢構成比	0%	0%	0%	6%	0%	6%	19%	25%	6%	6%	0%	25%	0%	6%	100%
突発性発しん	報告数	0	2	4	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	1	2	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	3	2	3	2	5	1	2	2	1	1	24
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.04)	(0.03)	(0.07)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.33)
	年齢構成比	0%	0%	4%	4%	13%	8%	13%	8%	21%	4%	8%	8%	4%	4%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。