

2015年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	0	0	2	0	1	1	1	1	1	0	0	2	10	5	4	2	0	1	2	0	33	
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.02)	(0.08)	(0.04)	(0.03)	(0.02)	(0.00)	(0.01)	(0.02)	(0.00)	(0.27)	
	年齢構成比	0%	0%	6%	0%	3%	3%	3%	3%	3%	3%	0%	0%	6%	30%	15%	12%	6%	0%	3%	6%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	4	0	1	0	0	0	6	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.33)	
	年齢構成比	0%	0%	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	67%	0%	17%	0%	0%	0%	100%	

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	1	1	1	0	0	0	2	8	0	2	1	0	0	1	0	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.02)	(0.07)	(0.00)	(0.02)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.15)
	年齢構成比	0%	0%	0%	0%	6%	6%	6%	6%	6%	0%	0%	0%	11%	44%	0%	11%	6%	0%	0%	6%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	0	0	0	0	0	1	0	0	0	2	5	2	1	0	1	1	0	15
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.02)	(0.04)	(0.02)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.12)
	年齢構成比	0%	0%	13%	0%	0%	0%	0%	0%	0%	7%	0%	0%	0%	13%	33%	13%	7%	0%	7%	7%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	3	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	75%	0%	0%	0%	0%	0%	100%

2015年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	19	15	28	27	10	1	0	1	0	0	1	0	0	0	102
	(定点あたり)	(0.26)	(0.21)	(0.38)	(0.37)	(0.14)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(1.40)
	年齢構成比	19%	15%	27%	26%	10%	1%	0%	1%	0%	0%	1%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	5	8	2	3	6	4	1	0	0	0	0	1	32
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.11)	(0.03)	(0.04)	(0.08)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.44)
	年齢構成比	0%	6%	16%	25%	6%	9%	19%	13%	3%	0%	0%	0%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	5	12	13	19	16	14	13	8	10	11	1	11	134
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.16)	(0.18)	(0.26)	(0.22)	(0.19)	(0.18)	(0.11)	(0.14)	(0.15)	(0.01)	(0.15)	(1.84)
	年齢構成比	0%	1%	4%	9%	10%	14%	12%	10%	10%	6%	7%	8%	1%	8%	100%
感染性胃腸炎	報告数	2	36	91	61	57	39	41	34	40	21	19	49	12	69	571
	(定点あたり)	(0.03)	(0.49)	(1.25)	(0.84)	(0.78)	(0.53)	(0.56)	(0.47)	(0.55)	(0.29)	(0.26)	(0.67)	(0.16)	(0.95)	(7.82)
	年齢構成比	0%	6%	16%	11%	10%	7%	7%	6%	7%	4%	3%	9%	2%	12%	100%
水痘	報告数	0	0	4	4	2	0	4	4	4	4	1	6	0	1	34
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.05)	(0.03)	(0.00)	(0.05)	(0.05)	(0.05)	(0.05)	(0.01)	(0.08)	(0.00)	(0.01)	(0.47)
	年齢構成比	0%	0%	12%	12%	6%	0%	12%	12%	12%	12%	3%	18%	0%	3%	100%
手足口病	報告数	0	0	1	0	1	0	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	33%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	2	2	5	1	5	3	2	3	0	0	1	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.01)	(0.07)	(0.04)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.33)
	年齢構成比	0%	0%	0%	8%	8%	21%	4%	21%	13%	8%	13%	0%	0%	4%	100%
突発性発しん	報告数	0	9	8	4	1	0	0	1	0	1	0	1	0	0	25
	(定点あたり)	(0.00)	(0.12)	(0.11)	(0.05)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	36%	32%	16%	4%	0%	0%	4%	0%	4%	0%	4%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	100%
流行性耳下腺炎	報告数	0	1	3	7	5	8	16	7	6	5	2	6	0	2	68
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.10)	(0.07)	(0.11)	(0.22)	(0.10)	(0.08)	(0.07)	(0.03)	(0.08)	(0.00)	(0.03)	(0.93)
	年齢構成比	0%	1%	4%	10%	7%	12%	24%	10%	9%	7%	3%	9%	0%	3%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~14歳	15~19歳	20歳以上	合計
RSウイルス感染症	報告数	11	9	17	18	5	1	0	0	0	0	0	0	0	0	61
	(定点あたり)	(0.15)	(0.12)	(0.23)	(0.25)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.84)
	年齢構成比	18%	15%	28%	30%	8%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	2	5	2	3	3	2	1	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.07)	(0.03)	(0.04)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	10%	10%	25%	10%	15%	15%	10%	5%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	7	6	10	6	5	5	3	6	7	1	6	66
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.10)	(0.08)	(0.14)	(0.08)	(0.07)	(0.07)	(0.04)	(0.08)	(0.10)	(0.01)	(0.08)	(0.90)
	年齢構成比	0%	0%	6%	11%	9%	15%	9%	8%	8%	5%	9%	11%	2%	9%	100%
感染性胃腸炎	報告数	1	21	51	24	31	23	16	21	19	7	7	29	10	27	287
	(定点あたり)	(0.01)	(0.29)	(0.70)	(0.33)	(0.42)	(0.32)	(0.22)	(0.29)	(0.26)	(0.10)	(0.10)	(0.40)	(0.14)	(0.37)	(3.93)
	年齢構成比	0%	7%	18%	8%	11%	8%	6%	7%	7%	2%	2%	10%	3%	9%	100%
水痘	報告数	0	0	2	2	0	0	2	0	2	2	1	3	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	0%	14%	14%	0%	0%	14%	0%	14%	14%	7%	21%	0%	0%	100%
手足口病	報告数	0	0	0	0	1	0	0	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	2	1	1	0	3	2	1	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.04)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	0%	18%	9%	9%	0%	27%	18%	9%	9%	0%	0%	0%	100%
突発性発しん	報告数	0	5	4	1	1	0	0	1	0	1	0	1	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	36%	29%	7%	7%	0%	0%	7%	0%	7%	0%	7%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	3	4	2	10	4	3	4	0	2	0	0	32
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.05)	(0.03)	(0.14)	(0.05)	(0.04)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.44)
	年齢構成比	0%	0%	0%	9%	13%	6%	31%	13%	9%	13%	0%	6%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	8	6	11	9	5	0	0	1	0	0	1	0	0	0	41
	(定点あたり)	(0.11)	(0.08)	(0.15)	(0.12)	(0.07)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.56)
	年齢構成比	20%	15%	27%	22%	12%	0%	0%	2%	0%	0%	2%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	3	0	0	3	2	0	0	0	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	25%	25%	0%	0%	25%	17%	0%	0%	0%	0%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	5	7	9	10	9	8	5	4	4	0	5	68
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.07)	(0.10)	(0.12)	(0.14)	(0.12)	(0.11)	(0.07)	(0.05)	(0.05)	(0.00)	(0.07)	(0.93)
	年齢構成比	0%	1%	1%	7%	10%	13%	15%	13%	12%	7%	6%	6%	0%	7%	100%
感染性胃腸炎	報告数	1	15	40	37	26	16	25	13	21	14	12	20	2	42	284
	(定点あたり)	(0.01)	(0.21)	(0.55)	(0.51)	(0.36)	(0.22)	(0.34)	(0.18)	(0.29)	(0.19)	(0.16)	(0.27)	(0.03)	(0.58)	(3.89)
	年齢構成比	0%	5%	14%	13%	9%	6%	9%	5%	7%	5%	4%	7%	1%	15%	100%
水痘	報告数	0	0	2	2	2	0	2	4	2	2	0	3	0	1	20
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.03)	(0.00)	(0.03)	(0.05)	(0.03)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.27)
	年齢構成比	0%	0%	10%	10%	10%	0%	10%	20%	10%	10%	0%	15%	0%	5%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	4	1	2	1	1	2	0	0	1	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.18)
	年齢構成比	0%	0%	0%	0%	8%	31%	8%	15%	8%	8%	15%	0%	0%	8%	100%
突発性発しん	報告数	0	4	4	3	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	36%	36%	27%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	100%
流行性耳下腺炎	報告数	0	1	3	4	1	6	6	3	3	1	2	4	0	2	36
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.01)	(0.08)	(0.08)	(0.04)	(0.04)	(0.01)	(0.03)	(0.05)	(0.00)	(0.03)	(0.49)
	年齢構成比	0%	3%	8%	11%	3%	17%	17%	8%	8%	3%	6%	11%	0%	6%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。