

2015年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	1	0	4	1	11	7	10	1	8	8	6	11	8	6	2	0	1	87
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.03)	(0.01)	(0.09)	(0.06)	(0.08)	(0.01)	(0.07)	(0.07)	(0.05)	(0.09)	(0.07)	(0.05)	(0.02)	(0.00)	(0.01)	(0.71)
	年齢構成比	0%	0%	2%	1%	0%	5%	1%	13%	8%	11%	1%	9%	9%	7%	13%	9%	7%	2%	0%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	3	2	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.17)	(0.11)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	29%	0%	0%	43%	29%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	1	0	2	0	8	5	5	0	6	5	3	6	4	2	1	0	0	50
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.02)	(0.00)	(0.07)	(0.04)	(0.04)	(0.00)	(0.05)	(0.04)	(0.02)	(0.05)	(0.03)	(0.02)	(0.01)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	0%	4%	2%	0%	4%	0%	16%	10%	10%	0%	12%	10%	6%	12%	8%	4%	2%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	50%	25%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	2	1	3	2	5	1	2	3	3	5	4	4	1	0	1	37
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.02)	(0.02)	(0.04)	(0.01)	(0.02)	(0.02)	(0.02)	(0.04)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.30)
	年齢構成比	0%	0%	0%	0%	0%	5%	3%	8%	5%	14%	3%	5%	8%	8%	14%	11%	11%	3%	0%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	33%	0%	100%

2015年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	17	21	26	13	9	1	3	0	0	0	0	0	0	0	90
	(定点あたり)	(0.23)	(0.28)	(0.35)	(0.18)	(0.12)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.22)
	年齢構成比	19%	23%	29%	14%	10%	1%	3%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	8	8	3	6	5	3	1	1	1	1	0	1	39
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.11)	(0.04)	(0.08)	(0.07)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.53)
	年齢構成比	0%	3%	21%	21%	8%	15%	13%	8%	3%	3%	3%	3%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	6	13	16	16	21	9	5	7	12	2	17	128
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.08)	(0.18)	(0.22)	(0.22)	(0.28)	(0.12)	(0.07)	(0.09)	(0.16)	(0.03)	(0.23)	(1.73)
	年齢構成比	0%	0%	3%	5%	10%	13%	13%	16%	7%	4%	5%	9%	2%	13%	100%
感染性胃腸炎	報告数	1	34	74	77	54	42	44	37	29	19	14	36	17	82	560
	(定点あたり)	(0.01)	(0.46)	(1.00)	(1.04)	(0.73)	(0.57)	(0.59)	(0.50)	(0.39)	(0.26)	(0.19)	(0.49)	(0.23)	(1.11)	(7.57)
	年齢構成比	0%	6%	13%	14%	10%	8%	8%	7%	5%	3%	3%	6%	3%	15%	100%
水痘	報告数	0	1	7	2	5	8	4	11	4	2	3	2	0	0	49
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.03)	(0.07)	(0.11)	(0.05)	(0.15)	(0.05)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.66)
	年齢構成比	0%	2%	14%	4%	10%	16%	8%	22%	8%	4%	6%	4%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	0	0	2	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	20%	20%	0%	0%	0%	40%	0%	0%	0%	20%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	3	2	9	6	8	2	2	1	5	0	4	43
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.12)	(0.08)	(0.11)	(0.03)	(0.03)	(0.01)	(0.07)	(0.00)	(0.05)	(0.58)
	年齢構成比	0%	0%	2%	7%	5%	21%	14%	19%	5%	5%	2%	12%	0%	9%	100%
突発性発しん	報告数	0	7	4	1	0	0	0	0	1	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.09)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	54%	31%	8%	0%	0%	0%	0%	8%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	2	1	1	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	20%	40%	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	6	8	6	13	10	6	6	4	6	1	1	69
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.11)	(0.08)	(0.18)	(0.14)	(0.08)	(0.08)	(0.05)	(0.08)	(0.01)	(0.01)	(0.93)
	年齢構成比	0%	0%	3%	9%	12%	9%	19%	14%	9%	9%	6%	9%	1%	1%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~14歳	15~19歳	20歳以上	合計
RSウイルス感染症	報告数	12	15	16	4	4	1	3	0	0	0	0	0	0	0	55
	(定点あたり)	(0.16)	(0.20)	(0.22)	(0.05)	(0.05)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.74)
	年齢構成比	22%	27%	29%	7%	7%	2%	5%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	6	2	2	4	2	1	1	1	1	0	0	25
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.08)	(0.03)	(0.03)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	0%	20%	24%	8%	8%	16%	8%	4%	4%	4%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	4	4	8	8	11	5	1	2	6	1	5	57
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.05)	(0.11)	(0.11)	(0.15)	(0.07)	(0.01)	(0.03)	(0.08)	(0.01)	(0.07)	(0.77)
	年齢構成比	0%	0%	4%	7%	7%	14%	14%	19%	9%	2%	4%	11%	2%	9%	100%
感染性胃腸炎	報告数	0	20	37	47	38	17	28	20	18	11	7	16	9	33	301
	(定点あたり)	(0.00)	(0.27)	(0.50)	(0.64)	(0.51)	(0.23)	(0.38)	(0.27)	(0.24)	(0.15)	(0.09)	(0.22)	(0.12)	(0.45)	(4.07)
	年齢構成比	0%	7%	12%	16%	13%	6%	9%	7%	6%	4%	2%	5%	3%	11%	100%
水痘	報告数	0	0	3	1	1	4	1	5	2	1	2	1	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.05)	(0.01)	(0.07)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	14%	5%	5%	19%	5%	24%	10%	5%	10%	5%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	0	0	2	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	20%	20%	0%	0%	0%	40%	0%	0%	0%	20%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	7	2	3	1	1	0	4	0	2	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.05)	(0.00)	(0.03)	(0.28)
	年齢構成比	0%	0%	0%	5%	0%	33%	10%	14%	5%	5%	0%	19%	0%	10%	100%
突発性発しん	報告数	0	5	1	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	83%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	3	4	4	5	5	5	2	2	4	1	0	37
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.05)	(0.05)	(0.07)	(0.07)	(0.07)	(0.03)	(0.03)	(0.05)	(0.01)	(0.00)	(0.50)
	年齢構成比	0%	0%	5%	8%	11%	11%	14%	14%	14%	5%	5%	11%	3%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2015年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	6	10	9	5	0	0	0	0	0	0	0	0	0	35
	(定点あたり)	(0.07)	(0.08)	(0.14)	(0.12)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比	14%	17%	29%	26%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	2	1	4	1	1	0	0	0	0	0	1	14
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.01)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比	0%	7%	21%	14%	7%	29%	7%	7%	0%	0%	0%	0%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	9	8	8	10	4	4	5	6	1	12	71
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.12)	(0.11)	(0.11)	(0.14)	(0.05)	(0.05)	(0.07)	(0.08)	(0.01)	(0.16)	(0.96)
	年齢構成比	0%	0%	3%	3%	13%	11%	11%	14%	6%	6%	7%	8%	1%	17%	100%
感染性胃腸炎	報告数	1	14	37	30	16	25	16	17	11	8	7	20	8	49	259
	(定点あたり)	(0.01)	(0.19)	(0.50)	(0.41)	(0.22)	(0.34)	(0.22)	(0.23)	(0.15)	(0.11)	(0.09)	(0.27)	(0.11)	(0.66)	(3.50)
	年齢構成比	0%	5%	14%	12%	6%	10%	6%	7%	4%	3%	3%	8%	3%	19%	100%
水痘	報告数	0	1	4	1	4	4	3	6	2	1	1	1	0	0	28
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.01)	(0.05)	(0.05)	(0.04)	(0.08)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	4%	14%	4%	14%	14%	11%	21%	7%	4%	4%	4%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	1	2	2	2	4	5	1	1	1	1	0	2	22
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.05)	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.30)
	年齢構成比	0%	0%	5%	9%	9%	9%	18%	23%	5%	5%	5%	5%	0%	9%	100%
突発性発しん	報告数	0	2	3	1	0	0	0	0	1	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	29%	43%	14%	0%	0%	0%	0%	14%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	4	2	8	5	1	4	2	2	0	1	32
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.05)	(0.03)	(0.11)	(0.07)	(0.01)	(0.05)	(0.03)	(0.03)	(0.00)	(0.01)	(0.43)
	年齢構成比	0%	0%	0%	9%	13%	6%	25%	16%	3%	13%	6%	6%	0%	3%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。