

2016年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	4	8	5	6	10	2	9	6	2	8	16	11	23	21	15	11	7	8	3	175
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.04)	(0.05)	(0.08)	(0.02)	(0.07)	(0.05)	(0.02)	(0.07)	(0.13)	(0.09)	(0.19)	(0.17)	(0.12)	(0.09)	(0.06)	(0.07)	(0.02)	(1.42)
	年齢構成比	0%	2%	5%	3%	3%	6%	1%	5%	3%	1%	5%	9%	6%	13%	12%	9%	6%	4%	5%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	20%	20%	20%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	2	4	2	7	0	5	3	2	6	9	8	9	11	4	5	5	7	1	91
	(定点あたり)	(0.00)	(0.01)	(0.02)	(0.03)	(0.02)	(0.06)	(0.00)	(0.04)	(0.02)	(0.02)	(0.05)	(0.07)	(0.07)	(0.07)	(0.09)	(0.03)	(0.04)	(0.04)	(0.06)	(0.01)	(0.74)
	年齢構成比	0%	1%	2%	4%	2%	8%	0%	5%	3%	2%	7%	10%	9%	10%	12%	4%	5%	5%	8%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	20%	20%	20%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	3	6	1	4	3	2	4	3	0	2	7	3	14	10	11	6	2	1	2	84
	(定点あたり)	(0.00)	(0.02)	(0.05)	(0.01)	(0.03)	(0.02)	(0.02)	(0.03)	(0.02)	(0.00)	(0.02)	(0.06)	(0.02)	(0.11)	(0.08)	(0.09)	(0.05)	(0.02)	(0.01)	(0.02)	(0.68)
	年齢構成比	0%	4%	7%	1%	5%	4%	2%	5%	4%	0%	2%	8%	4%	17%	12%	13%	7%	2%	1%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

2016年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	17	18	9	4	3	1	0	0	0	0	0	0	0	0	52
	(定点あたり)	(0.23)	(0.24)	(0.12)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.70)
	年齢構成比	33%	35%	17%	8%	6%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	2	4	3	1	3	2	1	0	2	0	0	0	21
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.05)	(0.04)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	14%	10%	19%	14%	5%	14%	10%	5%	0%	10%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	3	3	7	17	7	8	8	5	4	8	4	13	88
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.04)	(0.09)	(0.23)	(0.09)	(0.11)	(0.11)	(0.07)	(0.05)	(0.11)	(0.05)	(0.18)	(1.19)
	年齢構成比	0%	1%	3%	3%	8%	19%	8%	9%	9%	6%	5%	9%	5%	15%	100%
感染性胃腸炎	報告数	3	32	66	51	40	34	35	22	22	22	19	43	16	72	477
	(定点あたり)	(0.04)	(0.43)	(0.89)	(0.69)	(0.54)	(0.46)	(0.47)	(0.30)	(0.30)	(0.30)	(0.26)	(0.58)	(0.22)	(0.97)	(6.45)
	年齢構成比	1%	7%	14%	11%	8%	7%	7%	5%	5%	5%	4%	9%	3%	15%	100%
水痘	報告数	0	0	3	4	1	9	10	6	4	0	0	6	0	0	43
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.01)	(0.12)	(0.14)	(0.08)	(0.05)	(0.00)	(0.00)	(0.08)	(0.00)	(0.00)	(0.58)
	年齢構成比	0%	0%	7%	9%	2%	21%	23%	14%	9%	0%	0%	14%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	0	2	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	25%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	3	1	2	8	6	8	4	3	4	2	0	3	44
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.11)	(0.08)	(0.11)	(0.05)	(0.04)	(0.05)	(0.03)	(0.00)	(0.04)	(0.59)
	年齢構成比	0%	0%	7%	2%	5%	18%	14%	18%	9%	7%	9%	5%	0%	7%	100%
突発性発しん	報告数	0	6	7	1	1	0	0	0	0	0	1	0	0	0	16
	(定点あたり)	(0.00)	(0.08)	(0.09)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	38%	44%	6%	6%	0%	0%	0%	0%	0%	6%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	3	8	8	8	17	23	11	11	14	6	0	2	111
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.11)	(0.11)	(0.11)	(0.23)	(0.31)	(0.15)	(0.15)	(0.19)	(0.08)	(0.00)	(0.03)	(1.50)
	年齢構成比	0%	0%	3%	7%	7%	7%	15%	21%	10%	10%	13%	5%	0%	2%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2016年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	10	16	4	3	1	0	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.14)	(0.22)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比	29%	47%	12%	9%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	3	2	0	1	2	0	0	1	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	10%	30%	20%	0%	10%	20%	0%	0%	10%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	1	5	10	4	3	5	2	3	6	3	3	48
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.07)	(0.14)	(0.05)	(0.04)	(0.07)	(0.03)	(0.04)	(0.08)	(0.04)	(0.04)	(0.65)
	年齢構成比	0%	0%	6%	2%	10%	21%	8%	6%	10%	4%	6%	13%	6%	6%	100%
感染性胃腸炎	報告数	1	19	34	22	21	23	17	11	13	11	11	22	5	28	238
	(定点あたり)	(0.01)	(0.26)	(0.46)	(0.30)	(0.28)	(0.31)	(0.23)	(0.15)	(0.18)	(0.15)	(0.15)	(0.30)	(0.07)	(0.38)	(3.22)
	年齢構成比	0%	8%	14%	9%	9%	10%	7%	5%	5%	5%	5%	9%	2%	12%	100%
水痘	報告数	0	0	3	2	0	4	6	3	1	0	0	3	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.05)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	0%	14%	9%	0%	18%	27%	14%	5%	0%	0%	14%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	0	1	6	4	3	2	1	2	1	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.08)	(0.05)	(0.04)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	0%	9%	0%	5%	27%	18%	14%	9%	5%	9%	5%	0%	0%	100%
突発性発しん	報告数	0	3	3	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	2	6	5	7	7	13	6	6	5	5	0	0	62
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.07)	(0.09)	(0.09)	(0.18)	(0.08)	(0.08)	(0.07)	(0.07)	(0.00)	(0.00)	(0.84)
	年齢構成比	0%	0%	3%	10%	8%	11%	11%	21%	10%	10%	8%	8%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

2016年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~14歳	15~19歳	20歳以上	合計
RSウイルス感染症	報告数	7	2	5	1	2	1	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.09)	(0.03)	(0.07)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	39%	11%	28%	6%	11%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	1	1	1	1	2	0	1	0	1	0	0	0	11
	(定点あたり)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	27%	9%	9%	9%	9%	18%	0%	9%	0%	9%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	2	2	7	3	5	3	3	1	2	1	10	40
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.09)	(0.04)	(0.07)	(0.04)	(0.04)	(0.01)	(0.03)	(0.01)	(0.14)	(0.54)
	年齢構成比	0%	3%	0%	5%	5%	18%	8%	13%	8%	8%	3%	5%	3%	25%	100%
感染性胃腸炎	報告数	2	13	32	29	19	11	18	11	9	11	8	21	11	44	239
	(定点あたり)	(0.03)	(0.18)	(0.43)	(0.39)	(0.26)	(0.15)	(0.24)	(0.15)	(0.12)	(0.15)	(0.11)	(0.28)	(0.15)	(0.59)	(3.23)
	年齢構成比	1%	5%	13%	12%	8%	5%	8%	5%	4%	5%	3%	9%	5%	18%	100%
水痘	報告数	0	0	0	2	1	5	4	3	3	0	0	3	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.07)	(0.05)	(0.04)	(0.04)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	10%	5%	24%	19%	14%	14%	0%	0%	14%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	1	2	2	5	2	2	2	1	0	3	22
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(0.07)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.04)	(0.30)
	年齢構成比	0%	0%	5%	5%	5%	9%	9%	23%	9%	9%	9%	5%	0%	14%	100%
突発性発しん	報告数	0	3	4	1	1	0	0	0	0	0	1	0	0	0	10
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	30%	40%	10%	10%	0%	0%	0%	0%	0%	10%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	2	3	1	10	10	5	5	9	1	0	2	49
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.01)	(0.14)	(0.14)	(0.07)	(0.07)	(0.12)	(0.01)	(0.00)	(0.03)	(0.66)
	年齢構成比	0%	0%	2%	4%	6%	2%	20%	20%	10%	10%	18%	2%	0%	4%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。