

## 2016年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	4	9	14	11	18	24	15	7	12	11	37	31	28	37	39	23	11	3	3	337
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.12)	(0.09)	(0.15)	(0.20)	(0.12)	(0.06)	(0.10)	(0.09)	(0.31)	(0.26)	(0.23)	(0.31)	(0.32)	(0.19)	(0.09)	(0.02)	(0.02)	(2.79)
	年齢構成比	0%	1%	3%	4%	3%	5%	7%	4%	2%	4%	3%	11%	9%	8%	11%	12%	7%	3%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	3	1	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)	(0.00)	(0.00)	(0.18)	(0.06)	(0.00)	(0.53)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	56%	0%	0%	33%	11%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	3	9	8	6	10	14	5	3	7	6	16	14	14	16	18	13	4	3	1	170
	(定点あたり)	(0.00)	(0.02)	(0.07)	(0.07)	(0.05)	(0.08)	(0.12)	(0.04)	(0.02)	(0.06)	(0.05)	(0.13)	(0.12)	(0.12)	(0.13)	(0.15)	(0.11)	(0.03)	(0.02)	(0.01)	(1.40)
	年齢構成比	0%	2%	5%	5%	4%	6%	8%	3%	2%	4%	4%	9%	8%	8%	9%	11%	8%	2%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	2	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.35)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	33%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	0	6	5	8	10	10	4	5	5	21	17	14	21	21	10	7	0	2	167
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.05)	(0.04)	(0.07)	(0.08)	(0.08)	(0.03)	(0.04)	(0.04)	(0.17)	(0.14)	(0.12)	(0.17)	(0.17)	(0.08)	(0.06)	(0.00)	(0.02)	(1.38)
	年齢構成比	0%	1%	0%	4%	3%	5%	6%	6%	2%	3%	3%	13%	10%	8%	13%	13%	6%	4%	0%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.18)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	33%	0%	100%

## 2016年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	9	7	3	6	2	1	0	0	0	0	0	1	0	0	29
	(定点あたり)	(0.12)	(0.10)	(0.04)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.40)
	年齢構成比	31%	24%	10%	21%	7%	3%	0%	0%	0%	0%	0%	3%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	4	2	1	1	1	0	0	0	0	1	0	15
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.21)
	年齢構成比	0%	0%	33%	27%	13%	7%	7%	7%	0%	0%	0%	0%	7%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	6	8	9	15	17	14	6	9	7	9	0	19	119
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.11)	(0.12)	(0.21)	(0.23)	(0.19)	(0.08)	(0.12)	(0.10)	(0.12)	(0.00)	(0.26)	(1.63)
	年齢構成比	0%	0%	5%	7%	8%	13%	14%	12%	5%	8%	6%	8%	0%	16%	100%
感染性胃腸炎	報告数	5	28	72	42	38	35	30	23	16	14	15	49	10	59	436
	(定点あたり)	(0.07)	(0.38)	(0.99)	(0.58)	(0.52)	(0.48)	(0.41)	(0.32)	(0.22)	(0.19)	(0.21)	(0.67)	(0.14)	(0.81)	(5.97)
	年齢構成比	1%	6%	17%	10%	9%	8%	7%	5%	4%	3%	3%	11%	2%	14%	100%
水痘	報告数	0	2	2	4	0	5	1	2	1	3	1	1	0	1	23
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.05)	(0.00)	(0.07)	(0.01)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.32)
	年齢構成比	0%	9%	9%	17%	0%	22%	4%	9%	4%	13%	4%	4%	0%	4%	100%
手足口病	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	3	2	3	13	13	11	5	3	3	5	0	0	61
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.04)	(0.18)	(0.18)	(0.15)	(0.07)	(0.04)	(0.04)	(0.07)	(0.00)	(0.00)	(0.84)
	年齢構成比	0%	0%	5%	3%	5%	21%	21%	18%	8%	5%	5%	8%	0%	0%	100%
突発性発しん	報告数	0	9	14	3	1	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.12)	(0.19)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	33%	52%	11%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	1	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	3	0	2	8	9	15	7	4	5	9	0	1	64
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.03)	(0.11)	(0.12)	(0.21)	(0.10)	(0.05)	(0.07)	(0.12)	(0.00)	(0.01)	(0.88)
	年齢構成比	0%	2%	5%	0%	3%	13%	14%	23%	11%	6%	8%	14%	0%	2%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

## 2016年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	3	1	5	2	1	0	0	0	0	0	1	0	0	19
	(定点あたり)	(0.08)	(0.04)	(0.01)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比	32%	16%	5%	26%	11%	5%	0%	0%	0%	0%	0%	5%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	1	0	1	1	0	0	0	0	1	0	11
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.15)
	年齢構成比	0%	0%	36%	27%	9%	0%	9%	9%	0%	0%	0%	0%	9%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	6	5	7	9	5	5	4	4	2	7	0	9	63
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.07)	(0.10)	(0.12)	(0.07)	(0.07)	(0.05)	(0.05)	(0.03)	(0.10)	(0.00)	(0.12)	(0.86)
	年齢構成比	0%	0%	10%	8%	11%	14%	8%	8%	6%	6%	3%	11%	0%	14%	100%
感染性胃腸炎	報告数	3	13	45	23	16	17	17	12	8	7	7	28	8	24	228
	(定点あたり)	(0.04)	(0.18)	(0.62)	(0.32)	(0.22)	(0.23)	(0.23)	(0.16)	(0.11)	(0.10)	(0.10)	(0.38)	(0.11)	(0.33)	(3.12)
	年齢構成比	1%	6%	20%	10%	7%	7%	7%	5%	4%	3%	3%	12%	4%	11%	100%
水痘	報告数	0	0	1	4	0	2	0	2	0	2	0	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	8%	33%	0%	17%	0%	17%	0%	17%	0%	0%	0%	8%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	2	1	1	10	7	7	3	1	1	2	0	0	35
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.14)	(0.10)	(0.10)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.48)
	年齢構成比	0%	0%	6%	3%	3%	29%	20%	20%	9%	3%	3%	6%	0%	0%	100%
突発性発しん	報告数	0	7	6	1	1	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.10)	(0.08)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	47%	40%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	1	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	0	5	9	2	3	3	3	0	1	28
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.07)	(0.12)	(0.03)	(0.04)	(0.04)	(0.04)	(0.00)	(0.01)	(0.38)
	年齢構成比	0%	0%	4%	0%	4%	0%	18%	32%	7%	11%	11%	11%	0%	4%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

## 2016年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	4	2	1	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.04)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	30%	40%	20%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	1	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	25%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	2	6	12	9	2	5	5	2	0	10	56
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.08)	(0.16)	(0.12)	(0.03)	(0.07)	(0.07)	(0.03)	(0.00)	(0.14)	(0.77)
	年齢構成比	0%	0%	0%	5%	4%	11%	21%	16%	4%	9%	9%	4%	0%	18%	100%
感染性胃腸炎	報告数	2	15	27	19	22	18	13	11	8	7	8	21	2	35	208
	(定点あたり)	(0.03)	(0.21)	(0.37)	(0.26)	(0.30)	(0.25)	(0.18)	(0.15)	(0.11)	(0.10)	(0.11)	(0.29)	(0.03)	(0.48)	(2.85)
	年齢構成比	1%	7%	13%	9%	11%	9%	6%	5%	4%	3%	4%	10%	1%	17%	100%
水痘	報告数	0	2	1	0	0	3	1	0	1	1	1	1	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	18%	9%	0%	0%	27%	9%	0%	9%	9%	9%	9%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	2	3	6	4	2	2	2	3	0	0	26
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.08)	(0.05)	(0.03)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.36)
	年齢構成比	0%	0%	4%	4%	8%	12%	23%	15%	8%	8%	8%	12%	0%	0%	100%
突発性発しん	報告数	0	2	8	2	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	17%	67%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	1	2	0	1	8	4	6	5	1	2	6	0	0	36
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.11)	(0.05)	(0.08)	(0.07)	(0.01)	(0.03)	(0.08)	(0.00)	(0.00)	(0.49)
	年齢構成比	0%	3%	6%	0%	3%	22%	11%	17%	14%	3%	6%	17%	0%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。