

2016年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	3	5	25	34	30	35	33	31	14	17	15	38	28	50	63	73	58	43	23	43	661	
	(定点あたり)	(0.02)	(0.04)	(0.20)	(0.27)	(0.24)	(0.28)	(0.27)	(0.25)	(0.11)	(0.14)	(0.12)	(0.31)	(0.23)	(0.40)	(0.51)	(0.59)	(0.47)	(0.35)	(0.19)	(0.35)	(5.33)	
	年齢構成比	0%	1%	4%	5%	5%	5%	5%	5%	5%	2%	3%	2%	6%	4%	8%	10%	11%	9%	7%	3%	7%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	2	2	20	20	14	15	14	18	7	10	7	30	13	26	24	40	33	17	10	13	335	
	(定点あたり)	(0.02)	(0.02)	(0.16)	(0.16)	(0.11)	(0.12)	(0.11)	(0.15)	(0.06)	(0.08)	(0.06)	(0.24)	(0.10)	(0.21)	(0.19)	(0.32)	(0.27)	(0.14)	(0.08)	(0.10)	(2.70)	
	年齢構成比	1%	1%	6%	6%	4%	4%	4%	5%	2%	3%	2%	9%	4%	8%	7%	12%	10%	5%	3%	4%	100%	
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	1	3	5	14	16	20	19	13	7	7	8	8	15	24	39	33	25	26	13	30	326	
	(定点あたり)	(0.01)	(0.02)	(0.04)	(0.11)	(0.13)	(0.16)	(0.15)	(0.10)	(0.06)	(0.06)	(0.06)	(0.06)	(0.12)	(0.19)	(0.31)	(0.27)	(0.20)	(0.21)	(0.10)	(0.24)	(2.63)	
	年齢構成比	0%	1%	2%	4%	5%	6%	6%	4%	2%	2%	2%	2%	5%	7%	12%	10%	8%	8%	4%	9%	100%	
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	2	2	1	0	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	33%	33%	17%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	0	1	0	0	1	0	1	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	56%	0%	11%	0%	0%	11%	0%	11%	0%	11%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	7	7	8	9	9	6	4	1	3	1	10	67
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.09)	(0.09)	(0.11)	(0.12)	(0.12)	(0.08)	(0.05)	(0.01)	(0.04)	(0.01)	(0.13)	(0.88)
	年齢構成比	0%	1%	1%	10%	10%	12%	13%	13%	9%	6%	1%	4%	1%	15%	100%
感染性胃腸炎	報告数	5	21	74	59	49	37	35	21	20	13	12	27	14	47	434
	(定点あたり)	(0.07)	(0.28)	(0.97)	(0.78)	(0.64)	(0.49)	(0.46)	(0.28)	(0.26)	(0.17)	(0.16)	(0.36)	(0.18)	(0.62)	(5.71)
	年齢構成比	1%	5%	17%	14%	11%	9%	8%	5%	5%	3%	3%	6%	3%	11%	100%
水痘	報告数	0	0	1	1	3	2	4	1	0	0	2	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.05)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	7%	7%	21%	14%	29%	7%	0%	0%	14%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	1	3	2	1	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	13%	38%	25%	13%	0%	13%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	9	1	1	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.09)	(0.12)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	39%	50%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	4	8	6	7	9	6	3	3	5	0	2	55
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.11)	(0.08)	(0.09)	(0.12)	(0.08)	(0.04)	(0.04)	(0.07)	(0.00)	(0.03)	(0.72)
	年齢構成比	0%	0%	4%	7%	15%	11%	13%	16%	11%	5%	5%	9%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	0	0	0	1	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	50%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	5	3	3	3	4	3	2	0	1	1	3	29
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.07)	(0.04)	(0.04)	(0.04)	(0.05)	(0.04)	(0.03)	(0.00)	(0.01)	(0.01)	(0.04)	(0.38)
	年齢構成比	0%	3%	0%	17%	10%	10%	10%	14%	10%	7%	0%	3%	3%	10%	100%
感染性胃腸炎	報告数	2	10	44	34	31	22	18	12	9	8	5	15	8	16	234
	(定点あたり)	(0.03)	(0.13)	(0.58)	(0.45)	(0.41)	(0.29)	(0.24)	(0.16)	(0.12)	(0.11)	(0.07)	(0.20)	(0.11)	(0.21)	(3.08)
	年齢構成比	1%	4%	19%	15%	13%	9%	8%	5%	4%	3%	2%	6%	3%	7%	100%
水痘	報告数	0	0	1	1	1	1	1	1	0	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	14%	14%	14%	14%	14%	14%	0%	0%	14%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	1	2	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	3	6	1	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	30%	60%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	4	2	4	7	3	1	1	1	0	1	28
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.05)	(0.03)	(0.05)	(0.09)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.37)
	年齢構成比	0%	0%	4%	11%	14%	7%	14%	25%	11%	4%	4%	4%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	0	1	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	0	1	0	0	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	60%	0%	20%	0%	0%	0%	0%	0%	0%	20%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	4	5	6	5	3	2	1	2	0	7	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.05)	(0.07)	(0.08)	(0.07)	(0.04)	(0.03)	(0.01)	(0.03)	(0.00)	(0.09)	(0.50)
	年齢構成比	0%	0%	3%	5%	11%	13%	16%	13%	8%	5%	3%	5%	0%	18%	100%
感染性胃腸炎	報告数	3	11	30	25	18	15	17	9	11	5	7	12	6	31	200
	(定点あたり)	(0.04)	(0.14)	(0.39)	(0.33)	(0.24)	(0.20)	(0.22)	(0.12)	(0.14)	(0.07)	(0.09)	(0.16)	(0.08)	(0.41)	(2.63)
	年齢構成比	2%	6%	15%	13%	9%	8%	9%	5%	6%	3%	4%	6%	3%	16%	100%
水痘	報告数	0	0	0	0	2	1	3	0	0	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	0%	0%	29%	14%	43%	0%	0%	0%	14%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	1	2	1	0	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	0%	0%	0%	20%	40%	20%	0%	20%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	4	3	0	1	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.05)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	50%	38%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	1	4	4	3	2	3	2	2	4	0	1	27
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.05)	(0.04)	(0.03)	(0.04)	(0.03)	(0.03)	(0.05)	(0.00)	(0.01)	(0.36)
	年齢構成比	0%	0%	4%	4%	15%	15%	11%	7%	11%	7%	7%	15%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。