

## 2016年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	1	4	11	13	15	15	11	14	6	9	6	41	26	30	32	27	18	22	7	8	316
	(定点あたり)	(0.01)	(0.03)	(0.09)	(0.10)	(0.12)	(0.12)	(0.09)	(0.11)	(0.05)	(0.07)	(0.05)	(0.33)	(0.21)	(0.24)	(0.26)	(0.22)	(0.14)	(0.18)	(0.06)	(0.06)	(2.53)
	年齢構成比	0%	1%	3%	4%	5%	5%	3%	4%	2%	3%	2%	13%	8%	9%	10%	9%	6%	7%	2%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	1	1	7	5	8	6	7	7	5	5	3	19	15	15	13	11	6	8	5	2	149
	(定点あたり)	(0.01)	(0.01)	(0.06)	(0.04)	(0.06)	(0.05)	(0.06)	(0.06)	(0.04)	(0.04)	(0.02)	(0.15)	(0.12)	(0.12)	(0.10)	(0.09)	(0.05)	(0.06)	(0.04)	(0.02)	(1.19)
	年齢構成比	1%	1%	5%	3%	5%	4%	5%	5%	3%	3%	2%	13%	10%	10%	9%	7%	4%	5%	3%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	3	4	8	7	9	4	7	1	4	3	22	11	15	19	16	12	14	2	6	167
	(定点あたり)	(0.00)	(0.02)	(0.03)	(0.06)	(0.06)	(0.07)	(0.03)	(0.06)	(0.01)	(0.03)	(0.02)	(0.18)	(0.09)	(0.12)	(0.15)	(0.13)	(0.10)	(0.11)	(0.02)	(0.05)	(1.34)
	年齢構成比	0%	2%	2%	5%	4%	5%	2%	4%	1%	2%	2%	13%	7%	9%	11%	10%	7%	8%	1%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	2	3	0	1	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.01)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	14%	29%	43%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	6	2	2	3	0	1	1	0	0	1	0	0	18
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.03)	(0.03)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	11%	33%	11%	11%	17%	0%	6%	6%	0%	0%	6%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	6	4	9	13	20	10	19	10	4	9	4	11	119
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.05)	(0.12)	(0.17)	(0.26)	(0.13)	(0.25)	(0.13)	(0.05)	(0.12)	(0.05)	(0.14)	(1.57)
	年齢構成比	0%	0%	5%	3%	8%	11%	17%	8%	16%	8%	3%	8%	3%	9%	100%
感染性胃腸炎	報告数	1	39	88	78	57	49	52	32	21	13	19	36	10	56	551
	(定点あたり)	(0.01)	(0.51)	(1.16)	(1.03)	(0.75)	(0.64)	(0.68)	(0.42)	(0.28)	(0.17)	(0.25)	(0.47)	(0.13)	(0.74)	(7.25)
	年齢構成比	0%	7%	16%	14%	10%	9%	9%	6%	4%	2%	3%	7%	2%	10%	100%
水痘	報告数	2	1	2	0	3	1	3	1	1	2	0	0	0	0	16
	(定点あたり)	(0.03)	(0.01)	(0.03)	(0.00)	(0.04)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	13%	6%	13%	0%	19%	6%	19%	6%	6%	13%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	2	0	0	0	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	50%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	1	2	3	3	1	2	0	1	0	2	0	0	16
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.04)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	6%	6%	13%	19%	19%	6%	13%	0%	6%	0%	13%	0%	0%	100%
突発性発しん	報告数	1	10	12	1	0	0	0	0	0	0	0	0	0	0	24
	(定点あたり)	(0.01)	(0.13)	(0.16)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	4%	42%	50%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	3	1	1	0	2	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	43%	14%	14%	0%	29%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	1	5	5	11	9	8	6	6	3	9	0	0	64
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.07)	(0.07)	(0.14)	(0.12)	(0.11)	(0.08)	(0.08)	(0.04)	(0.12)	(0.00)	(0.00)	(0.84)
	年齢構成比	0%	2%	2%	8%	8%	17%	14%	13%	9%	9%	5%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	2	0	1	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	25%	50%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	4	2	1	2	0	0	1	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	15%	31%	15%	8%	15%	0%	0%	8%	0%	0%	8%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	3	2	9	12	3	10	5	3	5	2	4	62
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.03)	(0.12)	(0.16)	(0.04)	(0.13)	(0.07)	(0.04)	(0.07)	(0.03)	(0.05)	(0.82)
	年齢構成比	0%	0%	6%	5%	3%	15%	19%	5%	16%	8%	5%	8%	3%	6%	100%
感染性胃腸炎	報告数	1	22	58	43	26	28	32	14	14	8	9	21	4	23	303
	(定点あたり)	(0.01)	(0.29)	(0.76)	(0.57)	(0.34)	(0.37)	(0.42)	(0.18)	(0.18)	(0.11)	(0.12)	(0.28)	(0.05)	(0.30)	(3.99)
	年齢構成比	0%	7%	19%	14%	9%	9%	11%	5%	5%	3%	3%	7%	1%	8%	100%
水痘	報告数	0	0	1	0	3	0	2	1	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	14%	0%	43%	0%	29%	14%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	1	2	1	1	1	2	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	13%	25%	13%	13%	13%	25%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	8	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	36%	57%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	1	0	2	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	0%	25%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	2	5	5	3	4	3	0	6	0	0	30
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.07)	(0.04)	(0.05)	(0.04)	(0.00)	(0.08)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	7%	7%	17%	17%	10%	13%	10%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	1	1	1	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	1	1	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	40%	0%	20%	20%	0%	20%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	1	7	4	8	7	9	5	1	4	2	7	57
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.09)	(0.05)	(0.11)	(0.09)	(0.12)	(0.07)	(0.01)	(0.05)	(0.03)	(0.09)	(0.75)
	年齢構成比	0%	0%	4%	2%	12%	7%	14%	12%	16%	9%	2%	7%	4%	12%	100%
感染性胃腸炎	報告数	0	17	30	35	31	21	20	18	7	5	10	15	6	33	248
	(定点あたり)	(0.00)	(0.22)	(0.39)	(0.46)	(0.41)	(0.28)	(0.26)	(0.24)	(0.09)	(0.07)	(0.13)	(0.20)	(0.08)	(0.43)	(3.26)
	年齢構成比	0%	7%	12%	14%	13%	8%	8%	7%	3%	2%	4%	6%	2%	13%	100%
水痘	報告数	2	1	1	0	0	1	1	0	1	2	0	0	0	0	9
	(定点あたり)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	22%	11%	11%	0%	0%	11%	11%	0%	11%	22%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	2	0	0	0	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	50%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	2	2	0	0	0	1	0	2	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	13%	0%	0%	25%	25%	0%	0%	0%	13%	0%	25%	0%	0%	100%
突発性発しん	報告数	1	5	4	0	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.01)	(0.07)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	10%	50%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	1	3	3	6	4	5	2	3	3	3	0	0	34
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.08)	(0.05)	(0.07)	(0.03)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	3%	3%	9%	9%	18%	12%	15%	6%	9%	9%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。