

2016年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	2	3	1	2	2	3	1	3	1	9	17	14	9	9	9	9	3	3	100
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.02)	(0.01)	(0.07)	(0.14)	(0.11)	(0.07)	(0.07)	(0.07)	(0.07)	(0.02)	(0.02)	(0.81)
	年齢構成比	0%	0%	2%	3%	1%	2%	2%	3%	1%	3%	1%	9%	17%	14%	9%	9%	9%	9%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.17)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	50%	0%	0%	17%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	3	1	1	1	1	1	3	1	4	11	5	5	5	3	5	1	0	52
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(0.03)	(0.09)	(0.04)	(0.04)	(0.04)	(0.02)	(0.04)	(0.01)	(0.00)	(0.42)
	年齢構成比	0%	0%	2%	6%	2%	2%	2%	2%	2%	6%	2%	8%	21%	10%	10%	10%	6%	10%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	75%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	0	0	1	1	2	0	0	0	5	6	9	4	4	6	4	2	3	48
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	(0.04)	(0.05)	(0.07)	(0.03)	(0.03)	(0.05)	(0.03)	(0.02)	(0.02)	(0.39)
	年齢構成比	0%	0%	2%	0%	0%	2%	2%	4%	0%	0%	0%	10%	13%	19%	8%	8%	13%	8%	4%	6%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	1	5	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	14%	71%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	18	1	2	1	0	1	2	0	0	0	0	0	25
	(定点あたり)	(0.00)	(0.00)	(0.24)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	72%	4%	8%	4%	0%	4%	8%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	8	7	9	8	6	5	5	5	6	1	5	68
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.11)	(0.09)	(0.12)	(0.11)	(0.08)	(0.07)	(0.07)	(0.07)	(0.08)	(0.01)	(0.07)	(0.91)
	年齢構成比	0%	0%	4%	12%	10%	13%	12%	9%	7%	7%	7%	9%	1%	7%	100%
感染性胃腸炎	報告数	2	29	67	41	44	31	18	24	17	20	13	33	6	46	391
	(定点あたり)	(0.03)	(0.39)	(0.89)	(0.55)	(0.59)	(0.41)	(0.24)	(0.32)	(0.23)	(0.27)	(0.17)	(0.44)	(0.08)	(0.61)	(5.21)
	年齢構成比	1%	7%	17%	10%	11%	8%	5%	6%	4%	5%	3%	8%	2%	12%	100%
水痘	報告数	0	0	3	1	1	2	2	3	1	2	3	0	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.03)	(0.03)	(0.04)	(0.01)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	17%	6%	6%	11%	11%	17%	6%	11%	17%	0%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	2	3	5	2	4	0	4	1	1	0	0	0	23
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.07)	(0.03)	(0.05)	(0.00)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	4%	9%	13%	22%	9%	17%	0%	17%	4%	4%	0%	0%	0%	100%
突発性発しん	報告数	0	10	12	2	0	0	0	0	0	0	0	0	0	0	24
	(定点あたり)	(0.00)	(0.13)	(0.16)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	42%	50%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	2	3	0	1	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	33%	50%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	5	2	5	14	5	3	3	2	0	1	44
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.07)	(0.03)	(0.07)	(0.19)	(0.07)	(0.04)	(0.04)	(0.03)	(0.00)	(0.01)	(0.59)
	年齢構成比	0%	0%	2%	7%	11%	5%	11%	32%	11%	7%	7%	5%	0%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	8	1	2	1	0	0	2	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	0%	57%	7%	14%	7%	0%	0%	14%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	2	6	3	5	3	4	4	4	0	2	38
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.03)	(0.08)	(0.04)	(0.07)	(0.04)	(0.05)	(0.05)	(0.05)	(0.00)	(0.03)	(0.51)
	年齢構成比	0%	0%	5%	8%	5%	16%	8%	13%	8%	11%	11%	11%	0%	5%	100%
感染性胃腸炎	報告数	1	18	39	21	22	15	9	10	9	10	5	17	4	16	196
	(定点あたり)	(0.01)	(0.24)	(0.52)	(0.28)	(0.29)	(0.20)	(0.12)	(0.13)	(0.12)	(0.13)	(0.07)	(0.23)	(0.05)	(0.21)	(2.61)
	年齢構成比	1%	9%	20%	11%	11%	8%	5%	5%	5%	5%	3%	9%	2%	8%	100%
水痘	報告数	0	0	3	0	1	2	2	2	0	1	1	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	25%	0%	8%	17%	17%	17%	0%	8%	8%	0%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	2	3	2	3	0	2	1	1	0	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.04)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	0%	7%	13%	20%	13%	20%	0%	13%	7%	7%	0%	0%	0%	100%
突発性発しん	報告数	0	5	5	2	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.07)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	42%	42%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	2	0	1	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	25%	50%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	1	3	8	3	2	2	2	0	0	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.11)	(0.04)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	0%	0%	0%	9%	4%	13%	35%	13%	9%	9%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	3	1	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	10	0	0	0	0	1	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	91%	0%	0%	0%	0%	9%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	5	5	3	5	1	2	1	1	2	1	3	30
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.07)	(0.07)	(0.04)	(0.07)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.40)
	年齢構成比	0%	0%	3%	17%	17%	10%	17%	3%	7%	3%	3%	7%	3%	10%	100%
感染性胃腸炎	報告数	1	11	28	20	22	16	9	14	8	10	8	16	2	30	195
	(定点あたり)	(0.01)	(0.15)	(0.37)	(0.27)	(0.29)	(0.21)	(0.12)	(0.19)	(0.11)	(0.13)	(0.11)	(0.21)	(0.03)	(0.40)	(2.60)
	年齢構成比	1%	6%	14%	10%	11%	8%	5%	7%	4%	5%	4%	8%	1%	15%	100%
水痘	報告数	0	0	0	1	0	0	0	1	1	1	2	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	17%	0%	0%	0%	17%	17%	17%	33%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	1	1	1	2	0	1	0	2	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	13%	13%	13%	25%	0%	13%	0%	25%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	7	0	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.07)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	42%	58%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	3	1	2	6	2	1	1	0	0	1	21
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.01)	(0.03)	(0.08)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.28)
	年齢構成比	0%	0%	5%	14%	14%	5%	10%	29%	10%	5%	5%	0%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。