

2016年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	2	3	1	4	1	0	1	1	1	4	14	5	1	9	1	2	1	2	53
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.11)	(0.04)	(0.01)	(0.07)	(0.01)	(0.02)	(0.01)	(0.02)	(0.42)
	年齢構成比	0%	0%	4%	6%	2%	8%	2%	0%	2%	2%	2%	8%	26%	9%	2%	17%	2%	4%	2%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	3	0	3	0	0	0	1	1	2	12	3	1	4	1	1	1	1	34
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)	(0.10)	(0.02)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.27)
	年齢構成比	0%	0%	0%	9%	0%	9%	0%	0%	0%	3%	3%	6%	35%	9%	3%	12%	3%	3%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	2	0	1	1	1	0	1	0	0	2	2	2	0	5	0	1	0	1	19
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.02)	(0.02)	(0.02)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.15)
	年齢構成比	0%	0%	11%	0%	5%	5%	5%	0%	5%	0%	0%	11%	11%	11%	0%	26%	0%	5%	0%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	22	2	2	0	0	1	1	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.04)	(0.29)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	10%	71%	6%	6%	0%	0%	3%	3%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	12	9	14	23	17	12	20	8	11	9	3	16	156
	(定点あたり)	(0.00)	(0.03)	(0.16)	(0.12)	(0.18)	(0.30)	(0.22)	(0.16)	(0.26)	(0.11)	(0.14)	(0.12)	(0.04)	(0.21)	(2.05)
	年齢構成比	0%	1%	8%	6%	9%	15%	11%	8%	13%	5%	7%	6%	2%	10%	100%
感染性胃腸炎	報告数	3	43	83	57	53	43	39	34	24	21	20	34	14	63	531
	(定点あたり)	(0.04)	(0.57)	(1.09)	(0.75)	(0.70)	(0.57)	(0.51)	(0.45)	(0.32)	(0.28)	(0.26)	(0.45)	(0.18)	(0.83)	(6.99)
	年齢構成比	1%	8%	16%	11%	10%	8%	7%	6%	5%	4%	4%	6%	3%	12%	100%
水痘	報告数	0	0	4	2	3	2	1	1	4	3	2	0	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.04)	(0.03)	(0.01)	(0.01)	(0.05)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	0%	18%	9%	14%	9%	5%	5%	18%	14%	9%	0%	0%	0%	100%
手足口病	報告数	0	1	11	12	0	2	1	0	0	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.01)	(0.14)	(0.16)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比	0%	4%	41%	44%	0%	7%	4%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	2	1	1	6	5	3	2	2	3	1	1	0	28
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.08)	(0.07)	(0.04)	(0.03)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.37)
	年齢構成比	0%	4%	7%	4%	4%	21%	18%	11%	7%	7%	11%	4%	4%	0%	100%
突発性発しん	報告数	1	11	9	1	0	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.01)	(0.14)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	5%	50%	41%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	3	10	8	3	2	1	0	0	1	1	1	0	0	30
	(定点あたり)	(0.00)	(0.04)	(0.13)	(0.11)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	10%	33%	27%	10%	7%	3%	0%	0%	3%	3%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	4	8	6	6	6	7	8	7	9	0	2	64
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.11)	(0.08)	(0.08)	(0.08)	(0.09)	(0.11)	(0.09)	(0.12)	(0.00)	(0.03)	(0.84)
	年齢構成比	0%	0%	2%	6%	13%	9%	9%	9%	11%	13%	11%	14%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	3	7	0	1	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	27%	64%	0%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	8	5	9	13	10	9	6	4	7	6	2	4	84
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.07)	(0.12)	(0.17)	(0.13)	(0.12)	(0.08)	(0.05)	(0.09)	(0.08)	(0.03)	(0.05)	(1.11)
	年齢構成比	0%	1%	10%	6%	11%	15%	12%	11%	7%	5%	8%	7%	2%	5%	100%
感染性胃腸炎	報告数	3	20	39	29	31	22	16	15	10	12	13	23	11	23	267
	(定点あたり)	(0.04)	(0.26)	(0.51)	(0.38)	(0.41)	(0.29)	(0.21)	(0.20)	(0.13)	(0.16)	(0.17)	(0.30)	(0.14)	(0.30)	(3.51)
	年齢構成比	1%	7%	15%	11%	12%	8%	6%	6%	4%	4%	5%	9%	4%	9%	100%
水痘	報告数	0	0	1	2	0	2	1	1	2	3	2	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	7%	14%	0%	14%	7%	7%	14%	21%	14%	0%	0%	0%	100%
手足口病	報告数	0	1	4	9	0	1	1	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.12)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	6%	25%	56%	0%	6%	6%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	1	0	3	5	0	0	2	0	1	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.04)	(0.07)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	14%	7%	0%	21%	36%	0%	0%	14%	0%	7%	0%	0%	100%
突発性発しん	報告数	1	6	3	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.01)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	9%	55%	27%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	2	6	5	2	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	13%	40%	33%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	2	3	5	4	4	6	4	5	0	1	36
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.07)	(0.05)	(0.05)	(0.08)	(0.05)	(0.07)	(0.00)	(0.01)	(0.47)
	年齢構成比	0%	0%	3%	3%	6%	8%	14%	11%	11%	17%	11%	14%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	15	2	1	0	0	1	1	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.20)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	0%	75%	10%	5%	0%	0%	5%	5%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	4	5	10	7	3	14	4	4	3	1	12	72
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.05)	(0.07)	(0.13)	(0.09)	(0.04)	(0.18)	(0.05)	(0.05)	(0.04)	(0.01)	(0.16)	(0.95)
	年齢構成比	0%	1%	6%	6%	7%	14%	10%	4%	19%	6%	6%	4%	1%	17%	100%
感染性胃腸炎	報告数	0	23	44	28	22	21	23	19	14	9	7	11	3	40	264
	(定点あたり)	(0.00)	(0.30)	(0.58)	(0.37)	(0.29)	(0.28)	(0.30)	(0.25)	(0.18)	(0.12)	(0.09)	(0.14)	(0.04)	(0.53)	(3.47)
	年齢構成比	0%	9%	17%	11%	8%	8%	9%	7%	5%	3%	3%	4%	1%	15%	100%
水痘	報告数	0	0	3	0	3	0	0	0	2	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	38%	0%	38%	0%	0%	0%	25%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	7	3	0	1	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	64%	27%	0%	9%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	1	3	0	3	2	0	3	0	1	0	14
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.18)
	年齢構成比	0%	7%	0%	0%	7%	21%	0%	21%	14%	0%	21%	0%	7%	0%	100%
突発性発しん	報告数	0	5	6	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.07)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	45%	55%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	4	3	1	2	1	0	0	1	1	1	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	7%	27%	20%	7%	13%	7%	0%	0%	7%	7%	7%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	6	3	1	2	3	2	3	4	0	1	28
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.08)	(0.04)	(0.01)	(0.03)	(0.04)	(0.03)	(0.04)	(0.05)	(0.00)	(0.01)	(0.37)
	年齢構成比	0%	0%	0%	11%	21%	11%	4%	7%	11%	7%	11%	14%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。