

## 2016年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	0	0	1	1	6	1	2	3	3	1	1	2	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.02)	(0.18)
	年齢構成比	0%	0%	0%	0%	5%	0%	0%	0%	0%	0%	5%	5%	27%	5%	9%	14%	14%	5%	5%	9%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	25%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	0	0	1	0	4	1	0	0	2	1	1	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.00)	(0.09)
	年齢構成比	0%	0%	0%	0%	9%	0%	0%	0%	0%	0%	9%	0%	36%	9%	0%	0%	18%	9%	9%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	33%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	3	1	0	0	2	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.02)	(0.02)	(0.01)	(0.00)	(0.00)	(0.02)	(0.09)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	9%	18%	0%	18%	27%	9%	0%	0%	18%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	13	5	1	2	0	0	1	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.01)	(0.18)	(0.07)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	4%	57%	22%	4%	9%	0%	0%	4%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	4	2	9	17	18	12	10	2	11	2	13	105
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.05)	(0.03)	(0.12)	(0.23)	(0.24)	(0.16)	(0.14)	(0.03)	(0.15)	(0.03)	(0.18)	(1.42)
	年齢構成比	0%	0%	5%	4%	2%	9%	16%	17%	11%	10%	2%	10%	2%	12%	100%
感染性胃腸炎	報告数	4	41	93	45	44	47	46	27	24	16	15	36	14	53	505
	(定点あたり)	(0.05)	(0.55)	(1.26)	(0.61)	(0.59)	(0.64)	(0.62)	(0.36)	(0.32)	(0.22)	(0.20)	(0.49)	(0.19)	(0.72)	(6.82)
	年齢構成比	1%	8%	18%	9%	9%	9%	9%	5%	5%	3%	3%	7%	3%	10%	100%
水痘	報告数	1	0	0	3	1	3	1	1	2	3	2	0	0	0	17
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	6%	0%	0%	18%	6%	18%	6%	6%	12%	18%	12%	0%	0%	0%	100%
手足口病	報告数	0	2	8	7	5	1	0	0	0	1	0	0	0	0	24
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.09)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	8%	33%	29%	21%	4%	0%	0%	0%	4%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	4	1	0	2	3	3	1	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.01)	(0.00)	(0.03)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	0%	6%	6%	24%	6%	0%	12%	18%	18%	6%	6%	0%	0%	100%
突発性発しん	報告数	0	11	8	4	0	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.15)	(0.11)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	48%	35%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	5	27	10	4	2	2	0	0	0	0	1	0	0	51
	(定点あたり)	(0.00)	(0.07)	(0.36)	(0.14)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.69)
	年齢構成比	0%	10%	53%	20%	8%	4%	4%	0%	0%	0%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	4	10	8	12	21	7	4	4	8	1	0	80
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.14)	(0.11)	(0.16)	(0.28)	(0.09)	(0.05)	(0.05)	(0.11)	(0.01)	(0.00)	(1.08)
	年齢構成比	0%	0%	1%	5%	13%	10%	15%	26%	9%	5%	5%	10%	1%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	7	4	0	1	0	0	1	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	54%	31%	0%	8%	0%	0%	8%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	1	0	4	14	7	8	7	0	7	2	4	57
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.05)	(0.19)	(0.09)	(0.11)	(0.09)	(0.00)	(0.09)	(0.03)	(0.05)	(0.77)
	年齢構成比	0%	0%	5%	2%	0%	7%	25%	12%	14%	12%	0%	12%	4%	7%	100%
感染性胃腸炎	報告数	2	19	48	24	27	25	23	12	15	10	12	23	10	23	273
	(定点あたり)	(0.03)	(0.26)	(0.65)	(0.32)	(0.36)	(0.34)	(0.31)	(0.16)	(0.20)	(0.14)	(0.16)	(0.31)	(0.14)	(0.31)	(3.69)
	年齢構成比	1%	7%	18%	9%	10%	9%	8%	4%	5%	4%	4%	8%	4%	8%	100%
水痘	報告数	0	0	0	3	1	1	0	1	1	1	1	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	33%	11%	11%	0%	11%	11%	11%	11%	0%	0%	0%	100%
手足口病	報告数	0	2	5	5	3	1	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	13%	31%	31%	19%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	1	1	0	2	1	0	1	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	13%	13%	13%	0%	25%	13%	0%	13%	13%	0%	0%	100%
突発性発しん	報告数	0	5	1	2	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.07)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	63%	13%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	12	5	3	1	1	0	0	0	0	1	0	0	26
	(定点あたり)	(0.00)	(0.04)	(0.16)	(0.07)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.35)
	年齢構成比	0%	12%	46%	19%	12%	4%	4%	0%	0%	0%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	4	5	7	8	3	0	1	5	1	0	37
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.05)	(0.07)	(0.09)	(0.11)	(0.04)	(0.00)	(0.01)	(0.07)	(0.01)	(0.00)	(0.50)
	年齢構成比	0%	0%	0%	8%	11%	14%	19%	22%	8%	0%	3%	14%	3%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	6	1	1	1	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	10%	60%	10%	10%	10%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	2	5	3	11	4	3	2	4	0	9	48
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.03)	(0.07)	(0.04)	(0.15)	(0.05)	(0.04)	(0.03)	(0.05)	(0.00)	(0.12)	(0.65)
	年齢構成比	0%	0%	4%	6%	4%	10%	6%	23%	8%	6%	4%	8%	0%	19%	100%
感染性胃腸炎	報告数	2	22	45	21	17	22	23	15	9	6	3	13	4	30	232
	(定点あたり)	(0.03)	(0.30)	(0.61)	(0.28)	(0.23)	(0.30)	(0.31)	(0.20)	(0.12)	(0.08)	(0.04)	(0.18)	(0.05)	(0.41)	(3.14)
	年齢構成比	1%	9%	19%	9%	7%	9%	10%	6%	4%	3%	1%	6%	2%	13%	100%
水痘	報告数	1	0	0	0	0	2	1	0	1	2	1	0	0	0	8
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	13%	0%	0%	0%	0%	25%	13%	0%	13%	25%	13%	0%	0%	0%	100%
手足口病	報告数	0	0	3	2	2	0	0	0	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	38%	25%	25%	0%	0%	0%	0%	13%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	3	0	0	0	2	3	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	11%	0%	33%	0%	0%	0%	22%	33%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	7	2	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.08)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	40%	47%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	2	15	5	1	1	1	0	0	0	0	0	0	0	25
	(定点あたり)	(0.00)	(0.03)	(0.20)	(0.07)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	8%	60%	20%	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	6	3	5	13	4	4	3	3	0	0	43
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.08)	(0.04)	(0.07)	(0.18)	(0.05)	(0.05)	(0.04)	(0.04)	(0.00)	(0.00)	(0.58)
	年齢構成比	0%	0%	2%	2%	14%	7%	12%	30%	9%	9%	7%	7%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。