

2016年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	33%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	33%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	12	5	4	4	4	2	2	0	0	0	0	1	35
	(定点あたり)	(0.00)	(0.01)	(0.16)	(0.07)	(0.05)	(0.05)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.47)
	年齢構成比	0%	3%	34%	14%	11%	11%	11%	6%	6%	0%	0%	0%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	4	4	7	14	13	22	24	11	8	2	10	4	15	138
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.09)	(0.19)	(0.17)	(0.29)	(0.32)	(0.15)	(0.11)	(0.03)	(0.13)	(0.05)	(0.20)	(1.84)
	年齢構成比	0%	3%	3%	5%	10%	9%	16%	17%	8%	6%	1%	7%	3%	11%	100%
感染性胃腸炎	報告数	4	26	48	54	46	39	40	17	28	16	10	27	9	56	420
	(定点あたり)	(0.05)	(0.35)	(0.64)	(0.72)	(0.61)	(0.52)	(0.53)	(0.23)	(0.37)	(0.21)	(0.13)	(0.36)	(0.12)	(0.75)	(5.60)
	年齢構成比	1%	6%	11%	13%	11%	9%	10%	4%	7%	4%	2%	6%	2%	13%	100%
水痘	報告数	0	1	2	6	1	3	1	3	0	2	2	1	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.08)	(0.01)	(0.04)	(0.01)	(0.04)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	5%	9%	27%	5%	14%	5%	14%	0%	9%	9%	5%	0%	0%	100%
手足口病	報告数	0	7	11	12	4	2	2	1	1	1	0	0	0	0	41
	(定点あたり)	(0.00)	(0.09)	(0.15)	(0.16)	(0.05)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.55)
	年齢構成比	0%	17%	27%	29%	10%	5%	5%	2%	2%	2%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	3	3	3	3	5	4	5	3	3	1	0	0	34
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.04)	(0.04)	(0.04)	(0.07)	(0.05)	(0.07)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	3%	9%	9%	9%	9%	15%	12%	15%	9%	9%	3%	0%	0%	100%
突発性発しん	報告数	1	8	14	3	0	0	1	0	0	0	0	0	0	0	27
	(定点あたり)	(0.01)	(0.11)	(0.19)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比	4%	30%	52%	11%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	9	31	19	10	5	4	1	2	0	0	2	0	0	84
	(定点あたり)	(0.01)	(0.12)	(0.41)	(0.25)	(0.13)	(0.07)	(0.05)	(0.01)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(1.12)
	年齢構成比	1%	11%	37%	23%	12%	6%	5%	1%	2%	0%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	2	4	4	8	16	8	10	6	6	6	7	0	3	80
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.05)	(0.11)	(0.21)	(0.11)	(0.13)	(0.08)	(0.08)	(0.08)	(0.09)	(0.00)	(0.04)	(1.07)
	年齢構成比	0%	3%	5%	5%	10%	20%	10%	13%	8%	8%	8%	9%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	8	3	1	3	2	0	1	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.04)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	5%	42%	16%	5%	16%	11%	0%	5%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	4	3	5	5	8	16	10	9	4	1	6	3	6	80
	(定点あたり)	(0.00)	(0.05)	(0.04)	(0.07)	(0.07)	(0.11)	(0.21)	(0.13)	(0.12)	(0.05)	(0.01)	(0.08)	(0.04)	(0.08)	(1.07)
	年齢構成比	0%	5%	4%	6%	6%	10%	20%	13%	11%	5%	1%	8%	4%	8%	100%
感染性胃腸炎	報告数	0	15	25	31	27	22	21	9	20	7	5	16	6	22	226
	(定点あたり)	(0.00)	(0.20)	(0.33)	(0.41)	(0.36)	(0.29)	(0.28)	(0.12)	(0.27)	(0.09)	(0.07)	(0.21)	(0.08)	(0.29)	(3.01)
	年齢構成比	0%	7%	11%	14%	12%	10%	9%	4%	9%	3%	2%	7%	3%	10%	100%
水痘	報告数	0	1	2	3	1	2	0	0	0	2	1	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	8%	17%	25%	8%	17%	0%	0%	0%	17%	8%	0%	0%	0%	100%
手足口病	報告数	0	5	7	6	2	2	0	0	1	1	0	0	0	0	24
	(定点あたり)	(0.00)	(0.07)	(0.09)	(0.08)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	21%	29%	25%	8%	8%	0%	0%	4%	4%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	2	2	2	2	2	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	9%	18%	18%	18%	18%	18%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	3	11	1	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.04)	(0.15)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	20%	73%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	7	16	11	5	3	2	1	0	0	0	0	0	0	46
	(定点あたり)	(0.01)	(0.09)	(0.21)	(0.15)	(0.07)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.61)
	年齢構成比	2%	15%	35%	24%	11%	7%	4%	2%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	2	3	3	9	3	4	3	3	1	3	0	2	37
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.04)	(0.12)	(0.04)	(0.05)	(0.04)	(0.04)	(0.01)	(0.04)	(0.00)	(0.03)	(0.49)
	年齢構成比	0%	3%	5%	8%	8%	24%	8%	11%	8%	8%	3%	8%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	4	2	3	1	2	2	1	0	0	0	0	1	16
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.04)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.21)
	年齢構成比	0%	0%	25%	13%	19%	6%	13%	13%	6%	0%	0%	0%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	9	5	6	14	2	4	1	4	1	9	58
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.12)	(0.07)	(0.08)	(0.19)	(0.03)	(0.05)	(0.01)	(0.05)	(0.01)	(0.12)	(0.77)
	年齢構成比	0%	0%	2%	3%	16%	9%	10%	24%	3%	7%	2%	7%	2%	16%	100%
感染性胃腸炎	報告数	4	11	23	23	19	17	19	8	8	9	5	11	3	34	194
	(定点あたり)	(0.05)	(0.15)	(0.31)	(0.31)	(0.25)	(0.23)	(0.25)	(0.11)	(0.11)	(0.12)	(0.07)	(0.15)	(0.04)	(0.45)	(2.59)
	年齢構成比	2%	6%	12%	12%	10%	9%	10%	4%	4%	5%	3%	6%	2%	18%	100%
水痘	報告数	0	0	0	3	0	1	1	3	0	0	1	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	0%	30%	0%	10%	10%	30%	0%	0%	10%	10%	0%	0%	100%
手足口病	報告数	0	2	4	6	2	0	2	1	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.08)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	12%	24%	35%	12%	0%	12%	6%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	2	1	1	1	3	2	5	3	3	1	0	0	23
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.04)	(0.03)	(0.07)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	4%	9%	4%	4%	4%	13%	9%	22%	13%	13%	4%	0%	0%	100%
突発性発しん	報告数	1	5	3	2	0	0	1	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.07)	(0.04)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	8%	42%	25%	17%	0%	0%	8%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	15	8	5	2	2	0	2	0	0	2	0	0	38
	(定点あたり)	(0.00)	(0.03)	(0.20)	(0.11)	(0.07)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.51)
	年齢構成比	0%	5%	39%	21%	13%	5%	5%	0%	5%	0%	0%	5%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	2	1	5	7	5	6	3	3	5	4	0	1	43
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.07)	(0.09)	(0.07)	(0.08)	(0.04)	(0.04)	(0.07)	(0.05)	(0.00)	(0.01)	(0.57)
	年齢構成比	0%	2%	5%	2%	12%	16%	12%	14%	7%	7%	12%	9%	0%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。