

2016年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	25%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	1	1	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	13	4	1	1	0	1	1	0	0	0	0	0	22
	(定点あたり)	(0.01)	(0.00)	(0.17)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	5%	0%	59%	18%	5%	5%	0%	5%	5%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	6	15	22	30	11	10	5	3	13	1	12	133
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.08)	(0.20)	(0.29)	(0.40)	(0.15)	(0.13)	(0.07)	(0.04)	(0.17)	(0.01)	(0.16)	(1.77)
	年齢構成比	0%	0%	4%	5%	11%	17%	23%	8%	8%	4%	2%	10%	1%	9%	100%
感染性胃腸炎	報告数	7	26	69	34	34	34	27	29	21	20	7	37	12	54	411
	(定点あたり)	(0.09)	(0.35)	(0.92)	(0.45)	(0.45)	(0.45)	(0.36)	(0.39)	(0.28)	(0.27)	(0.09)	(0.49)	(0.16)	(0.72)	(5.48)
	年齢構成比	2%	6%	17%	8%	8%	8%	7%	7%	5%	5%	2%	9%	3%	13%	100%
水痘	報告数	0	2	0	1	1	8	1	1	5	1	1	1	0	1	23
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.11)	(0.01)	(0.01)	(0.07)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.31)
	年齢構成比	0%	9%	0%	4%	4%	35%	4%	4%	22%	4%	4%	4%	0%	4%	100%
手足口病	報告数	2	5	20	11	5	5	2	0	1	0	0	0	0	1	52
	(定点あたり)	(0.03)	(0.07)	(0.27)	(0.15)	(0.07)	(0.07)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.69)
	年齢構成比	4%	10%	38%	21%	10%	10%	4%	0%	2%	0%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	2	0	5	4	2	3	8	1	3	1	0	1	30
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.07)	(0.05)	(0.03)	(0.04)	(0.11)	(0.01)	(0.04)	(0.01)	(0.00)	(0.01)	(0.40)
	年齢構成比	0%	0%	7%	0%	17%	13%	7%	10%	27%	3%	10%	3%	0%	3%	100%
突発性発しん	報告数	2	15	14	4	0	0	0	0	0	0	0	0	0	0	35
	(定点あたり)	(0.03)	(0.20)	(0.19)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比	6%	43%	40%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	14	54	21	22	18	5	3	4	0	0	2	0	0	144
	(定点あたり)	(0.01)	(0.19)	(0.72)	(0.28)	(0.29)	(0.24)	(0.07)	(0.04)	(0.05)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(1.92)
	年齢構成比	1%	10%	38%	15%	15%	13%	3%	2%	3%	0%	0%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	4	4	8	6	15	7	9	8	6	5	0	2	74
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.05)	(0.11)	(0.08)	(0.20)	(0.09)	(0.12)	(0.11)	(0.08)	(0.07)	(0.00)	(0.03)	(0.99)
	年齢構成比	0%	0%	5%	5%	11%	8%	20%	9%	12%	11%	8%	7%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	5	2	0	0	0	0	1	0	0	0	0	0	9
	(定点あたり)	(0.01)	(0.00)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	11%	0%	56%	22%	0%	0%	0%	0%	11%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	6	10	13	14	7	7	1	3	6	1	4	76
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.08)	(0.13)	(0.17)	(0.19)	(0.09)	(0.09)	(0.01)	(0.04)	(0.08)	(0.01)	(0.05)	(1.01)
	年齢構成比	0%	0%	5%	8%	13%	17%	18%	9%	9%	1%	4%	8%	1%	5%	100%
感染性胃腸炎	報告数	4	18	40	18	20	20	14	16	12	11	4	21	6	25	229
	(定点あたり)	(0.05)	(0.24)	(0.53)	(0.24)	(0.27)	(0.27)	(0.19)	(0.21)	(0.16)	(0.15)	(0.05)	(0.28)	(0.08)	(0.33)	(3.05)
	年齢構成比	2%	8%	17%	8%	9%	9%	6%	7%	5%	5%	2%	9%	3%	11%	100%
水痘	報告数	0	1	0	0	0	3	1	1	2	1	1	1	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	9%	0%	0%	0%	27%	9%	9%	18%	9%	9%	9%	0%	0%	100%
手足口病	報告数	2	3	13	7	2	5	1	0	1	0	0	0	0	1	35
	(定点あたり)	(0.03)	(0.04)	(0.17)	(0.09)	(0.03)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.47)
	年齢構成比	6%	9%	37%	20%	6%	14%	3%	0%	3%	0%	0%	0%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	3	2	1	1	4	1	1	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.01)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	23%	15%	8%	8%	31%	8%	8%	0%	0%	0%	100%
突発性発しん	報告数	0	9	8	1	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.12)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	50%	44%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	9	29	9	9	10	4	2	3	0	0	0	0	0	75
	(定点あたり)	(0.00)	(0.12)	(0.39)	(0.12)	(0.12)	(0.13)	(0.05)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.00)
	年齢構成比	0%	12%	39%	12%	12%	13%	5%	3%	4%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	3	2	10	4	6	1	3	4	0	1	36
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.03)	(0.13)	(0.05)	(0.08)	(0.01)	(0.04)	(0.05)	(0.00)	(0.01)	(0.48)
	年齢構成比	0%	0%	0%	6%	8%	6%	28%	11%	17%	3%	8%	11%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	8	2	1	1	0	1	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	62%	15%	8%	8%	0%	8%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	5	9	16	4	3	4	0	7	0	8	57
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.07)	(0.12)	(0.21)	(0.05)	(0.04)	(0.05)	(0.00)	(0.09)	(0.00)	(0.11)	(0.76)
	年齢構成比	0%	0%	2%	0%	9%	16%	28%	7%	5%	7%	0%	12%	0%	14%	100%
感染性胃腸炎	報告数	3	8	29	16	14	14	13	13	9	9	3	16	6	29	182
	(定点あたり)	(0.04)	(0.11)	(0.39)	(0.21)	(0.19)	(0.19)	(0.17)	(0.17)	(0.12)	(0.12)	(0.04)	(0.21)	(0.08)	(0.39)	(2.43)
	年齢構成比	2%	4%	16%	9%	8%	8%	7%	7%	5%	5%	2%	9%	3%	16%	100%
水痘	報告数	0	1	0	1	1	5	0	0	3	0	0	0	0	1	12
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.07)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	8%	0%	8%	8%	42%	0%	0%	25%	0%	0%	0%	0%	8%	100%
手足口病	報告数	0	2	7	4	3	0	1	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.05)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	12%	41%	24%	18%	0%	6%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	0	2	2	1	2	4	0	2	1	0	1	17
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.03)	(0.01)	(0.03)	(0.05)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.23)
	年齢構成比	0%	0%	12%	0%	12%	12%	6%	12%	24%	0%	12%	6%	0%	6%	100%
突発性発しん	報告数	2	6	6	3	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.03)	(0.08)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	12%	35%	35%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	5	25	12	13	8	1	1	1	0	0	2	0	0	69
	(定点あたり)	(0.01)	(0.07)	(0.33)	(0.16)	(0.17)	(0.11)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.92)
	年齢構成比	1%	7%	36%	17%	19%	12%	1%	1%	1%	0%	0%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	4	2	5	4	5	3	3	7	3	1	0	1	38
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.07)	(0.05)	(0.07)	(0.04)	(0.04)	(0.09)	(0.04)	(0.01)	(0.00)	(0.01)	(0.51)
	年齢構成比	0%	0%	11%	5%	13%	11%	13%	8%	8%	18%	8%	3%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。