

2016年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	1	0	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	25%	0%	25%	0%	25%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	10	4	2	1	0	0	0	3	1	2	0	1	25
	(定点あたり)	(0.00)	(0.01)	(0.13)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.00)	(0.01)	(0.33)
	年齢構成比	0%	4%	40%	16%	8%	4%	0%	0%	0%	12%	4%	8%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	8	8	28	12	12	11	8	13	4	8	1	4	117
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.11)	(0.37)	(0.16)	(0.16)	(0.14)	(0.11)	(0.17)	(0.05)	(0.11)	(0.01)	(0.05)	(1.54)
	年齢構成比	0%	0%	7%	7%	24%	10%	10%	9%	7%	11%	3%	7%	1%	3%	100%
感染性胃腸炎	報告数	6	22	60	35	45	40	33	26	21	18	13	26	15	51	411
	(定点あたり)	(0.08)	(0.29)	(0.79)	(0.46)	(0.59)	(0.53)	(0.43)	(0.34)	(0.28)	(0.24)	(0.17)	(0.34)	(0.20)	(0.67)	(5.41)
	年齢構成比	1%	5%	15%	9%	11%	10%	8%	6%	5%	4%	3%	6%	4%	12%	100%
水痘	報告数	0	1	2	4	6	2	4	3	7	2	1	0	0	0	32
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.05)	(0.08)	(0.03)	(0.05)	(0.04)	(0.09)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比	0%	3%	6%	13%	19%	6%	13%	9%	22%	6%	3%	0%	0%	0%	100%
手足口病	報告数	0	5	12	10	8	2	5	3	2	0	0	0	0	0	47
	(定点あたり)	(0.00)	(0.07)	(0.16)	(0.13)	(0.11)	(0.03)	(0.07)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.62)
	年齢構成比	0%	11%	26%	21%	17%	4%	11%	6%	4%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	8	3	8	1	6	2	2	1	1	0	0	32
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.04)	(0.11)	(0.01)	(0.08)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.42)
	年齢構成比	0%	0%	0%	25%	9%	25%	3%	19%	6%	6%	3%	3%	0%	0%	100%
突発性発しん	報告数	0	6	13	3	1	1	0	0	0	0	0	0	0	0	24
	(定点あたり)	(0.00)	(0.08)	(0.17)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	25%	54%	13%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	3	18	70	49	30	26	17	7	2	6	1	1	0	0	230
	(定点あたり)	(0.04)	(0.24)	(0.92)	(0.64)	(0.39)	(0.34)	(0.22)	(0.09)	(0.03)	(0.08)	(0.01)	(0.01)	(0.00)	(0.00)	(3.03)
	年齢構成比	1%	8%	30%	21%	13%	11%	7%	3%	1%	3%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	8	8	13	5	11	7	3	2	12	0	0	69
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.17)	(0.07)	(0.14)	(0.09)	(0.04)	(0.03)	(0.16)	(0.00)	(0.00)	(0.91)
	年齢構成比	0%	0%	0%	12%	12%	19%	7%	16%	10%	4%	3%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	6	1	1	1	0	0	0	2	0	2	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	7%	43%	7%	7%	7%	0%	0%	0%	14%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	5	19	6	10	6	4	9	2	3	1	2	71
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.07)	(0.25)	(0.08)	(0.13)	(0.08)	(0.05)	(0.12)	(0.03)	(0.04)	(0.01)	(0.03)	(0.93)
	年齢構成比	0%	0%	6%	7%	27%	8%	14%	8%	6%	13%	3%	4%	1%	3%	100%
感染性胃腸炎	報告数	3	14	36	21	31	25	16	19	13	10	6	14	7	19	234
	(定点あたり)	(0.04)	(0.18)	(0.47)	(0.28)	(0.41)	(0.33)	(0.21)	(0.25)	(0.17)	(0.13)	(0.08)	(0.18)	(0.09)	(0.25)	(3.08)
	年齢構成比	1%	6%	15%	9%	13%	11%	7%	8%	6%	4%	3%	6%	3%	8%	100%
水痘	報告数	0	0	2	1	0	0	2	1	3	2	1	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	17%	8%	0%	0%	17%	8%	25%	17%	8%	0%	0%	0%	100%
手足口病	報告数	0	4	10	4	6	1	3	1	0	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.05)	(0.13)	(0.05)	(0.08)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	14%	34%	14%	21%	3%	10%	3%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	3	1	6	0	0	1	1	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.08)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	23%	8%	46%	0%	0%	8%	8%	0%	8%	0%	0%	100%
突発性発しん	報告数	0	3	6	0	1	1	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	27%	55%	0%	9%	9%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	12	31	26	14	10	12	4	0	3	1	0	0	0	115
	(定点あたり)	(0.03)	(0.16)	(0.41)	(0.34)	(0.18)	(0.13)	(0.16)	(0.05)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(1.51)
	年齢構成比	2%	10%	27%	23%	12%	9%	10%	3%	0%	3%	1%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	5	9	3	2	6	0	2	7	0	0	37
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.07)	(0.12)	(0.04)	(0.03)	(0.08)	(0.00)	(0.03)	(0.09)	(0.00)	(0.00)	(0.49)
	年齢構成比	0%	0%	0%	8%	14%	24%	8%	5%	16%	0%	5%	19%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	4	3	1	0	0	0	0	1	1	0	0	1	11
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.14)
	年齢構成比	0%	0%	36%	27%	9%	0%	0%	0%	0%	9%	9%	0%	0%	9%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	3	9	6	2	5	4	4	2	5	0	2	46
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.12)	(0.08)	(0.03)	(0.07)	(0.05)	(0.05)	(0.03)	(0.07)	(0.00)	(0.03)	(0.61)
	年齢構成比	0%	0%	9%	7%	20%	13%	4%	11%	9%	9%	4%	11%	0%	4%	100%
感染性胃腸炎	報告数	3	8	24	14	14	15	17	7	8	8	7	12	8	32	177
	(定点あたり)	(0.04)	(0.11)	(0.32)	(0.18)	(0.18)	(0.20)	(0.22)	(0.09)	(0.11)	(0.11)	(0.09)	(0.16)	(0.11)	(0.42)	(2.33)
	年齢構成比	2%	5%	14%	8%	8%	8%	10%	4%	5%	5%	4%	7%	5%	18%	100%
水痘	報告数	0	1	0	3	6	2	2	2	4	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.04)	(0.08)	(0.03)	(0.03)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	5%	0%	15%	30%	10%	10%	10%	20%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	2	6	2	1	2	2	2	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.08)	(0.03)	(0.01)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	6%	11%	33%	11%	6%	11%	11%	11%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	5	2	2	1	6	1	1	1	0	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.07)	(0.03)	(0.03)	(0.01)	(0.08)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	0%	0%	26%	11%	11%	5%	32%	5%	5%	5%	0%	0%	0%	100%
突発性発しん	報告数	0	3	7	3	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	23%	54%	23%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	6	39	23	16	16	5	3	2	3	0	1	0	0	115
	(定点あたり)	(0.01)	(0.08)	(0.51)	(0.30)	(0.21)	(0.21)	(0.07)	(0.04)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(1.51)
	年齢構成比	1%	5%	34%	20%	14%	14%	4%	3%	2%	3%	0%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	5	3	4	2	9	1	3	0	5	0	0	32
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.07)	(0.04)	(0.05)	(0.03)	(0.12)	(0.01)	(0.04)	(0.00)	(0.07)	(0.00)	(0.00)	(0.42)
	年齢構成比	0%	0%	0%	16%	9%	13%	6%	28%	3%	9%	0%	16%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。