

2016年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	25%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	33%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	25%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	6	6	4	1	1	1	3	0	0	1	0	1	25
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.08)	(0.05)	(0.01)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.33)
	年齢構成比	0%	4%	24%	24%	16%	4%	4%	4%	12%	0%	0%	4%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	5	9	20	16	13	8	7	5	9	2	11	106
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.07)	(0.12)	(0.26)	(0.21)	(0.17)	(0.11)	(0.09)	(0.07)	(0.12)	(0.03)	(0.14)	(1.39)
	年齢構成比	0%	1%	0%	5%	8%	19%	15%	12%	8%	7%	5%	8%	2%	10%	100%
感染性胃腸炎	報告数	4	30	61	38	38	27	21	25	17	16	16	34	10	40	377
	(定点あたり)	(0.05)	(0.39)	(0.80)	(0.50)	(0.50)	(0.36)	(0.28)	(0.33)	(0.22)	(0.21)	(0.21)	(0.45)	(0.13)	(0.53)	(4.96)
	年齢構成比	1%	8%	16%	10%	10%	7%	6%	7%	5%	4%	4%	9%	3%	11%	100%
水痘	報告数	0	2	3	3	1	1	1	6	7	1	0	2	0	1	28
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.08)	(0.09)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.37)
	年齢構成比	0%	7%	11%	11%	4%	4%	4%	21%	25%	4%	0%	7%	0%	4%	100%
手足口病	報告数	1	6	23	21	8	9	3	2	3	0	0	0	1	3	80
	(定点あたり)	(0.01)	(0.08)	(0.30)	(0.28)	(0.11)	(0.12)	(0.04)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(1.05)
	年齢構成比	1%	8%	29%	26%	10%	11%	4%	3%	4%	0%	0%	0%	1%	4%	100%
伝染性紅斑	報告数	0	0	0	4	2	2	3	0	1	3	1	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.03)	(0.03)	(0.04)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	0%	25%	13%	13%	19%	0%	6%	19%	6%	0%	0%	0%	100%
突発性発しん	報告数	1	13	13	2	1	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.01)	(0.17)	(0.17)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	3%	43%	43%	7%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	32	71	61	32	29	13	5	7	4	3	2	0	2	261
	(定点あたり)	(0.00)	(0.42)	(0.93)	(0.80)	(0.42)	(0.38)	(0.17)	(0.07)	(0.09)	(0.05)	(0.04)	(0.03)	(0.00)	(0.03)	(3.43)
	年齢構成比	0%	12%	27%	23%	12%	11%	5%	2%	3%	2%	1%	1%	0%	1%	100%
流行性耳下腺炎	報告数	0	1	1	3	8	10	12	20	10	9	1	5	1	0	81
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.11)	(0.13)	(0.16)	(0.26)	(0.13)	(0.12)	(0.01)	(0.07)	(0.01)	(0.00)	(1.07)
	年齢構成比	0%	1%	1%	4%	10%	12%	15%	25%	12%	11%	1%	6%	1%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	5	5	1	1	1	1	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	7%	33%	33%	7%	7%	7%	7%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	2	5	14	3	9	3	3	3	6	1	6	56
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.07)	(0.18)	(0.04)	(0.12)	(0.04)	(0.04)	(0.04)	(0.08)	(0.01)	(0.08)	(0.74)
	年齢構成比	0%	2%	0%	4%	9%	25%	5%	16%	5%	5%	5%	11%	2%	11%	100%
感染性胃腸炎	報告数	1	16	33	19	19	17	11	15	8	8	10	21	5	19	202
	(定点あたり)	(0.01)	(0.21)	(0.43)	(0.25)	(0.25)	(0.22)	(0.14)	(0.20)	(0.11)	(0.11)	(0.13)	(0.28)	(0.07)	(0.25)	(2.66)
	年齢構成比	0%	8%	16%	9%	9%	8%	5%	7%	4%	4%	5%	10%	2%	9%	100%
水痘	報告数	0	2	2	2	1	1	1	4	4	1	0	1	0	0	19
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.05)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	11%	11%	11%	5%	5%	5%	21%	21%	5%	0%	5%	0%	0%	100%
手足口病	報告数	1	2	15	13	4	7	2	1	1	0	0	0	0	2	48
	(定点あたり)	(0.01)	(0.03)	(0.20)	(0.17)	(0.05)	(0.09)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.63)
	年齢構成比	2%	4%	31%	27%	8%	15%	4%	2%	2%	0%	0%	0%	0%	4%	100%
伝染性紅斑	報告数	0	0	0	3	0	0	2	0	0	2	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	38%	0%	0%	25%	0%	0%	25%	13%	0%	0%	0%	100%
突発性発しん	報告数	0	6	6	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	46%	46%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	17	43	33	17	13	7	3	4	4	1	2	0	0	144
	(定点あたり)	(0.00)	(0.22)	(0.57)	(0.43)	(0.22)	(0.17)	(0.09)	(0.04)	(0.05)	(0.05)	(0.01)	(0.03)	(0.00)	(0.00)	(1.89)
	年齢構成比	0%	12%	30%	23%	12%	9%	5%	2%	3%	3%	1%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	1	2	3	4	6	9	6	3	0	4	0	0	39
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.05)	(0.08)	(0.12)	(0.08)	(0.04)	(0.00)	(0.05)	(0.00)	(0.00)	(0.51)
	年齢構成比	0%	3%	3%	5%	8%	10%	15%	23%	15%	8%	0%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	3	0	0	0	3	0	0	1	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.13)
	年齢構成比	0%	0%	10%	10%	30%	0%	0%	0%	30%	0%	0%	10%	0%	10%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	4	6	13	4	5	4	2	3	1	5	50
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.05)	(0.08)	(0.17)	(0.05)	(0.07)	(0.05)	(0.03)	(0.04)	(0.01)	(0.07)	(0.66)
	年齢構成比	0%	0%	0%	6%	8%	12%	26%	8%	10%	8%	4%	6%	2%	10%	100%
感染性胃腸炎	報告数	3	14	28	19	19	10	10	10	9	8	6	13	5	21	175
	(定点あたり)	(0.04)	(0.18)	(0.37)	(0.25)	(0.25)	(0.13)	(0.13)	(0.13)	(0.12)	(0.11)	(0.08)	(0.17)	(0.07)	(0.28)	(2.30)
	年齢構成比	2%	8%	16%	11%	11%	6%	6%	6%	5%	5%	3%	7%	3%	12%	100%
水痘	報告数	0	0	1	1	0	0	0	2	3	0	0	1	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.12)
	年齢構成比	0%	0%	11%	11%	0%	0%	0%	22%	33%	0%	0%	11%	0%	11%	100%
手足口病	報告数	0	4	8	8	4	2	1	1	2	0	0	0	1	1	32
	(定点あたり)	(0.00)	(0.05)	(0.11)	(0.11)	(0.05)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.42)
	年齢構成比	0%	13%	25%	25%	13%	6%	3%	3%	6%	0%	0%	0%	3%	3%	100%
伝染性紅斑	報告数	0	0	0	1	2	2	1	0	1	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	13%	25%	25%	13%	0%	13%	13%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	7	7	1	1	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.01)	(0.09)	(0.09)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	6%	41%	41%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	15	28	28	15	16	6	2	3	0	2	0	0	2	117
	(定点あたり)	(0.00)	(0.20)	(0.37)	(0.37)	(0.20)	(0.21)	(0.08)	(0.03)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(1.54)
	年齢構成比	0%	13%	24%	24%	13%	14%	5%	2%	3%	0%	2%	0%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	1	5	6	6	11	4	6	1	1	1	0	42
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.08)	(0.08)	(0.14)	(0.05)	(0.08)	(0.01)	(0.01)	(0.01)	(0.00)	(0.55)
	年齢構成比	0%	0%	0%	2%	12%	14%	14%	26%	10%	14%	2%	2%	2%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。