

2016年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	0%	20%	20%	20%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	0%	0%	25%	25%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	3	4	1	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.01)	(0.04)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	11%	33%	44%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	1	2	1	0	1	1	0	0	1	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	10%	20%	10%	20%	10%	0%	10%	10%	0%	0%	10%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	3	3	7	3	5	5	1	3	3	0	11	46
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.09)	(0.04)	(0.07)	(0.07)	(0.01)	(0.04)	(0.04)	(0.00)	(0.14)	(0.61)
	年齢構成比	0%	2%	2%	7%	7%	15%	7%	11%	11%	2%	7%	7%	0%	24%	100%
感染性胃腸炎	報告数	0	18	36	13	16	19	6	8	17	3	6	13	7	34	196
	(定点あたり)	(0.00)	(0.24)	(0.47)	(0.17)	(0.21)	(0.25)	(0.08)	(0.11)	(0.22)	(0.04)	(0.08)	(0.17)	(0.09)	(0.45)	(2.58)
	年齢構成比	0%	9%	18%	7%	8%	10%	3%	4%	9%	2%	3%	7%	4%	17%	100%
水痘	報告数	0	0	4	1	0	4	2	2	2	1	0	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.00)	(0.05)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	24%	6%	0%	24%	12%	12%	12%	6%	0%	6%	0%	0%	100%
手足口病	報告数	0	5	21	12	8	3	3	0	5	1	0	1	0	0	59
	(定点あたり)	(0.00)	(0.07)	(0.28)	(0.16)	(0.11)	(0.04)	(0.04)	(0.00)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.78)
	年齢構成比	0%	8%	36%	20%	14%	5%	5%	0%	8%	2%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	1	1	0	2	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	17%	17%	17%	17%	0%	33%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	12	11	2	2	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.01)	(0.16)	(0.14)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	4%	43%	39%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	15	3	3	5	3	3	0	1	0	2	0	1	40
	(定点あたり)	(0.00)	(0.05)	(0.20)	(0.04)	(0.04)	(0.07)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.53)
	年齢構成比	0%	10%	38%	8%	8%	13%	8%	8%	0%	3%	0%	5%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	0	5	14	11	15	8	12	5	3	6	1	3	83
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.07)	(0.18)	(0.14)	(0.20)	(0.11)	(0.16)	(0.07)	(0.04)	(0.08)	(0.01)	(0.04)	(1.09)
	年齢構成比	0%	0%	0%	6%	17%	13%	18%	10%	14%	6%	4%	7%	1%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	2	3	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.01)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	14%	29%	43%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	1	1	0	0	1	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	14%	14%	14%	14%	14%	0%	0%	14%	0%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	2	6	2	2	5	1	2	2	0	7	32
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.08)	(0.03)	(0.03)	(0.07)	(0.01)	(0.03)	(0.03)	(0.00)	(0.09)	(0.42)
	年齢構成比	0%	0%	3%	6%	6%	19%	6%	6%	16%	3%	6%	6%	0%	22%	100%
感染性胃腸炎	報告数	0	12	20	6	12	9	2	6	10	0	3	8	3	14	105
	(定点あたり)	(0.00)	(0.16)	(0.26)	(0.08)	(0.16)	(0.12)	(0.03)	(0.08)	(0.13)	(0.00)	(0.04)	(0.11)	(0.04)	(0.18)	(1.38)
	年齢構成比	0%	11%	19%	6%	11%	9%	2%	6%	10%	0%	3%	8%	3%	13%	100%
水痘	報告数	0	0	4	0	0	1	1	1	1	1	0	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	40%	0%	0%	10%	10%	10%	10%	10%	0%	10%	0%	0%	100%
手足口病	報告数	0	4	9	7	5	0	2	0	4	1	0	1	0	0	33
	(定点あたり)	(0.00)	(0.05)	(0.12)	(0.09)	(0.07)	(0.00)	(0.03)	(0.00)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.43)
	年齢構成比	0%	12%	27%	21%	15%	0%	6%	0%	12%	3%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	7	8	2	1	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.01)	(0.09)	(0.11)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	5%	37%	42%	11%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	8	1	1	3	3	2	0	1	0	1	0	0	23
	(定点あたり)	(0.00)	(0.04)	(0.11)	(0.01)	(0.01)	(0.04)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	13%	35%	4%	4%	13%	13%	9%	0%	4%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	4	9	6	7	3	6	2	0	5	1	1	44
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.12)	(0.08)	(0.09)	(0.04)	(0.08)	(0.03)	(0.00)	(0.07)	(0.01)	(0.01)	(0.58)
	年齢構成比	0%	0%	0%	9%	20%	14%	16%	7%	14%	5%	0%	11%	2%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	1	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	1	1	1	1	3	0	0	1	1	0	4	14
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.05)	(0.18)
	年齢構成比	0%	7%	0%	7%	7%	7%	7%	21%	0%	0%	7%	7%	0%	29%	100%
感染性胃腸炎	報告数	0	6	16	7	4	10	4	2	7	3	3	5	4	20	91
	(定点あたり)	(0.00)	(0.08)	(0.21)	(0.09)	(0.05)	(0.13)	(0.05)	(0.03)	(0.09)	(0.04)	(0.04)	(0.07)	(0.05)	(0.26)	(1.20)
	年齢構成比	0%	7%	18%	8%	4%	11%	4%	2%	8%	3%	3%	5%	4%	22%	100%
水痘	報告数	0	0	0	1	0	3	1	1	1	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	0%	14%	0%	43%	14%	14%	14%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	12	5	3	3	1	0	1	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.01)	(0.16)	(0.07)	(0.04)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	4%	46%	19%	12%	12%	4%	0%	4%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	1	1	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	0%	25%	25%	0%	25%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	3	0	1	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.07)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	56%	33%	0%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	7	2	2	2	0	1	0	0	0	1	0	1	17
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.22)
	年齢構成比	0%	6%	41%	12%	12%	12%	0%	6%	0%	0%	0%	6%	0%	6%	100%
流行性耳下腺炎	報告数	0	0	0	1	5	5	8	5	6	3	3	1	0	2	39
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.07)	(0.11)	(0.07)	(0.08)	(0.04)	(0.04)	(0.01)	(0.00)	(0.03)	(0.51)
	年齢構成比	0%	0%	0%	3%	13%	13%	21%	13%	15%	8%	8%	3%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。