

## 2016年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	50%	0%	25%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	33%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	9	0	1	1	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.00)	(0.12)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	8%	0%	75%	0%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	2	1	1	3	0	2	0	1	0	2	19
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.03)	(0.01)	(0.01)	(0.04)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.25)
	年齢構成比	0%	0%	21%	16%	11%	5%	5%	16%	0%	11%	0%	5%	0%	11%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	4	2	6	10	2	3	2	4	1	7	45
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.05)	(0.03)	(0.08)	(0.13)	(0.03)	(0.04)	(0.03)	(0.05)	(0.01)	(0.09)	(0.59)
	年齢構成比	0%	0%	4%	4%	9%	4%	13%	22%	4%	7%	4%	9%	2%	16%	100%
感染性胃腸炎	報告数	3	24	33	27	31	19	15	11	9	12	7	29	14	33	267
	(定点あたり)	(0.04)	(0.32)	(0.43)	(0.36)	(0.41)	(0.25)	(0.20)	(0.14)	(0.12)	(0.16)	(0.09)	(0.38)	(0.18)	(0.43)	(3.51)
	年齢構成比	1%	9%	12%	10%	12%	7%	6%	4%	3%	4%	3%	11%	5%	12%	100%
水痘	報告数	1	0	4	5	3	1	3	0	0	1	0	1	0	0	19
	(定点あたり)	(0.01)	(0.00)	(0.05)	(0.07)	(0.04)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.25)
	年齢構成比	5%	0%	21%	26%	16%	5%	16%	0%	0%	5%	0%	5%	0%	0%	100%
手足口病	報告数	0	5	17	13	9	6	0	1	2	0	1	0	0	0	54
	(定点あたり)	(0.00)	(0.07)	(0.22)	(0.17)	(0.12)	(0.08)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.71)
	年齢構成比	0%	9%	31%	24%	17%	11%	0%	2%	4%	0%	2%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	1	0	0	0	0	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	33%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	11	8	2	0	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.01)	(0.14)	(0.11)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	5%	50%	36%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%
ヘルパンギーナ	報告数	0	7	6	3	6	1	0	0	1	3	0	1	0	0	28
	(定点あたり)	(0.00)	(0.09)	(0.08)	(0.04)	(0.08)	(0.01)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	25%	21%	11%	21%	4%	0%	0%	4%	11%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	5	5	14	11	10	10	15	8	5	8	0	1	92
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.07)	(0.18)	(0.14)	(0.13)	(0.13)	(0.20)	(0.11)	(0.07)	(0.11)	(0.00)	(0.01)	(1.21)
	年齢構成比	0%	0%	5%	5%	15%	12%	11%	11%	16%	9%	5%	9%	0%	1%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	0	0	6	0	1	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	86%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	1	0	1	2	0	2	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	22%	0%	11%	0%	11%	22%	0%	22%	0%	11%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	3	2	3	7	1	1	1	2	1	2	26
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.04)	(0.09)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.03)	(0.34)
	年齢構成比	0%	0%	4%	8%	12%	8%	12%	27%	4%	4%	4%	8%	4%	8%	100%
感染性胃腸炎	報告数	1	12	22	14	18	10	8	5	6	7	3	19	6	17	148
	(定点あたり)	(0.01)	(0.16)	(0.29)	(0.18)	(0.24)	(0.13)	(0.11)	(0.07)	(0.08)	(0.09)	(0.04)	(0.25)	(0.08)	(0.22)	(1.95)
	年齢構成比	1%	8%	15%	9%	12%	7%	5%	3%	4%	5%	2%	13%	4%	11%	100%
水痘	報告数	0	0	3	1	2	1	1	0	0	0	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	33%	11%	22%	11%	11%	0%	0%	0%	0%	11%	0%	0%	100%
手足口病	報告数	0	2	11	6	3	5	0	0	1	0	0	0	0	0	28
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.08)	(0.04)	(0.07)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	7%	39%	21%	11%	18%	0%	0%	4%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	6	6	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.08)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	7%	43%	43%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%
ヘルパンギーナ	報告数	0	2	5	1	3	1	0	0	1	2	0	1	0	0	16
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	13%	31%	6%	19%	6%	0%	0%	6%	13%	0%	6%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	8	5	5	8	8	7	4	4	0	0	51
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.11)	(0.07)	(0.07)	(0.11)	(0.11)	(0.09)	(0.05)	(0.05)	(0.00)	(0.00)	(0.67)
	年齢構成比	0%	0%	2%	2%	16%	10%	10%	16%	16%	14%	8%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	0	3	0	0	1	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	20%	0%	60%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	3	1	1	0	1	0	0	0	0	0	2	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.13)
	年齢構成比	0%	0%	20%	30%	10%	10%	0%	10%	0%	0%	0%	0%	0%	20%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	1	0	3	3	1	2	1	2	0	5	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.04)	(0.04)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.07)	(0.25)
	年齢構成比	0%	0%	5%	0%	5%	0%	16%	16%	5%	11%	5%	11%	0%	26%	100%
感染性胃腸炎	報告数	2	12	11	13	13	9	7	6	3	5	4	10	8	16	119
	(定点あたり)	(0.03)	(0.16)	(0.14)	(0.17)	(0.17)	(0.12)	(0.09)	(0.08)	(0.04)	(0.07)	(0.05)	(0.13)	(0.11)	(0.21)	(1.57)
	年齢構成比	2%	10%	9%	11%	11%	8%	6%	5%	3%	4%	3%	8%	7%	13%	100%
水痘	報告数	1	0	1	4	1	0	2	0	0	1	0	0	0	0	10
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.05)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	10%	0%	10%	40%	10%	0%	20%	0%	0%	10%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	6	7	6	1	0	1	1	0	1	0	0	0	26
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.09)	(0.08)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	12%	23%	27%	23%	4%	0%	4%	4%	0%	4%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	2	1	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	63%	25%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	1	2	3	0	0	0	0	1	0	0	0	0	12
	(定点あたり)	(0.00)	(0.07)	(0.01)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	42%	8%	17%	25%	0%	0%	0%	0%	8%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	4	4	6	6	5	2	7	1	1	4	0	1	41
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.05)	(0.08)	(0.08)	(0.07)	(0.03)	(0.09)	(0.01)	(0.01)	(0.05)	(0.00)	(0.01)	(0.54)
	年齢構成比	0%	0%	10%	10%	15%	15%	12%	5%	17%	2%	2%	10%	0%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。