

## 2016年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	33%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	6	22	7	0	1	0	0	0	0	0	0	0	0	38
	(定点あたり)	(0.03)	(0.08)	(0.29)	(0.09)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比	5%	16%	58%	18%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	8	6	4	10	6	1	2	1	0	2	0	1	44
	(定点あたり)	(0.00)	(0.04)	(0.11)	(0.08)	(0.05)	(0.13)	(0.08)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.58)
	年齢構成比	0%	7%	18%	14%	9%	23%	14%	2%	5%	2%	0%	5%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	4	6	14	2	4	1	2	3	1	3	9	51
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.08)	(0.18)	(0.03)	(0.05)	(0.01)	(0.03)	(0.04)	(0.01)	(0.04)	(0.12)	(0.67)
	年齢構成比	0%	0%	4%	8%	12%	27%	4%	8%	2%	4%	6%	2%	6%	18%	100%
感染性胃腸炎	報告数	4	24	47	30	21	25	21	23	9	17	5	30	13	46	315
	(定点あたり)	(0.05)	(0.32)	(0.62)	(0.39)	(0.28)	(0.33)	(0.28)	(0.30)	(0.12)	(0.22)	(0.07)	(0.39)	(0.17)	(0.61)	(4.14)
	年齢構成比	1%	8%	15%	10%	7%	8%	7%	7%	3%	5%	2%	10%	4%	15%	100%
水痘	報告数	0	0	4	1	3	3	4	1	0	1	4	0	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.04)	(0.04)	(0.05)	(0.01)	(0.00)	(0.01)	(0.05)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	19%	5%	14%	14%	19%	5%	0%	5%	19%	0%	0%	0%	100%
手足口病	報告数	0	7	24	17	13	3	2	0	1	1	1	1	0	2	72
	(定点あたり)	(0.00)	(0.09)	(0.32)	(0.22)	(0.17)	(0.04)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.95)
	年齢構成比	0%	10%	33%	24%	18%	4%	3%	0%	1%	1%	1%	1%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	9	17	4	1	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.01)	(0.12)	(0.22)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比	3%	28%	53%	13%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	5	12	7	4	2	1	0	0	2	1	1	0	0	35
	(定点あたり)	(0.00)	(0.07)	(0.16)	(0.09)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.46)
	年齢構成比	0%	14%	34%	20%	11%	6%	3%	0%	0%	6%	3%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	4	5	17	9	10	8	4	5	7	1	3	75
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.07)	(0.22)	(0.12)	(0.13)	(0.11)	(0.05)	(0.07)	(0.09)	(0.01)	(0.04)	(0.99)
	年齢構成比	0%	0%	3%	5%	7%	23%	12%	13%	11%	5%	7%	9%	1%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	3	12	7	0	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.04)	(0.16)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	14%	55%	32%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	6	4	3	4	5	0	0	0	0	0	0	1	25
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.05)	(0.04)	(0.05)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.33)
	年齢構成比	0%	8%	24%	16%	12%	16%	20%	0%	0%	0%	0%	0%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	0	5	4	0	2	1	2	1	1	1	4	23
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.07)	(0.05)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.05)	(0.30)
	年齢構成比	0%	0%	9%	0%	22%	17%	0%	9%	4%	9%	4%	4%	4%	17%	100%
感染性胃腸炎	報告数	4	12	36	21	11	11	16	11	5	13	3	20	7	23	193
	(定点あたり)	(0.05)	(0.16)	(0.47)	(0.28)	(0.14)	(0.14)	(0.21)	(0.14)	(0.07)	(0.17)	(0.04)	(0.26)	(0.09)	(0.30)	(2.54)
	年齢構成比	2%	6%	19%	11%	6%	6%	8%	6%	3%	7%	2%	10%	4%	12%	100%
水痘	報告数	0	0	1	1	2	2	3	0	0	1	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	10%	10%	20%	20%	30%	0%	0%	10%	0%	0%	0%	0%	100%
手足口病	報告数	0	4	13	9	9	1	2	0	0	1	1	0	0	0	40
	(定点あたり)	(0.00)	(0.05)	(0.17)	(0.12)	(0.12)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比	0%	10%	33%	23%	23%	3%	5%	0%	0%	3%	3%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	6	8	4	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.01)	(0.08)	(0.11)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	5%	32%	42%	21%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	2	9	4	2	1	1	0	0	1	1	1	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.05)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	9%	41%	18%	9%	5%	5%	0%	0%	5%	5%	5%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	3	12	5	6	3	2	1	4	0	3	42
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.16)	(0.07)	(0.08)	(0.04)	(0.03)	(0.01)	(0.05)	(0.00)	(0.04)	(0.55)
	年齢構成比	0%	0%	2%	5%	7%	29%	12%	14%	7%	5%	2%	10%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	3	10	0	0	1	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.03)	(0.04)	(0.13)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	13%	19%	63%	0%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	2	1	6	1	1	2	1	0	2	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.08)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	5%	11%	11%	5%	32%	5%	5%	11%	5%	0%	11%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	4	1	10	2	2	0	0	2	0	2	5	28
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.01)	(0.13)	(0.03)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.07)	(0.37)
	年齢構成比	0%	0%	0%	14%	4%	36%	7%	7%	0%	0%	7%	0%	7%	18%	100%
感染性胃腸炎	報告数	0	12	11	9	10	14	5	12	4	4	2	10	6	23	122
	(定点あたり)	(0.00)	(0.16)	(0.14)	(0.12)	(0.13)	(0.18)	(0.07)	(0.16)	(0.05)	(0.05)	(0.03)	(0.13)	(0.08)	(0.30)	(1.61)
	年齢構成比	0%	10%	9%	7%	8%	11%	4%	10%	3%	3%	2%	8%	5%	19%	100%
水痘	報告数	0	0	3	0	1	1	1	1	0	0	4	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	27%	0%	9%	9%	9%	9%	0%	0%	36%	0%	0%	0%	100%
手足口病	報告数	0	3	11	8	4	2	0	0	1	0	0	1	0	2	32
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.11)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.42)
	年齢構成比	0%	9%	34%	25%	13%	6%	0%	0%	3%	0%	0%	3%	0%	6%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	9	0	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	23%	69%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	3	3	2	1	0	0	0	1	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	23%	23%	23%	15%	8%	0%	0%	0%	8%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	2	5	4	4	5	2	4	3	1	0	33
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.07)	(0.05)	(0.05)	(0.07)	(0.03)	(0.05)	(0.04)	(0.01)	(0.00)	(0.43)
	年齢構成比	0%	0%	3%	6%	6%	15%	12%	12%	15%	6%	12%	9%	3%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。