

2016年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)	
	年齢構成比	0%	0%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計	
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	6	9	19	9	1	0	1	0	0	0	0	0	0	0	45
	(定点あたり)	(0.08)	(0.12)	(0.25)	(0.12)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.60)
	年齢構成比	13%	20%	42%	20%	2%	0%	2%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	10	6	3	5	8	2	0	1	0	1	0	0	39
	(定点あたり)	(0.00)	(0.04)	(0.13)	(0.08)	(0.04)	(0.07)	(0.11)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.52)
	年齢構成比	0%	8%	26%	15%	8%	13%	21%	5%	0%	3%	0%	3%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	1	8	4	8	7	7	3	3	4	2	2	54
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.01)	(0.11)	(0.05)	(0.11)	(0.09)	(0.09)	(0.04)	(0.04)	(0.05)	(0.03)	(0.03)	(0.72)
	年齢構成比	0%	0%	9%	2%	15%	7%	15%	13%	13%	6%	6%	7%	4%	4%	100%
感染性胃腸炎	報告数	2	8	37	32	14	15	21	18	7	5	3	30	10	38	240
	(定点あたり)	(0.03)	(0.11)	(0.49)	(0.43)	(0.19)	(0.20)	(0.28)	(0.24)	(0.09)	(0.07)	(0.04)	(0.40)	(0.13)	(0.51)	(3.20)
	年齢構成比	1%	3%	15%	13%	6%	6%	9%	8%	3%	2%	1%	13%	4%	16%	100%
水痘	報告数	0	0	0	2	2	1	3	1	1	1	2	1	0	1	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.20)
	年齢構成比	0%	0%	0%	13%	13%	7%	20%	7%	7%	7%	13%	7%	0%	7%	100%
手足口病	報告数	0	5	31	28	16	9	3	5	4	0	0	2	0	2	105
	(定点あたり)	(0.00)	(0.07)	(0.41)	(0.37)	(0.21)	(0.12)	(0.04)	(0.07)	(0.05)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(1.40)
	年齢構成比	0%	5%	30%	27%	15%	9%	3%	5%	4%	0%	0%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	1	1	1	0	1	1	0	0	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)
	年齢構成比	0%	0%	0%	0%	17%	17%	17%	0%	17%	17%	0%	0%	0%	17%	100%
突発性発しん	報告数	0	9	20	0	2	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.12)	(0.27)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	29%	65%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	1	7	10	4	4	1	1	1	1	0	1	0	0	0	31
	(定点あたり)	(0.01)	(0.09)	(0.13)	(0.05)	(0.05)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	3%	23%	32%	13%	13%	3%	3%	3%	3%	0%	3%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	7	8	9	16	16	5	5	4	7	0	2	80
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.09)	(0.11)	(0.12)	(0.21)	(0.21)	(0.07)	(0.07)	(0.05)	(0.09)	(0.00)	(0.03)	(1.07)
	年齢構成比	0%	0%	1%	9%	10%	11%	20%	20%	6%	6%	5%	9%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	6	12	3	0	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.03)	(0.08)	(0.16)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比	9%	26%	52%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	5	4	1	3	3	1	0	1	0	1	0	0	22
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.05)	(0.01)	(0.04)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	14%	23%	18%	5%	14%	14%	5%	0%	5%	0%	5%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	1	4	1	3	6	3	3	2	1	2	1	31
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.05)	(0.01)	(0.04)	(0.08)	(0.04)	(0.04)	(0.03)	(0.01)	(0.03)	(0.01)	(0.41)
	年齢構成比	0%	0%	13%	3%	13%	3%	10%	19%	10%	10%	6%	3%	6%	3%	100%
感染性胃腸炎	報告数	0	2	18	17	9	5	14	2	6	4	2	20	6	19	124
	(定点あたり)	(0.00)	(0.03)	(0.24)	(0.23)	(0.12)	(0.07)	(0.19)	(0.03)	(0.08)	(0.05)	(0.03)	(0.27)	(0.08)	(0.25)	(1.65)
	年齢構成比	0%	2%	15%	14%	7%	4%	11%	2%	5%	3%	2%	16%	5%	15%	100%
水痘	報告数	0	0	0	2	2	0	1	0	0	0	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	33%	33%	0%	17%	0%	0%	0%	17%	0%	0%	0%	100%
手足口病	報告数	0	3	14	14	9	6	2	3	2	0	0	1	0	1	55
	(定点あたり)	(0.00)	(0.04)	(0.19)	(0.19)	(0.12)	(0.08)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.73)
	年齢構成比	0%	5%	25%	25%	16%	11%	4%	5%	4%	0%	0%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	1	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	33%	33%	0%	0%	33%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	7	0	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.07)	(0.09)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	38%	54%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	6	5	2	3	0	0	1	1	0	1	0	0	0	20
	(定点あたり)	(0.01)	(0.08)	(0.07)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	5%	30%	25%	10%	15%	0%	0%	5%	5%	0%	5%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	4	5	7	8	10	2	4	2	2	0	1	45
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.07)	(0.09)	(0.11)	(0.13)	(0.03)	(0.05)	(0.03)	(0.03)	(0.00)	(0.01)	(0.60)
	年齢構成比	0%	0%	0%	9%	11%	16%	18%	22%	4%	9%	4%	4%	0%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	4	3	7	6	1	0	1	0	0	0	0	0	0	0	22
	(定点あたり)	(0.05)	(0.04)	(0.09)	(0.08)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	18%	14%	32%	27%	5%	0%	5%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	2	2	2	5	1	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.03)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	0%	29%	12%	12%	12%	29%	6%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	4	3	5	1	4	0	1	3	0	1	23
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.04)	(0.07)	(0.01)	(0.05)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.31)
	年齢構成比	0%	0%	4%	0%	17%	13%	22%	4%	17%	0%	4%	13%	0%	4%	100%
感染性胃腸炎	報告数	2	6	19	15	5	10	7	16	1	1	1	10	4	19	116
	(定点あたり)	(0.03)	(0.08)	(0.25)	(0.20)	(0.07)	(0.13)	(0.09)	(0.21)	(0.01)	(0.01)	(0.01)	(0.13)	(0.05)	(0.25)	(1.55)
	年齢構成比	2%	5%	16%	13%	4%	9%	6%	14%	1%	1%	1%	9%	3%	16%	100%
水痘	報告数	0	0	0	0	0	1	2	1	1	1	1	1	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	11%	22%	11%	11%	11%	11%	11%	0%	11%	100%
手足口病	報告数	0	2	17	14	7	3	1	2	2	0	0	1	0	1	50
	(定点あたり)	(0.00)	(0.03)	(0.23)	(0.19)	(0.09)	(0.04)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.67)
	年齢構成比	0%	4%	34%	28%	14%	6%	2%	4%	4%	0%	0%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	1	0	0	0	0	1	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	0%	33%	100%
突発性発しん	報告数	0	4	13	0	1	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.05)	(0.17)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	22%	72%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	5	2	1	1	1	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	9%	45%	18%	9%	9%	9%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	3	2	8	6	3	1	2	5	0	1	35
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.03)	(0.11)	(0.08)	(0.04)	(0.01)	(0.03)	(0.07)	(0.00)	(0.01)	(0.47)
	年齢構成比	0%	0%	3%	9%	9%	6%	23%	17%	9%	3%	6%	14%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。