

## 2016年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	1	0	0	1	1	0	0	1	2	0	2	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比	0%	0%	0%	11%	0%	0%	11%	0%	0%	11%	11%	0%	0%	11%	22%	0%	22%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	50%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	1	0	0	1	0	0	0	1	2	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	0%	0%	14%	0%	0%	14%	0%	0%	14%	0%	0%	0%	14%	29%	0%	14%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	7	17	23	7	1	1	0	0	0	0	0	0	0	0	56
	(定点あたり)	(0.09)	(0.23)	(0.31)	(0.09)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.75)
	年齢構成比	13%	30%	41%	13%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	6	6	5	7	1	2	0	0	0	0	0	2	32
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.08)	(0.07)	(0.09)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.43)
	年齢構成比	0%	9%	19%	19%	16%	22%	3%	6%	0%	0%	0%	0%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	7	9	6	4	3	3	3	10	1	5	54
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.09)	(0.12)	(0.08)	(0.05)	(0.04)	(0.04)	(0.04)	(0.13)	(0.01)	(0.07)	(0.72)
	年齢構成比	0%	0%	2%	4%	13%	17%	11%	7%	6%	6%	6%	19%	2%	9%	100%
感染性胃腸炎	報告数	2	20	26	23	13	14	16	11	8	8	8	22	7	26	204
	(定点あたり)	(0.03)	(0.27)	(0.35)	(0.31)	(0.17)	(0.19)	(0.21)	(0.15)	(0.11)	(0.11)	(0.11)	(0.29)	(0.09)	(0.35)	(2.72)
	年齢構成比	1%	10%	13%	11%	6%	7%	8%	5%	4%	4%	4%	11%	3%	13%	100%
水痘	報告数	0	0	1	1	7	0	4	3	2	1	1	0	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.09)	(0.00)	(0.05)	(0.04)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	0%	5%	5%	35%	0%	20%	15%	10%	5%	5%	0%	0%	0%	100%
手足口病	報告数	1	3	31	15	6	6	4	1	0	0	3	1	0	1	72
	(定点あたり)	(0.01)	(0.04)	(0.41)	(0.20)	(0.08)	(0.08)	(0.05)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.01)	(0.96)
	年齢構成比	1%	4%	43%	21%	8%	8%	6%	1%	0%	0%	4%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	1	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	10	0	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.08)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	38%	63%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	9	3	3	1	1	0	1	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.12)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	5%	47%	16%	16%	5%	5%	0%	5%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	4	4	11	11	10	8	9	3	6	1	2	70
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.05)	(0.15)	(0.15)	(0.13)	(0.11)	(0.12)	(0.04)	(0.08)	(0.01)	(0.03)	(0.93)
	年齢構成比	0%	0%	1%	6%	6%	16%	16%	14%	11%	13%	4%	9%	1%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	4	9	10	1	0	1	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.05)	(0.12)	(0.13)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	16%	36%	40%	4%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	4	2	2	6	0	2	0	0	0	0	0	1	20
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.03)	(0.03)	(0.08)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.27)
	年齢構成比	0%	15%	20%	10%	10%	30%	0%	10%	0%	0%	0%	0%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	4	5	2	2	0	2	3	8	1	2	29
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(0.07)	(0.03)	(0.03)	(0.00)	(0.03)	(0.04)	(0.11)	(0.01)	(0.03)	(0.39)
	年齢構成比	0%	0%	0%	0%	14%	17%	7%	7%	0%	7%	10%	28%	3%	7%	100%
感染性胃腸炎	報告数	1	8	13	16	5	10	7	6	5	3	3	13	3	13	106
	(定点あたり)	(0.01)	(0.11)	(0.17)	(0.21)	(0.07)	(0.13)	(0.09)	(0.08)	(0.07)	(0.04)	(0.04)	(0.17)	(0.04)	(0.17)	(1.41)
	年齢構成比	1%	8%	12%	15%	5%	9%	7%	6%	5%	3%	3%	12%	3%	12%	100%
水痘	報告数	0	0	1	0	7	0	1	2	1	0	1	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	8%	0%	54%	0%	8%	15%	8%	0%	8%	0%	0%	0%	100%
手足口病	報告数	0	1	20	7	2	2	2	1	0	0	3	0	0	1	39
	(定点あたり)	(0.00)	(0.01)	(0.27)	(0.09)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.52)
	年齢構成比	0%	3%	51%	18%	5%	5%	5%	3%	0%	0%	8%	0%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	4	5	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.05)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	44%	56%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	5	2	0	0	0	0	1	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	63%	25%	0%	0%	0%	0%	13%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	4	0	8	10	6	3	5	2	3	1	1	43
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.00)	(0.11)	(0.13)	(0.08)	(0.04)	(0.07)	(0.03)	(0.04)	(0.01)	(0.01)	(0.57)
	年齢構成比	0%	0%	0%	9%	0%	19%	23%	14%	7%	12%	5%	7%	2%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	3	8	13	6	1	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.04)	(0.11)	(0.17)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	10%	26%	42%	19%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	4	3	1	1	0	0	0	0	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	17%	33%	25%	8%	8%	0%	0%	0%	0%	0%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	3	4	4	2	3	1	0	2	0	3	25
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.05)	(0.05)	(0.03)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.04)	(0.33)
	年齢構成比	0%	0%	4%	8%	12%	16%	16%	8%	12%	4%	0%	8%	0%	12%	100%
感染性胃腸炎	報告数	1	12	13	7	8	4	9	5	3	5	5	9	4	13	98
	(定点あたり)	(0.01)	(0.16)	(0.17)	(0.09)	(0.11)	(0.05)	(0.12)	(0.07)	(0.04)	(0.07)	(0.07)	(0.12)	(0.05)	(0.17)	(1.31)
	年齢構成比	1%	12%	13%	7%	8%	4%	9%	5%	3%	5%	5%	9%	4%	13%	100%
水痘	報告数	0	0	0	1	0	0	3	1	1	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	0%	14%	0%	0%	43%	14%	14%	14%	0%	0%	0%	0%	100%
手足口病	報告数	1	2	11	8	4	4	2	0	0	0	0	1	0	0	33
	(定点あたり)	(0.01)	(0.03)	(0.15)	(0.11)	(0.05)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.44)
	年齢構成比	3%	6%	33%	24%	12%	12%	6%	0%	0%	0%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	2	5	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	29%	71%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	4	1	3	1	1	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	9%	36%	9%	27%	9%	9%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	4	3	1	4	5	4	1	3	0	1	27
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.04)	(0.01)	(0.05)	(0.07)	(0.05)	(0.01)	(0.04)	(0.00)	(0.01)	(0.36)
	年齢構成比	0%	0%	4%	0%	15%	11%	4%	15%	19%	15%	4%	11%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。