

2016年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	0	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.18)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.35)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	50%	0%	17%	0%	17%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	0%	25%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	12	20	38	16	6	2	1	0	0	0	0	0	0	0	95
	(定点あたり)	(0.16)	(0.26)	(0.50)	(0.21)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.25)
	年齢構成比	13%	21%	40%	17%	6%	2%	1%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	3	10	2	2	7	4	3	2	0	3	4	0	0	41
	(定点あたり)	(0.01)	(0.04)	(0.13)	(0.03)	(0.03)	(0.09)	(0.05)	(0.04)	(0.03)	(0.00)	(0.04)	(0.05)	(0.00)	(0.00)	(0.54)
	年齢構成比	2%	7%	24%	5%	5%	17%	10%	7%	5%	0%	7%	10%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	9	4	9	9	7	3	5	7	5	6	3	8	75
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.05)	(0.12)	(0.12)	(0.09)	(0.04)	(0.07)	(0.09)	(0.07)	(0.08)	(0.04)	(0.11)	(0.99)
	年齢構成比	0%	0%	12%	5%	12%	12%	9%	4%	7%	9%	7%	8%	4%	11%	100%
感染性胃腸炎	報告数	2	17	50	28	26	20	20	9	7	12	4	24	7	35	261
	(定点あたり)	(0.03)	(0.22)	(0.66)	(0.37)	(0.34)	(0.26)	(0.26)	(0.12)	(0.09)	(0.16)	(0.05)	(0.32)	(0.09)	(0.46)	(3.43)
	年齢構成比	1%	7%	19%	11%	10%	8%	8%	3%	3%	5%	2%	9%	3%	13%	100%
水痘	報告数	1	1	5	0	2	3	2	2	2	0	1	3	0	1	23
	(定点あたり)	(0.01)	(0.01)	(0.07)	(0.00)	(0.03)	(0.04)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.30)
	年齢構成比	4%	4%	22%	0%	9%	13%	9%	9%	9%	0%	4%	13%	0%	4%	100%
手足口病	報告数	0	8	18	20	11	5	5	1	2	1	0	0	0	0	71
	(定点あたり)	(0.00)	(0.11)	(0.24)	(0.26)	(0.14)	(0.07)	(0.07)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.93)
	年齢構成比	0%	11%	25%	28%	15%	7%	7%	1%	3%	1%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	9	3	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.09)	(0.12)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	37%	47%	16%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	8	7	8	5	3	1	0	0	0	0	0	0	2	34
	(定点あたり)	(0.00)	(0.11)	(0.09)	(0.11)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.45)
	年齢構成比	0%	24%	21%	24%	15%	9%	3%	0%	0%	0%	0%	0%	0%	6%	100%
流行性耳下腺炎	報告数	0	1	1	5	7	13	13	13	6	5	7	11	1	3	86
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.07)	(0.09)	(0.17)	(0.17)	(0.17)	(0.08)	(0.07)	(0.09)	(0.14)	(0.01)	(0.04)	(1.13)
	年齢構成比	0%	1%	1%	6%	8%	15%	15%	15%	7%	6%	8%	13%	1%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	4	11	20	8	3	0	1	0	0	0	0	0	0	0	47
	(定点あたり)	(0.05)	(0.14)	(0.26)	(0.11)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.62)
	年齢構成比	9%	23%	43%	17%	6%	0%	2%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	9	2	2	5	3	2	1	0	1	2	0	0	30
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.03)	(0.03)	(0.07)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	10%	30%	7%	7%	17%	10%	7%	3%	0%	3%	7%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	6	2	5	5	5	2	3	3	2	4	1	5	43
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.03)	(0.07)	(0.07)	(0.07)	(0.03)	(0.04)	(0.04)	(0.03)	(0.05)	(0.01)	(0.07)	(0.57)
	年齢構成比	0%	0%	14%	5%	12%	12%	12%	5%	7%	7%	5%	9%	2%	12%	100%
感染性胃腸炎	報告数	1	10	32	16	12	10	9	5	2	9	1	15	3	20	145
	(定点あたり)	(0.01)	(0.13)	(0.42)	(0.21)	(0.16)	(0.13)	(0.12)	(0.07)	(0.03)	(0.12)	(0.01)	(0.20)	(0.04)	(0.26)	(1.91)
	年齢構成比	1%	7%	22%	11%	8%	7%	6%	3%	1%	6%	1%	10%	2%	14%	100%
水痘	報告数	0	1	3	0	1	1	2	0	0	0	0	3	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	9%	27%	0%	9%	9%	18%	0%	0%	0%	0%	27%	0%	0%	100%
手足口病	報告数	0	4	6	11	4	1	4	0	0	1	0	0	0	0	31
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.14)	(0.05)	(0.01)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	13%	19%	35%	13%	3%	13%	0%	0%	3%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	5	3	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.07)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	38%	38%	23%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	4	7	2	0	1	0	0	0	0	0	0	1	18
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.09)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.24)
	年齢構成比	0%	17%	22%	39%	11%	0%	6%	0%	0%	0%	0%	0%	0%	6%	100%
流行性耳下腺炎	報告数	0	0	0	2	3	9	6	9	3	2	5	6	1	0	46
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.12)	(0.08)	(0.12)	(0.04)	(0.03)	(0.07)	(0.08)	(0.01)	(0.00)	(0.61)
	年齢構成比	0%	0%	0%	4%	7%	20%	13%	20%	7%	4%	11%	13%	2%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計	
		5ヶ月	11ヶ月										14歳	19歳	以上		
RSウイルス感染症	報告数	8	9	18	8	3	2	0	0	0	0	0	0	0	0	0	48
	(定点あたり)	(0.11)	(0.12)	(0.24)	(0.11)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.63)
	年齢構成比	17%	19%	38%	17%	6%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	1	0	0	2	1	1	1	0	2	2	0	0	0	11
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	9%	0%	9%	0%	0%	18%	9%	9%	9%	0%	18%	18%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	2	4	4	2	1	2	4	3	2	2	3	3	32
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.05)	(0.05)	(0.03)	(0.01)	(0.03)	(0.05)	(0.04)	(0.03)	(0.03)	(0.04)	(0.04)	(0.42)
	年齢構成比	0%	0%	9%	6%	13%	13%	6%	3%	6%	13%	9%	6%	6%	9%	9%	100%
感染性胃腸炎	報告数	1	7	18	12	14	10	11	4	5	3	3	9	4	15	116	
	(定点あたり)	(0.01)	(0.09)	(0.24)	(0.16)	(0.18)	(0.13)	(0.14)	(0.05)	(0.07)	(0.04)	(0.04)	(0.12)	(0.05)	(0.20)	(1.53)	
	年齢構成比	1%	6%	16%	10%	12%	9%	9%	3%	4%	3%	3%	8%	3%	13%	100%	
水痘	報告数	1	0	2	0	1	2	0	2	2	0	1	0	0	1	12	
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.16)	
	年齢構成比	8%	0%	17%	0%	8%	17%	0%	17%	17%	0%	8%	0%	0%	8%	100%	
手足口病	報告数	0	4	12	9	7	4	1	1	2	0	0	0	0	0	40	
	(定点あたり)	(0.00)	(0.05)	(0.16)	(0.12)	(0.09)	(0.05)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)	
	年齢構成比	0%	10%	30%	23%	18%	10%	3%	3%	5%	0%	0%	0%	0%	0%	100%	
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
突発性発しん	報告数	0	2	4	0	0	0	0	0	0	0	0	0	0	0	6	
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)	
	年齢構成比	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ヘルパンギーナ	報告数	0	5	3	1	3	3	0	0	0	0	0	0	0	1	16	
	(定点あたり)	(0.00)	(0.07)	(0.04)	(0.01)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.21)	
	年齢構成比	0%	31%	19%	6%	19%	19%	0%	0%	0%	0%	0%	0%	0%	6%	100%	
流行性耳下腺炎	報告数	0	1	1	3	4	4	7	4	3	3	2	5	0	3	40	
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.05)	(0.05)	(0.09)	(0.05)	(0.04)	(0.04)	(0.03)	(0.07)	(0.00)	(0.04)	(0.53)	
	年齢構成比	0%	3%	3%	8%	10%	10%	18%	10%	8%	8%	5%	13%	0%	8%	100%	

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。