

2016年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	1	0	0	0	0	1	3	1	3	1	1	0	1	1	14
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.01)	(0.02)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	7%	7%	0%	0%	0%	0%	7%	21%	7%	21%	7%	7%	0%	7%	7%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	50%	17%	17%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	1	1	1	2	0	0	0	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	14%	0%	0%	0%	0%	14%	14%	14%	29%	0%	0%	0%	0%	14%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	20%	20%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	2	0	1	1	1	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	14%	0%	0%	0%	0%	0%	0%	29%	0%	14%	14%	14%	0%	14%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	12	18	31	11	5	0	0	0	2	0	0	0	0	0	79
	(定点あたり)	(0.16)	(0.24)	(0.42)	(0.15)	(0.07)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.07)
	年齢構成比	15%	23%	39%	14%	6%	0%	0%	0%	3%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	4	6	1	5	2	3	0	0	1	0	0	0	24
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.08)	(0.01)	(0.07)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	8%	17%	25%	4%	21%	8%	13%	0%	0%	4%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	3	0	11	8	13	9	7	11	3	8	1	13	89
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.00)	(0.15)	(0.11)	(0.18)	(0.12)	(0.09)	(0.15)	(0.04)	(0.11)	(0.01)	(0.18)	(1.20)
	年齢構成比	0%	2%	3%	0%	12%	9%	15%	10%	8%	12%	3%	9%	1%	15%	100%
感染性胃腸炎	報告数	3	11	47	30	21	43	18	12	19	7	14	22	9	38	294
	(定点あたり)	(0.04)	(0.15)	(0.64)	(0.41)	(0.28)	(0.58)	(0.24)	(0.16)	(0.26)	(0.09)	(0.19)	(0.30)	(0.12)	(0.51)	(3.97)
	年齢構成比	1%	4%	16%	10%	7%	15%	6%	4%	6%	2%	5%	7%	3%	13%	100%
水痘	報告数	0	3	2	0	3	0	4	0	0	1	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	23%	15%	0%	23%	0%	31%	0%	0%	8%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	16	3	5	9	5	0	1	2	0	1	0	0	44
	(定点あたり)	(0.00)	(0.03)	(0.22)	(0.04)	(0.07)	(0.12)	(0.07)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.59)
	年齢構成比	0%	5%	36%	7%	11%	20%	11%	0%	2%	5%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	7	5	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.09)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	7%	50%	36%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	4	2	0	0	0	1	0	0	0	1	1	0	10
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.14)
	年齢構成比	0%	10%	40%	20%	0%	0%	0%	10%	0%	0%	0%	10%	10%	0%	100%
流行性耳下腺炎	報告数	0	0	3	2	14	12	12	10	6	5	8	14	0	4	90
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.19)	(0.16)	(0.16)	(0.14)	(0.08)	(0.07)	(0.11)	(0.19)	(0.00)	(0.05)	(1.22)
	年齢構成比	0%	0%	3%	2%	16%	13%	13%	11%	7%	6%	9%	16%	0%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	5	13	18	6	2	0	0	0	1	0	0	0	0	0	45
	(定点あたり)	(0.07)	(0.18)	(0.24)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.61)
	年齢構成比	11%	29%	40%	13%	4%	0%	0%	0%	2%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	4	1	1	2	2	0	0	1	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.05)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	7%	14%	29%	7%	7%	14%	14%	0%	0%	7%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	0	5	6	9	5	3	8	1	4	1	5	51
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.07)	(0.08)	(0.12)	(0.07)	(0.04)	(0.11)	(0.01)	(0.05)	(0.01)	(0.07)	(0.69)
	年齢構成比	0%	4%	4%	0%	10%	12%	18%	10%	6%	16%	2%	8%	2%	10%	100%
感染性胃腸炎	報告数	2	7	28	17	12	24	12	7	13	5	9	12	5	15	168
	(定点あたり)	(0.03)	(0.09)	(0.38)	(0.23)	(0.16)	(0.32)	(0.16)	(0.09)	(0.18)	(0.07)	(0.12)	(0.16)	(0.07)	(0.20)	(2.27)
	年齢構成比	1%	4%	17%	10%	7%	14%	7%	4%	8%	3%	5%	7%	3%	9%	100%
水痘	報告数	0	1	2	0	1	0	3	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	14%	29%	0%	14%	0%	43%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	12	1	3	3	3	0	1	0	0	1	0	0	25
	(定点あたり)	(0.00)	(0.01)	(0.16)	(0.01)	(0.04)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	4%	48%	4%	12%	12%	12%	0%	4%	0%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	2	0	0	0	1	0	0	0	1	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.09)
	年齢構成比	0%	0%	29%	29%	0%	0%	0%	14%	0%	0%	0%	14%	14%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	7	6	6	7	4	3	4	8	0	1	48
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.09)	(0.08)	(0.08)	(0.09)	(0.05)	(0.04)	(0.05)	(0.11)	(0.00)	(0.01)	(0.65)
	年齢構成比	0%	0%	2%	2%	15%	13%	13%	15%	8%	6%	8%	17%	0%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	7	5	13	5	3	0	0	0	1	0	0	0	0	0	34
	(定点あたり)	(0.09)	(0.07)	(0.18)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比	21%	15%	38%	15%	9%	0%	0%	0%	3%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	2	0	4	0	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.00)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	10%	20%	20%	0%	40%	0%	10%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	6	2	4	4	4	3	2	4	0	8	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.08)	(0.03)	(0.05)	(0.05)	(0.05)	(0.04)	(0.03)	(0.05)	(0.00)	(0.11)	(0.51)
	年齢構成比	0%	0%	3%	0%	16%	5%	11%	11%	11%	8%	5%	11%	0%	21%	100%
感染性胃腸炎	報告数	1	4	19	13	9	19	6	5	6	2	5	10	4	23	126
	(定点あたり)	(0.01)	(0.05)	(0.26)	(0.18)	(0.12)	(0.26)	(0.08)	(0.07)	(0.08)	(0.03)	(0.07)	(0.14)	(0.05)	(0.31)	(1.70)
	年齢構成比	1%	3%	15%	10%	7%	15%	5%	4%	5%	2%	4%	8%	3%	18%	100%
水痘	報告数	0	2	0	0	2	0	1	0	0	1	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	33%	0%	0%	33%	0%	17%	0%	0%	17%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	4	2	2	6	2	0	0	2	0	0	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.03)	(0.03)	(0.08)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	5%	21%	11%	11%	32%	11%	0%	0%	11%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	6	3	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.01)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	9%	55%	27%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	1	7	6	6	3	2	2	4	6	0	3	42
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.09)	(0.08)	(0.08)	(0.04)	(0.03)	(0.03)	(0.05)	(0.08)	(0.00)	(0.04)	(0.57)
	年齢構成比	0%	0%	5%	2%	17%	14%	14%	7%	5%	5%	10%	14%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。