

2016年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	2	0	0	0	0	0	2	4	4	2	4	0	4	0	1	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.03)	(0.03)	(0.02)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.18)
	年齢構成比	0%	0%	0%	0%	0%	9%	0%	0%	0%	0%	0%	9%	17%	17%	9%	17%	0%	17%	0%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	33%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	2	1	3	1	2	0	2	0	1	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.02)	(0.01)	(0.02)	(0.00)	(0.02)	(0.00)	(0.01)	(0.10)
	年齢構成比	0%	0%	0%	0%	0%	8%	0%	0%	0%	0%	0%	15%	8%	23%	8%	15%	0%	15%	0%	8%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	3	1	1	2	0	2	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.02)	(0.00)	(0.02)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	0%	0%	10%	0%	0%	0%	0%	0%	0%	30%	10%	10%	20%	0%	20%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	13	20	36	12	5	0	0	0	0	0	0	0	0	0	86
	(定点あたり)	(0.17)	(0.26)	(0.47)	(0.16)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.13)
	年齢構成比	15%	23%	42%	14%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	6	2	2	3	1	3	0	1	0	3	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.03)	(0.03)	(0.04)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	0%	29%	10%	10%	14%	5%	14%	0%	5%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	7	5	3	6	6	3	6	7	1	8	54
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.09)	(0.07)	(0.04)	(0.08)	(0.08)	(0.04)	(0.08)	(0.09)	(0.01)	(0.11)	(0.71)
	年齢構成比	0%	0%	2%	2%	13%	9%	6%	11%	11%	6%	11%	13%	2%	15%	100%
感染性胃腸炎	報告数	2	20	60	53	33	45	39	23	13	16	17	35	10	39	405
	(定点あたり)	(0.03)	(0.26)	(0.79)	(0.70)	(0.43)	(0.59)	(0.51)	(0.30)	(0.17)	(0.21)	(0.22)	(0.46)	(0.13)	(0.51)	(5.33)
	年齢構成比	0%	5%	15%	13%	8%	11%	10%	6%	3%	4%	4%	9%	2%	10%	100%
水痘	報告数	1	0	4	3	2	4	3	1	4	2	1	2	0	0	27
	(定点あたり)	(0.01)	(0.00)	(0.05)	(0.04)	(0.03)	(0.05)	(0.04)	(0.01)	(0.05)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.36)
	年齢構成比	4%	0%	15%	11%	7%	15%	11%	4%	15%	7%	4%	7%	0%	0%	100%
手足口病	報告数	1	3	15	12	6	4	3	1	0	1	0	0	0	0	46
	(定点あたり)	(0.01)	(0.04)	(0.20)	(0.16)	(0.08)	(0.05)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.61)
	年齢構成比	2%	7%	33%	26%	13%	9%	7%	2%	0%	2%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	8	9	3	0	1	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.01)	(0.11)	(0.12)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	5%	36%	41%	14%	0%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	4	2	0	2	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	50%	25%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	4	10	14	3	14	5	6	4	3	0	7	72
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.13)	(0.18)	(0.04)	(0.18)	(0.07)	(0.08)	(0.05)	(0.04)	(0.00)	(0.09)	(0.95)
	年齢構成比	0%	0%	3%	6%	14%	19%	4%	19%	7%	8%	6%	4%	0%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	8	12	14	5	2	0	0	0	0	0	0	0	0	0	41
	(定点あたり)	(0.11)	(0.16)	(0.18)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.54)
	年齢構成比	20%	29%	34%	12%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	1	2	0	1	0	0	1	0	2	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	36%	9%	18%	0%	9%	0%	0%	9%	0%	18%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	5	2	2	5	2	2	4	2	0	5	31
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)	(0.03)	(0.03)	(0.07)	(0.03)	(0.03)	(0.05)	(0.03)	(0.00)	(0.07)	(0.41)
	年齢構成比	0%	0%	3%	3%	16%	6%	6%	16%	6%	6%	13%	6%	0%	16%	100%
感染性胃腸炎	報告数	1	11	37	27	20	21	20	10	10	12	10	22	5	15	221
	(定点あたり)	(0.01)	(0.14)	(0.49)	(0.36)	(0.26)	(0.28)	(0.26)	(0.13)	(0.13)	(0.16)	(0.13)	(0.29)	(0.07)	(0.20)	(2.91)
	年齢構成比	0%	5%	17%	12%	9%	10%	9%	5%	5%	5%	5%	10%	2%	7%	100%
水痘	報告数	1	0	3	2	2	3	1	0	3	0	0	1	0	0	16
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.03)	(0.03)	(0.04)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.21)
	年齢構成比	6%	0%	19%	13%	13%	19%	6%	0%	19%	0%	0%	6%	0%	0%	100%
手足口病	報告数	1	2	9	3	2	1	0	1	0	1	0	0	0	0	20
	(定点あたり)	(0.01)	(0.03)	(0.12)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	5%	10%	45%	15%	10%	5%	0%	5%	0%	5%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	2	3	0	0	1	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.01)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	14%	29%	43%	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	4	1	0	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	67%	17%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	7	7	2	7	3	3	2	0	0	2	35
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.09)	(0.09)	(0.03)	(0.09)	(0.04)	(0.04)	(0.03)	(0.00)	(0.00)	(0.03)	(0.46)
	年齢構成比	0%	0%	3%	3%	20%	20%	6%	20%	9%	9%	6%	0%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	8	22	7	3	0	0	0	0	0	0	0	0	0	45
	(定点あたり)	(0.07)	(0.11)	(0.29)	(0.09)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.59)
	年齢構成比	11%	18%	49%	16%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	0	3	0	3	0	0	0	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.04)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	20%	10%	0%	30%	0%	30%	0%	0%	0%	10%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	2	3	1	1	4	1	2	5	1	3	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.01)	(0.05)	(0.01)	(0.03)	(0.07)	(0.01)	(0.04)	(0.30)
	年齢構成比	0%	0%	0%	0%	9%	13%	4%	4%	17%	4%	9%	22%	4%	13%	100%
感染性胃腸炎	報告数	1	9	23	26	13	24	19	13	3	4	7	13	5	24	184
	(定点あたり)	(0.01)	(0.12)	(0.30)	(0.34)	(0.17)	(0.32)	(0.25)	(0.17)	(0.04)	(0.05)	(0.09)	(0.17)	(0.07)	(0.32)	(2.42)
	年齢構成比	1%	5%	13%	14%	7%	13%	10%	7%	2%	2%	4%	7%	3%	13%	100%
水痘	報告数	0	0	1	1	0	1	2	1	1	2	1	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	9%	9%	0%	9%	18%	9%	9%	18%	9%	9%	0%	0%	100%
手足口病	報告数	0	1	6	9	4	3	3	0	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.12)	(0.05)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	4%	23%	35%	15%	12%	12%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	6	3	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	40%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	3	7	1	7	2	3	2	3	0	5	37
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.09)	(0.01)	(0.09)	(0.03)	(0.04)	(0.03)	(0.04)	(0.00)	(0.07)	(0.49)
	年齢構成比	0%	0%	3%	8%	8%	19%	3%	19%	5%	8%	5%	8%	0%	14%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。