

## 2016年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	1	1	1	1	1	1	1	2	8	4	13	4	9	5	3	0	2	58
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.02)	(0.06)	(0.03)	(0.10)	(0.03)	(0.07)	(0.04)	(0.02)	(0.00)	(0.02)	(0.47)
	年齢構成比	0%	0%	2%	2%	2%	2%	2%	2%	2%	2%	3%	14%	7%	22%	7%	16%	9%	5%	0%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	5
	(定点あたり)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	0%	0%	20%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	1	0	1	0	0	0	0	1	6	2	3	2	3	2	0	0	2	24
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.00)	(0.00)	(0.02)	(0.19)
	年齢構成比	0%	0%	4%	4%	0%	4%	0%	0%	0%	0%	4%	25%	8%	13%	8%	13%	8%	0%	0%	8%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	3
	(定点あたり)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	1	1	1	1	1	2	2	10	2	6	3	3	0	0	34
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.08)	(0.02)	(0.05)	(0.02)	(0.02)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	0%	0%	0%	3%	0%	3%	3%	3%	3%	3%	6%	6%	29%	6%	18%	9%	9%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	16	23	24	10	12	1	0	1	0	0	0	0	0	0	87
	(定点あたり)	(0.21)	(0.30)	(0.32)	(0.13)	(0.16)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.14)
	年齢構成比	18%	26%	28%	11%	14%	1%	0%	1%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	1	8	7	8	8	9	4	0	0	0	0	0	2	48
	(定点あたり)	(0.01)	(0.01)	(0.11)	(0.09)	(0.11)	(0.11)	(0.12)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.63)
	年齢構成比	2%	2%	17%	15%	17%	17%	19%	8%	0%	0%	0%	0%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	6	7	14	9	8	8	3	5	2	3	69
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.08)	(0.09)	(0.18)	(0.12)	(0.11)	(0.11)	(0.04)	(0.07)	(0.03)	(0.04)	(0.91)
	年齢構成比	0%	0%	1%	4%	9%	10%	20%	13%	12%	12%	4%	7%	3%	4%	100%
感染性胃腸炎	報告数	3	47	137	114	106	105	93	78	44	37	36	52	15	80	947
	(定点あたり)	(0.04)	(0.62)	(1.80)	(1.50)	(1.39)	(1.38)	(1.22)	(1.03)	(0.58)	(0.49)	(0.47)	(0.68)	(0.20)	(1.05)	(12.46)
	年齢構成比	0%	5%	14%	12%	11%	11%	10%	8%	5%	4%	4%	5%	2%	8%	100%
水痘	報告数	0	1	5	2	2	2	0	3	1	1	1	1	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.03)	(0.03)	(0.03)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	5%	26%	11%	11%	11%	0%	16%	5%	5%	5%	5%	0%	0%	100%
手足口病	報告数	0	2	10	9	8	2	0	2	0	0	0	1	0	0	34
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.12)	(0.11)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	6%	29%	26%	24%	6%	0%	6%	0%	0%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	12	12	0	1	1	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.16)	(0.16)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比	0%	46%	46%	0%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	6	2	2	0	0	0	0	0	1	0	1	2	14
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.18)
	年齢構成比	0%	0%	43%	14%	14%	0%	0%	0%	0%	0%	7%	0%	7%	14%	100%
流行性耳下腺炎	報告数	0	0	4	3	7	8	16	11	11	4	3	6	0	1	74
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.09)	(0.11)	(0.21)	(0.14)	(0.14)	(0.05)	(0.04)	(0.08)	(0.00)	(0.01)	(0.97)
	年齢構成比	0%	0%	5%	4%	9%	11%	22%	15%	15%	5%	4%	8%	0%	1%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	6	9	11	5	9	1	0	0	0	0	0	0	0	0	41
	(定点あたり)	(0.08)	(0.12)	(0.14)	(0.07)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.54)
	年齢構成比	15%	22%	27%	12%	22%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	3	5	4	4	4	2	0	0	0	0	0	0	23
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.07)	(0.05)	(0.05)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	4%	0%	13%	22%	17%	17%	17%	9%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	3	4	9	4	7	3	0	2	1	0	35
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.05)	(0.12)	(0.05)	(0.09)	(0.04)	(0.00)	(0.03)	(0.01)	(0.00)	(0.46)
	年齢構成比	0%	0%	0%	6%	9%	11%	26%	11%	20%	9%	0%	6%	3%	0%	100%
感染性胃腸炎	報告数	3	30	72	61	58	58	49	41	25	19	24	34	7	27	508
	(定点あたり)	(0.04)	(0.39)	(0.95)	(0.80)	(0.76)	(0.76)	(0.64)	(0.54)	(0.33)	(0.25)	(0.32)	(0.45)	(0.09)	(0.36)	(6.68)
	年齢構成比	1%	6%	14%	12%	11%	11%	10%	8%	5%	4%	5%	7%	1%	5%	100%
水痘	報告数	0	1	2	1	0	2	0	2	1	1	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	10%	20%	10%	0%	20%	0%	20%	10%	10%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	5	5	6	0	0	1	0	0	0	1	0	0	20
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.07)	(0.08)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	10%	25%	25%	30%	0%	0%	5%	0%	0%	0%	5%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	8	5	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.11)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	62%	38%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	4	1	1	0	0	0	0	0	0	0	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.09)
	年齢構成比	0%	0%	57%	14%	14%	0%	0%	0%	0%	0%	0%	0%	0%	14%	100%
流行性耳下腺炎	報告数	0	0	3	1	4	5	7	4	5	3	0	3	0	1	36
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.05)	(0.07)	(0.09)	(0.05)	(0.07)	(0.04)	(0.00)	(0.04)	(0.00)	(0.01)	(0.47)
	年齢構成比	0%	0%	8%	3%	11%	14%	19%	11%	14%	8%	0%	8%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	10	14	13	5	3	0	0	1	0	0	0	0	0	0	46
	(定点あたり)	(0.13)	(0.18)	(0.17)	(0.07)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.61)
	年齢構成比	22%	30%	28%	11%	7%	0%	0%	2%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	2	4	4	5	2	0	0	0	0	0	2	25
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.03)	(0.05)	(0.05)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.33)
	年齢構成比	0%	4%	20%	8%	16%	16%	20%	8%	0%	0%	0%	0%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	3	3	5	5	1	5	3	3	1	3	34
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.07)	(0.07)	(0.01)	(0.07)	(0.04)	(0.04)	(0.01)	(0.04)	(0.45)
	年齢構成比	0%	0%	3%	3%	9%	9%	15%	15%	3%	15%	9%	9%	3%	9%	100%
感染性胃腸炎	報告数	0	17	65	53	48	47	44	37	19	18	12	18	8	53	439
	(定点あたり)	(0.00)	(0.22)	(0.86)	(0.70)	(0.63)	(0.62)	(0.58)	(0.49)	(0.25)	(0.24)	(0.16)	(0.24)	(0.11)	(0.70)	(5.78)
	年齢構成比	0%	4%	15%	12%	11%	11%	10%	8%	4%	4%	3%	4%	2%	12%	100%
水痘	報告数	0	0	3	1	2	0	0	1	0	0	1	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	33%	11%	22%	0%	0%	11%	0%	0%	11%	11%	0%	0%	100%
手足口病	報告数	0	0	5	4	2	2	0	1	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.05)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	36%	29%	14%	14%	0%	7%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	7	0	1	1	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.05)	(0.09)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	31%	54%	0%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	1	1	0	0	0	0	0	1	0	1	1	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.09)
	年齢構成比	0%	0%	29%	14%	14%	0%	0%	0%	0%	0%	14%	0%	14%	14%	100%
流行性耳下腺炎	報告数	0	0	1	2	3	3	9	7	6	1	3	3	0	0	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.04)	(0.12)	(0.09)	(0.08)	(0.01)	(0.04)	(0.04)	(0.00)	(0.00)	(0.50)
	年齢構成比	0%	0%	3%	5%	8%	8%	24%	18%	16%	3%	8%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。