

## 2016年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	3	3	4	5	5	1	5	2	1	8	8	13	8	7	8	3	1	2	88
	(定点あたり)	(0.00)	(0.01)	(0.02)	(0.02)	(0.03)	(0.04)	(0.04)	(0.01)	(0.04)	(0.02)	(0.01)	(0.06)	(0.06)	(0.10)	(0.06)	(0.06)	(0.06)	(0.02)	(0.01)	(0.02)	(0.70)
	年齢構成比	0%	1%	3%	3%	5%	6%	6%	1%	6%	2%	1%	9%	9%	15%	9%	8%	9%	3%	1%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	1	0	6
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.33)
	年齢構成比	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	17%	17%	17%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	3	1	3	3	4	0	3	2	1	3	5	3	4	4	2	1	0	2	44
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.02)	(0.02)	(0.03)	(0.00)	(0.02)	(0.02)	(0.01)	(0.02)	(0.04)	(0.02)	(0.03)	(0.03)	(0.02)	(0.01)	(0.00)	(0.02)	(0.35)
	年齢構成比	0%	0%	7%	2%	7%	7%	9%	0%	7%	5%	2%	7%	11%	7%	9%	9%	5%	2%	0%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	0	2	1	2	1	1	2	0	0	5	3	10	4	3	6	2	1	0	44
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.02)	(0.01)	(0.02)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.04)	(0.02)	(0.08)	(0.03)	(0.02)	(0.05)	(0.02)	(0.01)	(0.00)	(0.35)
	年齢構成比	0%	2%	0%	5%	2%	5%	2%	2%	5%	0%	0%	11%	7%	23%	9%	7%	14%	5%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	5
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	0%	20%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	15	15	21	2	1	2	0	0	1	0	0	0	0	0	57
	(定点あたり)	(0.20)	(0.20)	(0.28)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.75)
	年齢構成比	26%	26%	37%	4%	2%	4%	0%	0%	2%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	14	7	8	8	5	1	0	1	1	1	0	0	48
	(定点あたり)	(0.00)	(0.03)	(0.18)	(0.09)	(0.11)	(0.11)	(0.07)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.63)
	年齢構成比	0%	4%	29%	15%	17%	17%	10%	2%	0%	2%	2%	2%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	4	12	10	6	9	6	6	8	1	11	75
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.16)	(0.13)	(0.08)	(0.12)	(0.08)	(0.08)	(0.11)	(0.01)	(0.14)	(0.99)
	年齢構成比	0%	0%	1%	1%	5%	16%	13%	8%	12%	8%	8%	11%	1%	15%	100%
感染性胃腸炎	報告数	5	30	98	97	95	89	72	61	55	39	30	58	25	89	843
	(定点あたり)	(0.07)	(0.39)	(1.29)	(1.28)	(1.25)	(1.17)	(0.95)	(0.80)	(0.72)	(0.51)	(0.39)	(0.76)	(0.33)	(1.17)	(11.09)
	年齢構成比	1%	4%	12%	12%	11%	11%	9%	7%	7%	5%	4%	7%	3%	11%	100%
水痘	報告数	0	0	2	4	4	5	5	3	6	1	2	1	3	2	38
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.05)	(0.07)	(0.07)	(0.04)	(0.08)	(0.01)	(0.03)	(0.01)	(0.04)	(0.03)	(0.50)
	年齢構成比	0%	0%	5%	11%	11%	13%	13%	8%	16%	3%	5%	3%	8%	5%	100%
手足口病	報告数	0	2	9	8	7	2	0	1	0	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.11)	(0.09)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	7%	31%	28%	24%	7%	0%	3%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	100%
突発性発しん	報告数	0	9	19	0	0	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.00)	(0.12)	(0.25)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	32%	68%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	1	0	1	0	1	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	40%	20%	0%	20%	0%	20%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	2	6	5	3	4	5	7	6	7	1	0	48
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.08)	(0.07)	(0.04)	(0.05)	(0.07)	(0.09)	(0.08)	(0.09)	(0.01)	(0.00)	(0.63)
	年齢構成比	0%	0%	4%	4%	13%	10%	6%	8%	10%	15%	13%	15%	2%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	9	7	12	0	0	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.12)	(0.09)	(0.16)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	32%	25%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	9	4	4	7	3	0	0	1	0	1	0	0	30
	(定点あたり)	(0.00)	(0.01)	(0.12)	(0.05)	(0.05)	(0.09)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	3%	30%	13%	13%	23%	10%	0%	0%	3%	0%	3%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	2	3	5	3	3	3	1	3	1	4	28
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.07)	(0.04)	(0.04)	(0.04)	(0.01)	(0.04)	(0.01)	(0.05)	(0.37)
	年齢構成比	0%	0%	0%	0%	7%	11%	18%	11%	11%	11%	4%	11%	4%	14%	100%
感染性胃腸炎	報告数	4	14	47	58	45	52	45	31	28	18	14	27	11	25	419
	(定点あたり)	(0.05)	(0.18)	(0.62)	(0.76)	(0.59)	(0.68)	(0.59)	(0.41)	(0.37)	(0.24)	(0.18)	(0.36)	(0.14)	(0.33)	(5.51)
	年齢構成比	1%	3%	11%	14%	11%	12%	11%	7%	7%	4%	3%	6%	3%	6%	100%
水痘	報告数	0	0	1	3	1	4	2	2	5	1	1	0	2	0	22
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.05)	(0.03)	(0.03)	(0.07)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.29)
	年齢構成比	0%	0%	5%	14%	5%	18%	9%	9%	23%	5%	5%	0%	9%	0%	100%
手足口病	報告数	0	1	5	4	3	1	0	1	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.05)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	7%	33%	27%	20%	7%	0%	7%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	4	11	0	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.05)	(0.14)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	27%	73%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	3	3	3	4	2	3	2	2	1	0	25
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.04)	(0.05)	(0.03)	(0.04)	(0.03)	(0.03)	(0.01)	(0.00)	(0.33)
	年齢構成比	0%	0%	4%	4%	12%	12%	12%	16%	8%	12%	8%	8%	4%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第47週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	6	8	9	2	1	2	0	0	1	0	0	0	0	0	29
	(定点あたり)	(0.08)	(0.11)	(0.12)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比	21%	28%	31%	7%	3%	7%	0%	0%	3%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	3	4	1	2	1	0	0	1	0	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.04)	(0.05)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	6%	28%	17%	22%	6%	11%	6%	0%	0%	6%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	2	9	5	3	6	3	5	5	0	7	47
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.12)	(0.07)	(0.04)	(0.08)	(0.04)	(0.07)	(0.07)	(0.00)	(0.09)	(0.62)
	年齢構成比	0%	0%	2%	2%	4%	19%	11%	6%	13%	6%	11%	11%	0%	15%	100%
感染性胃腸炎	報告数	1	16	51	39	50	37	27	30	27	21	16	31	14	64	424
	(定点あたり)	(0.01)	(0.21)	(0.67)	(0.51)	(0.66)	(0.49)	(0.36)	(0.39)	(0.36)	(0.28)	(0.21)	(0.41)	(0.18)	(0.84)	(5.58)
	年齢構成比	0%	4%	12%	9%	12%	9%	6%	7%	6%	5%	4%	7%	3%	15%	100%
水痘	報告数	0	0	1	1	3	1	3	1	1	0	1	1	1	2	16
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.21)
	年齢構成比	0%	0%	6%	6%	19%	6%	19%	6%	6%	0%	6%	6%	6%	13%	100%
手足口病	報告数	0	1	4	4	4	1	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.05)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	7%	29%	29%	29%	7%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
突発性発しん	報告数	0	5	8	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	38%	62%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	1	0	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	3	2	0	0	3	4	4	5	0	0	23
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.04)	(0.05)	(0.05)	(0.07)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	0%	4%	4%	13%	9%	0%	0%	13%	17%	17%	22%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。