

## 2016年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	3	3	10	7	6	5	11	7	4	18	17	20	16	14	16	11	15	10	194
	(定点あたり)	(0.00)	(0.01)	(0.02)	(0.02)	(0.08)	(0.06)	(0.05)	(0.04)	(0.09)	(0.06)	(0.03)	(0.14)	(0.14)	(0.16)	(0.13)	(0.11)	(0.13)	(0.09)	(0.12)	(0.08)	(1.55)
	年齢構成比	0%	1%	2%	2%	5%	4%	3%	3%	6%	4%	2%	9%	9%	10%	8%	7%	8%	6%	8%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	0%	0%	25%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	2	1	4	6	2	3	5	4	4	9	9	10	11	7	7	9	10	5	109
	(定点あたり)	(0.00)	(0.01)	(0.02)	(0.01)	(0.03)	(0.05)	(0.02)	(0.02)	(0.04)	(0.03)	(0.03)	(0.07)	(0.07)	(0.08)	(0.09)	(0.06)	(0.06)	(0.07)	(0.08)	(0.04)	(0.87)
	年齢構成比	0%	1%	2%	1%	4%	6%	2%	3%	5%	4%	4%	8%	8%	9%	10%	6%	6%	8%	9%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	2	6	1	4	2	6	3	0	9	8	10	5	7	9	2	5	5	85
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.02)	(0.05)	(0.01)	(0.03)	(0.02)	(0.05)	(0.02)	(0.00)	(0.07)	(0.06)	(0.08)	(0.04)	(0.06)	(0.07)	(0.02)	(0.04)	(0.04)	(0.68)
	年齢構成比	0%	0%	1%	2%	7%	1%	5%	2%	7%	4%	0%	11%	9%	12%	6%	8%	11%	2%	6%	6%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	11	13	24	6	2	1	0	0	0	0	0	0	0	0	57
	(定点あたり)	(0.14)	(0.17)	(0.32)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.75)
	年齢構成比	19%	23%	42%	11%	4%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	5	14	13	11	12	6	3	0	0	0	0	0	1	65
	(定点あたり)	(0.00)	(0.07)	(0.18)	(0.17)	(0.14)	(0.16)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.86)
	年齢構成比	0%	8%	22%	20%	17%	18%	9%	5%	0%	0%	0%	0%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	4	5	8	8	7	9	6	4	12	2	15	83
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.07)	(0.11)	(0.11)	(0.09)	(0.12)	(0.08)	(0.05)	(0.16)	(0.03)	(0.20)	(1.09)
	年齢構成比	0%	0%	4%	5%	6%	10%	10%	8%	11%	7%	5%	14%	2%	18%	100%
感染性胃腸炎	報告数	4	42	132	106	99	121	113	99	62	52	43	89	16	124	1102
	(定点あたり)	(0.05)	(0.55)	(1.74)	(1.39)	(1.30)	(1.59)	(1.49)	(1.30)	(0.82)	(0.68)	(0.57)	(1.17)	(0.21)	(1.63)	(14.50)
	年齢構成比	0%	4%	12%	10%	9%	11%	10%	9%	6%	5%	4%	8%	1%	11%	100%
水痘	報告数	0	0	3	3	5	6	2	2	0	0	0	2	0	1	24
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.07)	(0.08)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.32)
	年齢構成比	0%	0%	13%	13%	21%	25%	8%	8%	0%	0%	0%	8%	0%	4%	100%
手足口病	報告数	0	1	6	9	6	6	1	3	0	0	1	1	0	1	35
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.12)	(0.08)	(0.08)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.46)
	年齢構成比	0%	3%	17%	26%	17%	17%	3%	9%	0%	0%	3%	3%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	11	17	1	0	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.01)	(0.14)	(0.22)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	3%	37%	57%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	2	4	2	0	0	4	2	0	0	0	0	1	16
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.05)	(0.03)	(0.00)	(0.00)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.21)
	年齢構成比	6%	0%	13%	25%	13%	0%	0%	25%	13%	0%	0%	0%	0%	6%	100%
流行性耳下腺炎	報告数	0	1	2	5	5	6	8	15	8	9	7	9	0	4	79
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.07)	(0.07)	(0.08)	(0.11)	(0.20)	(0.11)	(0.12)	(0.09)	(0.12)	(0.00)	(0.05)	(1.04)
	年齢構成比	0%	1%	3%	6%	6%	8%	10%	19%	10%	11%	9%	11%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計	
		5ヶ月	11ヶ月										14歳	19歳	以上		
RSウイルス感染症	報告数	5	7	15	4	2	1	0	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.07)	(0.09)	(0.20)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比	15%	21%	44%	12%	6%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	10	11	7	6	5	0	0	0	0	0	0	0	0	42
	(定点あたり)	(0.00)	(0.04)	(0.13)	(0.14)	(0.09)	(0.08)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.55)
	年齢構成比	0%	7%	24%	26%	17%	14%	12%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	2	5	5	3	4	3	0	5	1	8	41	
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.03)	(0.07)	(0.07)	(0.04)	(0.05)	(0.04)	(0.00)	(0.07)	(0.01)	(0.11)	(0.54)	
	年齢構成比	0%	0%	5%	7%	5%	12%	12%	7%	10%	7%	0%	12%	2%	20%	100%	
感染性胃腸炎	報告数	3	25	73	55	51	72	58	47	33	33	25	54	10	50	589	
	(定点あたり)	(0.04)	(0.33)	(0.96)	(0.72)	(0.67)	(0.95)	(0.76)	(0.62)	(0.43)	(0.43)	(0.33)	(0.71)	(0.13)	(0.66)	(7.75)	
	年齢構成比	1%	4%	12%	9%	9%	12%	10%	8%	6%	6%	4%	9%	2%	8%	100%	
水痘	報告数	0	0	1	1	2	4	0	2	0	0	0	2	0	1	13	
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.17)	
	年齢構成比	0%	0%	8%	8%	15%	31%	0%	15%	0%	0%	0%	15%	0%	8%	100%	
手足口病	報告数	0	1	4	5	3	3	0	2	0	0	1	1	0	0	20	
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.07)	(0.04)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.26)	
	年齢構成比	0%	5%	20%	25%	15%	15%	0%	10%	0%	0%	5%	5%	0%	0%	100%	
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
突発性発しん	報告数	0	7	12	0	0	0	0	0	0	0	0	0	0	0	19	
	(定点あたり)	(0.00)	(0.09)	(0.16)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)	
	年齢構成比	0%	37%	63%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ヘルパンギーナ	報告数	1	0	1	3	2	0	0	2	1	0	0	0	0	1	11	
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.14)	
	年齢構成比	9%	0%	9%	27%	18%	0%	0%	18%	9%	0%	0%	0%	0%	9%	100%	
流行性耳下腺炎	報告数	0	0	1	3	2	4	5	8	3	3	3	8	0	1	41	
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.05)	(0.07)	(0.11)	(0.04)	(0.04)	(0.04)	(0.11)	(0.00)	(0.01)	(0.54)	
	年齢構成比	0%	0%	2%	7%	5%	10%	12%	20%	7%	7%	7%	20%	0%	2%	100%	

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	6	6	9	2	0	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.08)	(0.08)	(0.12)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	26%	26%	39%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	4	2	4	6	1	3	0	0	0	0	0	1	23
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.03)	(0.05)	(0.08)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.30)
	年齢構成比	0%	9%	17%	9%	17%	26%	4%	13%	0%	0%	0%	0%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	3	3	3	4	5	3	4	7	1	7	42
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.04)	(0.05)	(0.07)	(0.04)	(0.05)	(0.09)	(0.01)	(0.09)	(0.55)
	年齢構成比	0%	0%	2%	2%	7%	7%	7%	10%	12%	7%	10%	17%	2%	17%	100%
感染性胃腸炎	報告数	1	17	59	51	48	49	55	52	29	19	18	35	6	74	513
	(定点あたり)	(0.01)	(0.22)	(0.78)	(0.67)	(0.63)	(0.64)	(0.72)	(0.68)	(0.38)	(0.25)	(0.24)	(0.46)	(0.08)	(0.97)	(6.75)
	年齢構成比	0%	3%	12%	10%	9%	10%	11%	10%	6%	4%	4%	7%	1%	14%	100%
水痘	報告数	0	0	2	2	3	2	2	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	18%	18%	27%	18%	18%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	2	4	3	3	1	1	0	0	0	0	0	1	15
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.20)
	年齢構成比	0%	0%	13%	27%	20%	20%	7%	7%	0%	0%	0%	0%	0%	7%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	4	5	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.01)	(0.05)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	9%	36%	45%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	0	0	0	2	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	20%	20%	0%	0%	0%	40%	20%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	1	2	3	2	3	7	5	6	4	1	0	3	38
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.03)	(0.04)	(0.09)	(0.07)	(0.08)	(0.05)	(0.01)	(0.00)	(0.04)	(0.50)
	年齢構成比	0%	3%	3%	5%	8%	5%	8%	18%	13%	16%	11%	3%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。