

2016年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	2	6	10	16	10	19	16	34	11	11	10	80	33	37	38	30	25	11	8	14	421
	(定点あたり)	(0.02)	(0.05)	(0.08)	(0.13)	(0.08)	(0.15)	(0.13)	(0.27)	(0.09)	(0.09)	(0.08)	(0.64)	(0.26)	(0.30)	(0.30)	(0.24)	(0.20)	(0.09)	(0.06)	(0.11)	(3.37)
	年齢構成比	0%	1%	2%	4%	2%	5%	4%	8%	3%	3%	2%	19%	8%	9%	9%	7%	6%	3%	2%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	1	6	6	8	8	13	9	13	8	7	4	31	23	16	20	13	8	7	5	6	212
	(定点あたり)	(0.01)	(0.05)	(0.05)	(0.06)	(0.06)	(0.10)	(0.07)	(0.10)	(0.06)	(0.06)	(0.03)	(0.25)	(0.18)	(0.13)	(0.16)	(0.10)	(0.06)	(0.06)	(0.04)	(0.05)	(1.70)
	年齢構成比	0%	3%	3%	4%	4%	6%	4%	6%	4%	3%	2%	15%	11%	8%	9%	6%	4%	3%	2%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	1	0	4	8	2	6	7	21	3	4	6	49	10	21	18	17	17	4	3	8	209
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.06)	(0.02)	(0.05)	(0.06)	(0.17)	(0.02)	(0.03)	(0.05)	(0.39)	(0.08)	(0.17)	(0.14)	(0.14)	(0.14)	(0.03)	(0.02)	(0.06)	(1.67)
	年齢構成比	0%	0%	2%	4%	1%	3%	3%	10%	1%	2%	3%	23%	5%	10%	9%	8%	8%	2%	1%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	11	6	11	4	6	0	0	0	0	0	0	0	0	0	38
	(定点あたり)	(0.14)	(0.08)	(0.14)	(0.05)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比	29%	16%	29%	11%	16%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	15	9	15	12	3	6	1	2	0	0	1	4	71
	(定点あたり)	(0.00)	(0.04)	(0.20)	(0.12)	(0.20)	(0.16)	(0.04)	(0.08)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.05)	(0.93)
	年齢構成比	0%	4%	21%	13%	21%	17%	4%	8%	1%	3%	0%	0%	1%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	14	11	11	13	6	5	5	9	3	12	92
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.18)	(0.14)	(0.14)	(0.17)	(0.08)	(0.07)	(0.07)	(0.12)	(0.04)	(0.16)	(1.21)
	年齢構成比	0%	0%	1%	2%	15%	12%	12%	14%	7%	5%	5%	10%	3%	13%	100%
感染性胃腸炎	報告数	4	44	121	103	101	129	137	119	99	66	60	114	29	120	1246
	(定点あたり)	(0.05)	(0.58)	(1.59)	(1.36)	(1.33)	(1.70)	(1.80)	(1.57)	(1.30)	(0.87)	(0.79)	(1.50)	(0.38)	(1.58)	(16.39)
	年齢構成比	0%	4%	10%	8%	8%	10%	11%	10%	8%	5%	5%	9%	2%	10%	100%
水痘	報告数	1	1	4	2	5	4	4	7	6	1	0	2	0	0	37
	(定点あたり)	(0.01)	(0.01)	(0.05)	(0.03)	(0.07)	(0.05)	(0.05)	(0.09)	(0.08)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.49)
	年齢構成比	3%	3%	11%	5%	14%	11%	11%	19%	16%	3%	0%	5%	0%	0%	100%
手足口病	報告数	0	2	10	7	2	2	2	3	1	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.09)	(0.03)	(0.03)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	7%	34%	24%	7%	7%	7%	10%	3%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	7	7	0	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.09)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	7%	47%	47%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	2	0	1	0	2	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	13%	13%	25%	0%	13%	0%	25%	0%	0%	0%	13%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	6	5	8	7	7	3	6	8	1	7	60
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.08)	(0.07)	(0.11)	(0.09)	(0.09)	(0.04)	(0.08)	(0.11)	(0.01)	(0.09)	(0.79)
	年齢構成比	0%	0%	0%	3%	10%	8%	13%	12%	12%	5%	10%	13%	2%	12%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	3	7	3	3	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.07)	(0.04)	(0.09)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	24%	14%	33%	14%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	10	4	11	8	2	3	0	0	0	0	0	1	39
	(定点あたり)	(0.00)	(0.00)	(0.13)	(0.05)	(0.14)	(0.11)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.51)
	年齢構成比	0%	0%	26%	10%	28%	21%	5%	8%	0%	0%	0%	0%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	5	7	5	5	6	2	2	2	2	5	42
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.09)	(0.07)	(0.07)	(0.08)	(0.03)	(0.03)	(0.03)	(0.03)	(0.07)	(0.55)
	年齢構成比	0%	0%	0%	2%	12%	17%	12%	12%	14%	5%	5%	5%	5%	12%	100%
感染性胃腸炎	報告数	4	22	65	55	59	71	76	61	55	38	35	72	18	41	672
	(定点あたり)	(0.05)	(0.29)	(0.86)	(0.72)	(0.78)	(0.93)	(1.00)	(0.80)	(0.72)	(0.50)	(0.46)	(0.95)	(0.24)	(0.54)	(8.84)
	年齢構成比	1%	3%	10%	8%	9%	11%	11%	9%	8%	6%	5%	11%	3%	6%	100%
水痘	報告数	1	1	2	0	5	3	1	3	2	1	0	1	0	0	20
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.00)	(0.07)	(0.04)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比	5%	5%	10%	0%	25%	15%	5%	15%	10%	5%	0%	5%	0%	0%	100%
手足口病	報告数	0	0	7	4	0	0	1	2	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.05)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	50%	29%	0%	0%	7%	14%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	0	4	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	1	0	1	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	20%	20%	20%	0%	20%	0%	20%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	4	4	5	3	2	3	5	0	4	33
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.05)	(0.05)	(0.07)	(0.04)	(0.03)	(0.04)	(0.07)	(0.00)	(0.05)	(0.43)
	年齢構成比	0%	0%	0%	3%	6%	12%	12%	15%	9%	6%	9%	15%	0%	12%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	6	3	4	1	3	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.08)	(0.04)	(0.05)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	35%	18%	24%	6%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	5	5	4	4	1	3	1	2	0	0	1	3	32
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.07)	(0.05)	(0.05)	(0.01)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.04)	(0.42)
	年齢構成比	0%	9%	16%	16%	13%	13%	3%	9%	3%	6%	0%	0%	3%	9%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	9	4	6	8	0	3	3	7	1	7	50
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.12)	(0.05)	(0.08)	(0.11)	(0.00)	(0.04)	(0.04)	(0.09)	(0.01)	(0.09)	(0.66)
	年齢構成比	0%	0%	2%	2%	18%	8%	12%	16%	0%	6%	6%	14%	2%	14%	100%
感染性胃腸炎	報告数	0	22	56	48	42	58	61	58	44	28	25	42	11	79	574
	(定点あたり)	(0.00)	(0.29)	(0.74)	(0.63)	(0.55)	(0.76)	(0.80)	(0.76)	(0.58)	(0.37)	(0.33)	(0.55)	(0.14)	(1.04)	(7.55)
	年齢構成比	0%	4%	10%	8%	7%	10%	11%	10%	8%	5%	4%	7%	2%	14%	100%
水痘	報告数	0	0	2	2	0	1	3	4	4	0	0	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.04)	(0.05)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	12%	12%	0%	6%	18%	24%	24%	0%	0%	6%	0%	0%	100%
手足口病	報告数	0	2	3	3	2	2	1	1	1	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	13%	20%	20%	13%	13%	7%	7%	7%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	7	3	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.01)	(0.09)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	9%	64%	27%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	1	0	0	0	1	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	33%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	4	1	4	2	4	1	3	3	1	3	27
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.01)	(0.05)	(0.03)	(0.05)	(0.01)	(0.04)	(0.04)	(0.01)	(0.04)	(0.36)
	年齢構成比	0%	0%	0%	4%	15%	4%	15%	7%	15%	4%	11%	11%	4%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。