

2017年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	4	24	10	10	10	11	18	18	9	10	39	40	23	30	20	11	14	10	15	326
	(定点あたり)	(0.00)	(0.03)	(0.19)	(0.08)	(0.08)	(0.08)	(0.09)	(0.14)	(0.14)	(0.07)	(0.08)	(0.31)	(0.32)	(0.18)	(0.24)	(0.16)	(0.09)	(0.11)	(0.08)	(0.12)	(2.61)
	年齢構成比	0%	1%	7%	3%	3%	3%	3%	6%	6%	3%	3%	12%	12%	7%	9%	6%	3%	4%	3%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	1	0	0	0	0	0	1	0	1	0	2	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	14%	0%	0%	14%	0%	0%	0%	0%	0%	14%	0%	14%	0%	29%	14%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	2	9	8	7	5	4	9	13	5	4	23	26	11	10	8	4	7	9	6	170
	(定点あたり)	(0.00)	(0.02)	(0.07)	(0.06)	(0.06)	(0.04)	(0.03)	(0.07)	(0.10)	(0.04)	(0.03)	(0.18)	(0.21)	(0.09)	(0.08)	(0.06)	(0.03)	(0.06)	(0.07)	(0.05)	(1.36)
	年齢構成比	0%	1%	5%	5%	4%	3%	2%	5%	8%	3%	2%	14%	15%	6%	6%	5%	2%	4%	5%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	25%	0%	0%	25%	0%	0%	0%	0%	0%	25%	0%	0%	0%	25%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	2	15	2	3	5	7	9	5	4	6	16	14	12	20	12	7	7	1	9	156
	(定点あたり)	(0.00)	(0.02)	(0.12)	(0.02)	(0.02)	(0.04)	(0.06)	(0.07)	(0.04)	(0.03)	(0.05)	(0.13)	(0.11)	(0.10)	(0.16)	(0.10)	(0.06)	(0.06)	(0.01)	(0.07)	(1.25)
	年齢構成比	0%	1%	10%	1%	2%	3%	4%	6%	3%	3%	4%	10%	9%	8%	13%	8%	4%	4%	1%	6%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	33%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	3	1	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	33%	50%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	12	4	4	1	4	0	1	0	2	0	0	0	28
	(定点あたり)	(0.00)	(0.00)	(0.16)	(0.05)	(0.05)	(0.01)	(0.05)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	0%	43%	14%	14%	4%	14%	0%	4%	0%	7%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	8	11	15	17	10	13	10	8	15	2	11	122
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.11)	(0.14)	(0.20)	(0.22)	(0.13)	(0.17)	(0.13)	(0.11)	(0.20)	(0.03)	(0.14)	(1.61)
	年齢構成比	0%	0%	2%	7%	9%	12%	14%	8%	11%	8%	7%	12%	2%	9%	100%
感染性胃腸炎	報告数	6	58	78	66	46	45	34	29	18	8	11	31	4	45	479
	(定点あたり)	(0.08)	(0.76)	(1.03)	(0.87)	(0.61)	(0.59)	(0.45)	(0.38)	(0.24)	(0.11)	(0.14)	(0.41)	(0.05)	(0.59)	(6.30)
	年齢構成比	1%	12%	16%	14%	10%	9%	7%	6%	4%	2%	2%	6%	1%	9%	100%
水痘	報告数	0	2	5	3	4	3	1	1	2	3	2	2	0	3	31
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.04)	(0.05)	(0.04)	(0.01)	(0.01)	(0.03)	(0.04)	(0.03)	(0.03)	(0.00)	(0.04)	(0.41)
	年齢構成比	0%	6%	16%	10%	13%	10%	3%	3%	6%	10%	6%	6%	0%	10%	100%
手足口病	報告数	0	12	61	9	7	3	1	1	0	0	0	3	0	1	98
	(定点あたり)	(0.00)	(0.16)	(0.80)	(0.12)	(0.09)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(1.29)
	年齢構成比	0%	12%	62%	9%	7%	3%	1%	1%	0%	0%	0%	3%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	12	15	1	1	0	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.16)	(0.20)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	41%	52%	3%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	8	3	0	1	1	1	0	1	0	0	0	2	20
	(定点あたり)	(0.00)	(0.04)	(0.11)	(0.04)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.26)
	年齢構成比	0%	15%	40%	15%	0%	5%	5%	5%	0%	5%	0%	0%	0%	10%	100%
流行性耳下腺炎	報告数	0	0	1	6	3	4	1	3	5	2	5	1	0	0	31
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.08)	(0.04)	(0.05)	(0.01)	(0.04)	(0.07)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	0%	3%	19%	10%	13%	3%	10%	16%	6%	16%	3%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	8	3	1	0	3	0	1	0	1	0	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.04)	(0.01)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	47%	18%	6%	0%	18%	0%	6%	0%	6%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	6	4	6	12	6	9	6	6	7	1	3	67
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.08)	(0.05)	(0.08)	(0.16)	(0.08)	(0.12)	(0.08)	(0.08)	(0.09)	(0.01)	(0.04)	(0.88)
	年齢構成比	0%	0%	1%	9%	6%	9%	18%	9%	13%	9%	9%	10%	1%	4%	100%
感染性胃腸炎	報告数	3	32	46	27	23	19	20	15	14	6	5	20	3	18	251
	(定点あたり)	(0.04)	(0.42)	(0.61)	(0.36)	(0.30)	(0.25)	(0.26)	(0.20)	(0.18)	(0.08)	(0.07)	(0.26)	(0.04)	(0.24)	(3.30)
	年齢構成比	1%	13%	18%	11%	9%	8%	8%	6%	6%	2%	2%	8%	1%	7%	100%
水痘	報告数	0	2	4	1	1	1	1	1	1	1	1	2	0	1	17
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.22)
	年齢構成比	0%	12%	24%	6%	6%	6%	6%	6%	6%	6%	6%	12%	0%	6%	100%
手足口病	報告数	0	7	33	7	4	1	1	1	0	0	0	2	0	1	57
	(定点あたり)	(0.00)	(0.09)	(0.43)	(0.09)	(0.05)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.75)
	年齢構成比	0%	12%	58%	12%	7%	2%	2%	2%	0%	0%	0%	4%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	7	9	1	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.09)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	41%	53%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	3	2	0	1	0	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	30%	30%	20%	0%	10%	0%	10%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	0	1	1	2	2	1	4	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.01)	(0.05)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	0%	21%	0%	7%	7%	14%	14%	7%	29%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	2	1	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	40%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	1	3	1	1	0	0	0	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	36%	9%	27%	9%	9%	0%	0%	0%	9%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	7	9	5	4	4	4	2	8	1	8	55
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.09)	(0.12)	(0.07)	(0.05)	(0.05)	(0.05)	(0.03)	(0.11)	(0.01)	(0.11)	(0.72)
	年齢構成比	0%	0%	2%	4%	13%	16%	9%	7%	7%	7%	4%	15%	2%	15%	100%
感染性胃腸炎	報告数	3	26	32	39	23	26	14	14	4	2	6	11	1	27	228
	(定点あたり)	(0.04)	(0.34)	(0.42)	(0.51)	(0.30)	(0.34)	(0.18)	(0.18)	(0.05)	(0.03)	(0.08)	(0.14)	(0.01)	(0.36)	(3.00)
	年齢構成比	1%	11%	14%	17%	10%	11%	6%	6%	2%	1%	3%	5%	0%	12%	100%
水痘	報告数	0	0	1	2	3	2	0	0	1	2	1	0	0	2	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.18)
	年齢構成比	0%	0%	7%	14%	21%	14%	0%	0%	7%	14%	7%	0%	0%	14%	100%
手足口病	報告数	0	5	28	2	3	2	0	0	0	0	0	1	0	0	41
	(定点あたり)	(0.00)	(0.07)	(0.37)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.54)
	年齢構成比	0%	12%	68%	5%	7%	5%	0%	0%	0%	0%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	6	0	1	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.07)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	42%	50%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	5	1	0	0	1	0	0	1	0	0	0	2	10
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.13)
	年齢構成比	0%	0%	50%	10%	0%	0%	10%	0%	0%	10%	0%	0%	0%	20%	100%
流行性耳下腺炎	報告数	0	0	1	3	3	3	0	1	3	1	1	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.04)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	6%	18%	18%	18%	0%	6%	18%	6%	6%	6%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。