

2017年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 3 | 5 | 8 | 11 | 18 | 10 | 10 | 22 | 10 | 25 | 47 | 22 | 19 | 24 | 20 | 12 | 15 | 10 | 14 | 305 |
| | (定点あたり) | (0.00) | (0.02) | (0.04) | (0.06) | (0.09) | (0.14) | (0.08) | (0.08) | (0.18) | (0.08) | (0.20) | (0.38) | (0.18) | (0.15) | (0.19) | (0.16) | (0.10) | (0.12) | (0.08) | (0.11) | (2.44) |
| | 年齢構成比 | 0% | 1% | 2% | 3% | 4% | 6% | 3% | 3% | 7% | 3% | 8% | 15% | 7% | 6% | 8% | 7% | 4% | 5% | 3% | 5% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.11) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.28) |
| | 年齢構成比 | 0% | 0% | 20% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 40% | 0% | 0% | 0% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 1 | 2 | 5 | 5 | 11 | 7 | 5 | 10 | 5 | 14 | 29 | 10 | 7 | 9 | 9 | 6 | 5 | 7 | 6 | 153 |
| | (定点あたり) | (0.00) | (0.01) | (0.02) | (0.04) | (0.04) | (0.09) | (0.06) | (0.04) | (0.08) | (0.04) | (0.11) | (0.23) | (0.08) | (0.06) | (0.07) | (0.07) | (0.05) | (0.04) | (0.06) | (0.05) | (1.22) |
| | 年齢構成比 | 0% | 1% | 1% | 3% | 3% | 7% | 5% | 3% | 7% | 3% | 9% | 19% | 7% | 5% | 6% | 6% | 4% | 3% | 5% | 4% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 33% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 2 | 3 | 3 | 6 | 7 | 3 | 5 | 12 | 5 | 11 | 18 | 12 | 12 | 15 | 11 | 6 | 10 | 3 | 8 | 152 |
| | (定点あたり) | (0.00) | (0.02) | (0.02) | (0.02) | (0.05) | (0.06) | (0.02) | (0.04) | (0.10) | (0.04) | (0.09) | (0.14) | (0.10) | (0.10) | (0.12) | (0.09) | (0.05) | (0.08) | (0.02) | (0.06) | (1.22) |
| | 年齢構成比 | 0% | 1% | 2% | 2% | 4% | 5% | 2% | 3% | 8% | 3% | 7% | 12% | 8% | 8% | 10% | 7% | 4% | 7% | 2% | 5% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 7 | 11 | 4 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 25 |
| | (定点あたり) | (0.09) | (0.14) | (0.05) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.33) |
| | 年齢構成比 | 28% | 44% | 16% | 4% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 6 | 1 | 6 | 5 | 3 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 26 |
| | (定点あたり) | (0.00) | (0.03) | (0.08) | (0.01) | (0.08) | (0.07) | (0.04) | (0.00) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.34) |
| | 年齢構成比 | 0% | 8% | 23% | 4% | 23% | 19% | 12% | 0% | 4% | 4% | 4% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 1 | 6 | 13 | 9 | 13 | 16 | 9 | 25 | 7 | 3 | 12 | 4 | 8 | 126 |
| | (定点あたり) | (0.00) | (0.01) | (0.08) | (0.17) | (0.12) | (0.17) | (0.21) | (0.12) | (0.33) | (0.09) | (0.04) | (0.16) | (0.05) | (0.11) | (1.66) |
| | 年齢構成比 | 0% | 1% | 5% | 10% | 7% | 10% | 13% | 7% | 20% | 6% | 2% | 10% | 3% | 6% | 100% |
| 感染性胃腸炎 | 報告数 | 3 | 43 | 74 | 48 | 43 | 36 | 33 | 23 | 23 | 15 | 18 | 43 | 11 | 46 | 459 |
| | (定点あたり) | (0.04) | (0.57) | (0.97) | (0.63) | (0.57) | (0.47) | (0.43) | (0.30) | (0.30) | (0.20) | (0.24) | (0.57) | (0.14) | (0.61) | (6.04) |
| | 年齢構成比 | 1% | 9% | 16% | 10% | 9% | 8% | 7% | 5% | 5% | 3% | 4% | 9% | 2% | 10% | 100% |
| 水痘 | 報告数 | 0 | 0 | 2 | 3 | 7 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 17 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.04) | (0.09) | (0.01) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.22) |
| | 年齢構成比 | 0% | 0% | 12% | 18% | 41% | 6% | 6% | 6% | 0% | 6% | 0% | 6% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 1 | 14 | 41 | 23 | 9 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 96 |
| | (定点あたり) | (0.01) | (0.18) | (0.54) | (0.30) | (0.12) | (0.01) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.04) | (1.26) |
| | 年齢構成比 | 1% | 15% | 43% | 24% | 9% | 1% | 3% | 0% | 0% | 0% | 0% | 0% | 1% | 3% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 33% | 33% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 2 | 17 | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 33 |
| | (定点あたり) | (0.03) | (0.22) | (0.17) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.43) |
| | 年齢構成比 | 6% | 52% | 39% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 4 | 5 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 13 |
| | (定点あたり) | (0.00) | (0.05) | (0.07) | (0.01) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 31% | 38% | 8% | 0% | 8% | 8% | 0% | 0% | 8% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 2 | 2 | 1 | 4 | 4 | 4 | 4 | 1 | 4 | 1 | 0 | 0 | 27 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.03) | (0.01) | (0.05) | (0.05) | (0.05) | (0.05) | (0.01) | (0.05) | (0.01) | (0.00) | (0.00) | (0.36) |
| | 年齢構成比 | 0% | 0% | 7% | 7% | 4% | 15% | 15% | 15% | 15% | 4% | 15% | 4% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 4 | 5 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.05) | (0.07) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 33% | 42% | 17% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 2 | 1 | 6 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.01) | (0.08) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 0% | 7% | 14% | 7% | 43% | 14% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 1 | 4 | 9 | 5 | 7 | 11 | 7 | 14 | 5 | 1 | 3 | 2 | 2 | 71 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.12) | (0.07) | (0.09) | (0.14) | (0.09) | (0.18) | (0.07) | (0.01) | (0.04) | (0.03) | (0.03) | (0.93) |
| | 年齢構成比 | 0% | 1% | 6% | 13% | 7% | 10% | 15% | 10% | 20% | 7% | 1% | 4% | 3% | 3% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 23 | 40 | 25 | 24 | 14 | 20 | 10 | 16 | 7 | 11 | 29 | 5 | 19 | 245 |
| | (定点あたり) | (0.03) | (0.30) | (0.53) | (0.33) | (0.32) | (0.18) | (0.26) | (0.13) | (0.21) | (0.09) | (0.14) | (0.38) | (0.07) | (0.25) | (3.22) |
| | 年齢構成比 | 1% | 9% | 16% | 10% | 10% | 6% | 8% | 4% | 7% | 3% | 4% | 12% | 2% | 8% | 100% |
| 水痘 | 報告数 | 0 | 0 | 2 | 3 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.04) | (0.07) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.14) |
| | 年齢構成比 | 0% | 0% | 18% | 27% | 45% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 8 | 21 | 11 | 8 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 51 |
| | (定点あたり) | (0.00) | (0.11) | (0.28) | (0.14) | (0.11) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.67) |
| | 年齢構成比 | 0% | 16% | 41% | 22% | 16% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 2% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 1 | 9 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| | (定点あたり) | (0.01) | (0.12) | (0.11) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.25) |
| | 年齢構成比 | 5% | 47% | 42% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比 | 0% | 40% | 20% | 0% | 0% | 20% | 0% | 0% | 0% | 20% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 4 | 1 | 0 | 4 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.01) | (0.03) | (0.05) | (0.01) | (0.00) | (0.05) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 0% | 0% | 7% | 0% | 7% | 7% | 14% | 29% | 7% | 0% | 29% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 3 | 6 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 13 |
| | (定点あたり) | (0.04) | (0.08) | (0.03) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.17) |
| | 年齢構成比 | 23% | 46% | 15% | 0% | 0% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 8% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 4 | 0 | 0 | 3 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.00) | (0.00) | (0.04) | (0.01) | (0.00) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 0% | 8% | 33% | 0% | 0% | 25% | 8% | 0% | 8% | 8% | 8% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 4 | 4 | 6 | 5 | 2 | 11 | 2 | 2 | 9 | 2 | 6 | 55 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.05) | (0.05) | (0.08) | (0.07) | (0.03) | (0.14) | (0.03) | (0.03) | (0.12) | (0.03) | (0.08) | (0.72) |
| | 年齢構成比 | 0% | 0% | 4% | 7% | 7% | 11% | 9% | 4% | 20% | 4% | 4% | 16% | 4% | 11% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 20 | 34 | 23 | 19 | 22 | 13 | 13 | 7 | 8 | 7 | 14 | 6 | 27 | 214 |
| | (定点あたり) | (0.01) | (0.26) | (0.45) | (0.30) | (0.25) | (0.29) | (0.17) | (0.17) | (0.09) | (0.11) | (0.09) | (0.18) | (0.08) | (0.36) | (2.82) |
| | 年齢構成比 | 0% | 9% | 16% | 11% | 9% | 10% | 6% | 6% | 3% | 4% | 3% | 7% | 3% | 13% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 33% | 0% | 17% | 17% | 0% | 17% | 0% | 17% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 1 | 6 | 20 | 12 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 45 |
| | (定点あたり) | (0.01) | (0.08) | (0.26) | (0.16) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.59) |
| | 年齢構成比 | 2% | 13% | 44% | 27% | 2% | 2% | 2% | 0% | 0% | 0% | 0% | 0% | 2% | 4% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 1 | 8 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.01) | (0.11) | (0.07) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比 | 7% | 57% | 36% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 2 | 4 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.03) | (0.05) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 25% | 50% | 13% | 0% | 0% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 2 | 0 | 3 | 2 | 0 | 3 | 1 | 0 | 1 | 0 | 0 | 13 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.04) | (0.03) | (0.00) | (0.04) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 8% | 15% | 0% | 23% | 15% | 0% | 23% | 8% | 0% | 8% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。