

2017年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	3	1	6	6	4	6	4	4	3	14	7	4	9	13	3	4	0	1	93
	(定点あたり)	(0.00)	(0.01)	(0.02)	(0.01)	(0.05)	(0.05)	(0.03)	(0.05)	(0.03)	(0.03)	(0.02)	(0.11)	(0.06)	(0.03)	(0.07)	(0.10)	(0.02)	(0.03)	(0.00)	(0.01)	(0.74)
	年齢構成比	0%	1%	3%	1%	6%	6%	4%	6%	4%	4%	3%	15%	8%	4%	10%	14%	3%	4%	0%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	1	0	0	0	2	0	0	0	0	0	0	0	0	1	2	2	0	1	0	0	9
	(定点あたり)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.50)
	年齢構成比	11%	0%	0%	0%	22%	0%	0%	0%	0%	0%	0%	0%	0%	11%	22%	22%	0%	11%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	1	0	2	2	1	4	2	2	0	9	6	2	5	4	2	2	0	1	46
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.02)	(0.02)	(0.01)	(0.03)	(0.02)	(0.02)	(0.00)	(0.07)	(0.05)	(0.02)	(0.04)	(0.03)	(0.02)	(0.02)	(0.00)	(0.01)	(0.37)
	年齢構成比	0%	2%	2%	0%	4%	4%	2%	9%	4%	4%	0%	20%	13%	4%	11%	9%	4%	4%	0%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	2	1	4	4	3	2	2	2	3	5	1	2	4	9	1	2	0	0	47
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.03)	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.04)	(0.01)	(0.02)	(0.03)	(0.07)	(0.01)	(0.02)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	0%	4%	2%	9%	9%	6%	4%	4%	4%	6%	11%	2%	4%	9%	19%	2%	4%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	1	0	0	0	1	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	6
	(定点あたり)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	17%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	17%	33%	17%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	3	1	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	9	11	5	14	7	3	1	2	0	3	2	0	2	59
	(定点あたり)	(0.00)	(0.12)	(0.14)	(0.07)	(0.18)	(0.09)	(0.04)	(0.01)	(0.03)	(0.00)	(0.04)	(0.03)	(0.00)	(0.03)	(0.78)
	年齢構成比	0%	15%	19%	8%	24%	12%	5%	2%	3%	0%	5%	3%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	8	8	14	15	21	18	19	9	10	20	2	14	160
	(定点あたり)	(0.01)	(0.01)	(0.11)	(0.11)	(0.18)	(0.20)	(0.28)	(0.24)	(0.25)	(0.12)	(0.13)	(0.26)	(0.03)	(0.18)	(2.11)
	年齢構成比	1%	1%	5%	5%	9%	9%	13%	11%	12%	6%	6%	13%	1%	9%	100%
感染性胃腸炎	報告数	5	35	86	77	77	42	46	31	24	25	14	43	15	65	585
	(定点あたり)	(0.07)	(0.46)	(1.13)	(1.01)	(1.01)	(0.55)	(0.61)	(0.41)	(0.32)	(0.33)	(0.18)	(0.57)	(0.20)	(0.86)	(7.70)
	年齢構成比	1%	6%	15%	13%	13%	7%	8%	5%	4%	4%	2%	7%	3%	11%	100%
水痘	報告数	0	0	4	2	1	2	0	5	1	2	0	2	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.01)	(0.03)	(0.00)	(0.07)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	0%	21%	11%	5%	11%	0%	26%	5%	11%	0%	11%	0%	0%	100%
手足口病	報告数	0	10	64	18	9	6	1	0	2	1	0	0	0	1	112
	(定点あたり)	(0.00)	(0.13)	(0.84)	(0.24)	(0.12)	(0.08)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(1.47)
	年齢構成比	0%	9%	57%	16%	8%	5%	1%	0%	2%	1%	0%	0%	0%	1%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	24	4	3	0	0	0	0	0	0	0	0	0	38
	(定点あたり)	(0.00)	(0.09)	(0.32)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比	0%	18%	63%	11%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	3	1	2	0	0	0	0	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.05)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	36%	27%	9%	18%	0%	0%	0%	0%	0%	0%	9%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	1	4	2	5	2	2	1	3	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.05)	(0.03)	(0.07)	(0.03)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	0%	0%	9%	5%	18%	9%	23%	9%	9%	5%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	6	8	4	8	6	1	1	1	0	2	1	0	0	38
	(定点あたり)	(0.00)	(0.08)	(0.11)	(0.05)	(0.11)	(0.08)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.50)
	年齢構成比	0%	16%	21%	11%	21%	16%	3%	3%	3%	0%	5%	3%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	5	4	9	7	13	9	9	6	3	11	0	5	82
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.05)	(0.12)	(0.09)	(0.17)	(0.12)	(0.12)	(0.08)	(0.04)	(0.14)	(0.00)	(0.07)	(1.08)
	年齢構成比	0%	1%	6%	5%	11%	9%	16%	11%	11%	7%	4%	13%	0%	6%	100%
感染性胃腸炎	報告数	2	17	51	45	47	25	29	17	15	14	5	26	12	21	326
	(定点あたり)	(0.03)	(0.22)	(0.67)	(0.59)	(0.62)	(0.33)	(0.38)	(0.22)	(0.20)	(0.18)	(0.07)	(0.34)	(0.16)	(0.28)	(4.29)
	年齢構成比	1%	5%	16%	14%	14%	8%	9%	5%	5%	4%	2%	8%	4%	6%	100%
水痘	報告数	0	0	3	0	0	1	0	2	1	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	38%	0%	0%	13%	0%	25%	13%	0%	0%	13%	0%	0%	100%
手足口病	報告数	0	8	30	10	6	4	0	0	1	0	0	0	0	0	59
	(定点あたり)	(0.00)	(0.11)	(0.39)	(0.13)	(0.08)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.78)
	年齢構成比	0%	14%	51%	17%	10%	7%	0%	0%	2%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	2	16	1	1	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.03)	(0.21)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	10%	80%	5%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	1	2	0	0	0	0	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	17%	17%	17%	33%	0%	0%	0%	0%	0%	0%	17%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	0	1	1	0	1	2	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	11%	11%	22%	0%	11%	11%	0%	11%	22%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	3	1	6	1	2	0	1	0	1	1	0	2	21
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.01)	(0.08)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.28)
	年齢構成比	0%	14%	14%	5%	29%	5%	10%	0%	5%	0%	5%	5%	0%	10%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	3	4	5	8	8	9	10	3	7	9	2	9	78
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.05)	(0.07)	(0.11)	(0.11)	(0.12)	(0.13)	(0.04)	(0.09)	(0.12)	(0.03)	(0.12)	(1.03)
	年齢構成比	1%	0%	4%	5%	6%	10%	10%	12%	13%	4%	9%	12%	3%	12%	100%
感染性胃腸炎	報告数	3	18	35	32	30	17	17	14	9	11	9	17	3	44	259
	(定点あたり)	(0.04)	(0.24)	(0.46)	(0.42)	(0.39)	(0.22)	(0.22)	(0.18)	(0.12)	(0.14)	(0.12)	(0.22)	(0.04)	(0.58)	(3.41)
	年齢構成比	1%	7%	14%	12%	12%	7%	7%	5%	3%	4%	3%	7%	1%	17%	100%
水痘	報告数	0	0	1	2	1	1	0	3	0	2	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.04)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	0%	9%	18%	9%	9%	0%	27%	0%	18%	0%	9%	0%	0%	100%
手足口病	報告数	0	2	34	8	3	2	1	0	1	1	0	0	0	1	53
	(定点あたり)	(0.00)	(0.03)	(0.45)	(0.11)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.70)
	年齢構成比	0%	4%	64%	15%	6%	4%	2%	0%	2%	2%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	8	3	2	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	28%	44%	17%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	2	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	60%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	2	2	4	1	2	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.05)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	8%	0%	15%	15%	31%	8%	15%	0%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。