

2017年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	0	2	1	3	6	3	3	3	3	4	6	1	2	8	3	1	1	1	52
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.02)	(0.01)	(0.02)	(0.05)	(0.02)	(0.02)	(0.02)	(0.02)	(0.03)	(0.05)	(0.01)	(0.02)	(0.07)	(0.02)	(0.01)	(0.01)	(0.01)	(0.42)
	年齢構成比	0%	2%	0%	4%	2%	6%	12%	6%	6%	6%	6%	8%	12%	2%	4%	15%	6%	2%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	50%	0%	25%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	1	1	2	3	2	1	2	3	3	5	1	1	4	1	1	1	1	33
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.02)	(0.02)	(0.02)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.27)
	年齢構成比	0%	0%	0%	3%	3%	6%	9%	6%	3%	6%	9%	9%	15%	3%	3%	12%	3%	3%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	0	1	0	1	3	1	2	1	0	1	1	0	1	4	2	0	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.02)	(0.01)	(0.02)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.02)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	5%	0%	5%	0%	5%	16%	5%	11%	5%	0%	5%	5%	0%	5%	21%	11%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	67%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	3	2	0	1	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	14%	43%	29%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	6	20	10	9	5	3	1	3	0	1	1	0	0	59
	(定点あたり)	(0.00)	(0.08)	(0.27)	(0.13)	(0.12)	(0.07)	(0.04)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.79)
	年齢構成比	0%	10%	34%	17%	15%	8%	5%	2%	5%	0%	2%	2%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	11	20	30	25	17	18	14	6	15	1	16	178
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.15)	(0.27)	(0.40)	(0.33)	(0.23)	(0.24)	(0.19)	(0.08)	(0.20)	(0.01)	(0.21)	(2.37)
	年齢構成比	0%	0%	3%	6%	11%	17%	14%	10%	10%	8%	3%	8%	1%	9%	100%
感染性胃腸炎	報告数	8	50	110	67	55	62	54	41	23	18	9	50	18	55	620
	(定点あたり)	(0.11)	(0.67)	(1.47)	(0.89)	(0.73)	(0.83)	(0.72)	(0.55)	(0.31)	(0.24)	(0.12)	(0.67)	(0.24)	(0.73)	(8.27)
	年齢構成比	1%	8%	18%	11%	9%	10%	9%	7%	4%	3%	1%	8%	3%	9%	100%
水痘	報告数	0	2	0	0	0	0	0	4	0	2	0	0	2	0	10
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.13)
	年齢構成比	0%	20%	0%	0%	0%	0%	0%	40%	0%	20%	0%	0%	20%	0%	100%
手足口病	報告数	3	35	101	29	5	4	2	0	0	0	1	0	0	2	182
	(定点あたり)	(0.04)	(0.47)	(1.35)	(0.39)	(0.07)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(2.43)
	年齢構成比	2%	19%	55%	16%	3%	2%	1%	0%	0%	0%	1%	0%	0%	1%	100%
伝染性紅斑	報告数	0	1	0	0	1	2	1	1	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	17%	0%	0%	17%	33%	17%	17%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	11	23	2	1	0	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.00)	(0.15)	(0.31)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比	0%	30%	62%	5%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	8	1	0	2	0	1	1	0	0	2	0	0	18
	(定点あたり)	(0.00)	(0.04)	(0.11)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	17%	44%	6%	0%	11%	0%	6%	6%	0%	0%	11%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	2	4	7	6	1	4	2	2	3	0	0	33
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.05)	(0.09)	(0.08)	(0.01)	(0.05)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.44)
	年齢構成比	0%	0%	6%	6%	12%	21%	18%	3%	12%	6%	6%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	1	2	0	1	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	20%	20%	40%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	7	7	4	3	1	0	2	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.09)	(0.05)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比	0%	8%	27%	27%	15%	12%	4%	0%	8%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	7	16	18	14	11	12	4	4	8	1	8	105
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.09)	(0.21)	(0.24)	(0.19)	(0.15)	(0.16)	(0.05)	(0.05)	(0.11)	(0.01)	(0.11)	(1.40)
	年齢構成比	0%	0%	2%	7%	15%	17%	13%	10%	11%	4%	4%	8%	1%	8%	100%
感染性胃腸炎	報告数	4	25	60	42	33	35	28	23	18	8	5	28	8	22	339
	(定点あたり)	(0.05)	(0.33)	(0.80)	(0.56)	(0.44)	(0.47)	(0.37)	(0.31)	(0.24)	(0.11)	(0.07)	(0.37)	(0.11)	(0.29)	(4.52)
	年齢構成比	1%	7%	18%	12%	10%	10%	8%	7%	5%	2%	1%	8%	2%	6%	100%
水痘	報告数	0	2	0	0	0	0	0	3	0	1	0	0	1	0	7
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)
	年齢構成比	0%	29%	0%	0%	0%	0%	0%	43%	0%	14%	0%	0%	14%	0%	100%
手足口病	報告数	1	22	63	18	2	2	1	0	0	0	1	0	0	1	111
	(定点あたり)	(0.01)	(0.29)	(0.84)	(0.24)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(1.48)
	年齢構成比	1%	20%	57%	16%	2%	2%	1%	0%	0%	0%	1%	0%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	9	9	1	1	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.12)	(0.12)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	0%	45%	45%	5%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	4	1	0	1	0	1	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	50%	13%	0%	13%	0%	13%	0%	0%	0%	13%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	1	2	7	2	1	3	2	1	2	0	0	23
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.09)	(0.03)	(0.01)	(0.04)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.31)
	年齢構成比	0%	0%	9%	4%	9%	30%	9%	4%	13%	9%	4%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	4	13	3	5	2	2	1	1	0	1	1	0	0	33
	(定点あたり)	(0.00)	(0.05)	(0.17)	(0.04)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.44)
	年齢構成比	0%	12%	39%	9%	15%	6%	6%	3%	3%	0%	3%	3%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	4	4	12	11	6	6	10	2	7	0	8	73
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.05)	(0.16)	(0.15)	(0.08)	(0.08)	(0.13)	(0.03)	(0.09)	(0.00)	(0.11)	(0.97)
	年齢構成比	0%	0%	4%	5%	5%	16%	15%	8%	8%	14%	3%	10%	0%	11%	100%
感染性胃腸炎	報告数	4	25	50	25	22	27	26	18	5	10	4	22	10	33	281
	(定点あたり)	(0.05)	(0.33)	(0.67)	(0.33)	(0.29)	(0.36)	(0.35)	(0.24)	(0.07)	(0.13)	(0.05)	(0.29)	(0.13)	(0.44)	(3.75)
	年齢構成比	1%	9%	18%	9%	8%	10%	9%	6%	2%	4%	1%	8%	4%	12%	100%
水痘	報告数	0	0	0	0	0	0	0	1	0	1	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	33%	0%	100%
手足口病	報告数	2	13	38	11	3	2	1	0	0	0	0	0	0	1	71
	(定点あたり)	(0.03)	(0.17)	(0.51)	(0.15)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.95)
	年齢構成比	3%	18%	54%	15%	4%	3%	1%	0%	0%	0%	0%	0%	0%	1%	100%
伝染性紅斑	報告数	0	1	0	0	0	2	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	25%	0%	0%	0%	50%	0%	25%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	2	14	1	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.03)	(0.19)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	12%	82%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	4	0	0	1	0	0	1	0	0	1	0	0	10
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	30%	40%	0%	0%	10%	0%	0%	10%	0%	0%	10%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	0	4	0	1	0	1	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.05)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	0%	10%	20%	0%	40%	0%	10%	0%	10%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。